



RAJASTHAN RAJYA VIDYUT PRASARAN NIGAM Ltd.

[Corporate Identity Number (CIN): L40109RJ2000SGC016485]

Regd. Office: Vidhyut Bhawan, Jyoti Nagar, Jaipur-302005

OFFICE OF THE ASSISTANT ENGINEER [132kV GSS]

RVPNL SUMERPUR (PALI, RAJASTHAN)-306902

Email-aen.132.sumerpur@rvpn.co.in phone-02933-252932, 252732

No. RVPN/AEN/132KV GSS/SUMERPUR/S.Tech./F. /2017-18/D.123 Dated. 10.08.17

NIT-01/2017-18

Date 10.08.2017

To,

M/s

.....

.....

(All Registered Contractor RVPN under T&C Kankani Circle/Jodhpur Zone)

Subject: Regarding Yard Cleaning at 132kV GSS Sumerpur

Dear Sir,

On the above cited subject, it is intimated that Yard Cleaning work at 132kV GSS Sumerpur is to be carried out on CLRC basis as per enclosed G-Schedule before 31.10.2017.

Since you are registered contractor of Kankani Circle/Jodhpur zone, therefore requested to send your consent for execution of said work within **07 days** from issue of this letter so that further necessary action may initiated.

Encl: G-Schedule

Assistant Engineer (132kV GSS)
R.V.P.N.L., Sumerpur

Copy submitted to the following for kind information & n/a please.

1. The Superintending Engineer (T& C) RRVPNL Kankani (Jodhpur)
2. The Executive Engineer (220kV GSS) RRVPNL, Bali
3. Feeder Manager (T&C) RVPN, Jodhpur for uploading on website of Nigam under Jodhpur zone Tender webpage.
4. The Account officer (T&C) RRVPNL Kankani (Jodhpur)

Assistant Engineer (132kV GSS)
R.V.P.N.L., Sumerpur

G-Schedule of cleaning of switch yard at 132kV GSS Sumerpur as per Nigam BSR-2011

S.No.	Particulars	Frequency	Unit	Rate	Qty	Amount
1	ग्रिड सब स्टेशन के स्विच यार्ड में जंगली घास, कोंटेदार झाड़ियों, जंगली पेड़ पौधों आदि जड़ से उखाड़कर सम्पूर्ण सफाई का कार्य व इस कार्य के लिए जो ग्रेवल अव्यवस्थित की गई हो उसे पुनः व्यवस्थित करना । समस्त निकाले गए कचरे को ग्रिड सब स्टेशन परिसर से बाहर प्रभारी अधिकारी द्वारा निर्धारित स्थान पर डालना । सफाई कार्य हेतु झाड़ू एवं आवश्यक उपकरण ठेकेदार को स्वयं की लागत पर लाने होंगे ।					
	अ) ग्रेवल क्षेत्र (समस्त ग्रेवल हटाना व पुनः लगाना इस कार्य में शामिल नहीं है।)	अर्ध वार्षिक 1	वर्ग मीटर	137.00 प्रति 100 वर्ग मीटर	7321.00 वर्ग मीटर	10029.77
	ब) अनग्रेवल क्षेत्र	अर्ध वार्षिक 1	वर्ग मीटर	89.00 प्रति 100 वर्ग मीटर	10301.00 वर्ग मीटर	9167.89
2	केबल ट्रेंचो के कवर हटाकर अन्दर से सफाई करना व समस्त निकाले गए कचरे को ग्रिड सब स्टेशन परिसर से बाहर प्रभारी अधिकारी द्वारा निर्धारित स्थान पर डालना व केबल पुनः व्यवस्थित कर ट्रेंच कवर वापिस लगाना । सफाई कार्य हेतु झाड़ू एवं आवश्यक उपकरण ठेकेदार को स्वयं की लागत पर लाने होंगे ।					
	अ) 0.6 मीटर तक गहराई की ट्रेंच ।	अर्ध वार्षिक 1	रनिंग मीटर	2.90 रनिंग मीटर	288.00 रनिंग मीटर	835.20
	ब) 0.6 मीटर से 1.2 मीटर तक गहराई की ट्रेंच ।	अर्ध वार्षिक 1	रनिंग मीटर	4.50 रनिंग मीटर	203.00 रनिंग मीटर	913.50
	स) 0.6 मीटर से 1.2 मीटर तक गहराई की ट्रेंच ।	अर्ध वार्षिक 1	रनिंग मीटर	6.00 रनिंग मीटर	46.00 रनिंग मीटर	276.00
					Total	21222.36
					60% above BSR (CLRC)	13029.76
					G.Total	33955.78
					Say Rs.	33956
Rs. Thirty three thousand nine hundred fifty six only						


Junior Engineer (M)
RRVPNL Sumerpur


Assistant Engineer(132kV GSS)
RRVPNL Sumerpur