



CIN: U40109RJ2000SGC016486

**JAIPUR VIDYUT VITRAN NIGAM LTD.**Office of Superintending Engineer (IT),  
Old Power House Premises, Near Ram Mandir,  
Jaipur-302006, Tel -0141-2205412Regd. Office: Vidyut Bhawan, Jyoti Nagar, Jaipur 302005  
Website: www.jaipurdiscom.com, Email: seitjvvn1@yahoo.in

No.JPD/SE (IT) /XEN(Contract)/TN-56/F- /D. 1461

Date 18/11/17

**: CLARIFICATION IN RETENDER TN-56:**

Subsequent to various queries received following is clarified:-

The description in Appendix-C "Schedule of Requirement of Connectivity" in retender TN-56 for all the Three Discoms is hereby clarified in respect of Item "Other Offices-Primary Connectivity" & "Secondary Connectivity on all offices other than Data Centre". The amended table for all the Discoms may now be read as under:-

**A. Jaipur Discom:**

Sr.No.	Item	Description	Qty.
1	At Data center Jaipur – Primary Link	155 mbps dedicated Internet lease line as primary link with provision to cater connectivity at Sr. 3 & 4.	1 Nos.
2.	Data Center Jaipur – Secondary Link (45 mbps)	45 mbps dedicated Internet lease from any other service provider other than primary Link	1 Nos.
3	RAPDRP Sub-division office – Primary link	2 Mbps MPLS Link with requisite hardware.	76 Nos.(List Enclosed)
4	Other Offices- Primary Connectivity	Minimum 2 Mbps Broadband VPN connectivity with requisite hardware.	228 Nos.
5	Secondary Connectivity on all offices other than Data Center	2 Mbps Broadband VPN for RAPDRP town & for other town 1 Mbps Internet with different technology.	304 Nos.
6.	Operation & Maintenance	As per scope.	1 Job

**B. Jodhpur Discom**

Sr. No.	Item	Description	Qty.
1	At DR center Jodhpur – Primary Link	25 mbps dedicated Internet lease line as primary link with provision to cater connectivity at Sr. 4 & 5.	1 Nos.
2.	DR Center – Secondary Link (45 mbps)	10mbps dedicated Internet lease from any other service provider other than primary Link	1 Nos.
3	Point to Point leased line connectivity between DC & DR sites	5 mbps separate point to point leased line connectivity between Jaipur DC and Jodhpur DR sites.	1 Nos.

2/

My

4	RAPDRP Sub-division office – Primary link	2 Mbps MPLS Link with requisite hardware.	56 Nos.(List Enclosed)
5	Other Offices- Primary Connectivity	Minimum 2 Mbps Broadband VPN connectivity with requisite hardware.	198 Nos.
6	Secondary Connectivity on all offices other than Data Center	2 Mbps Broadband VPN for RAPDRP town & for other town 1 Mbps Internet with different technology.	254 Nos.
7	Operation & Maintenance	As per scope.	1 Job

C. Ajmer Discom

Sr. No.	Item	Description	Qty.
1	RAPDRP Sub-division office – Primary link	2 Mbps MPLS Link with requisite hardware.	55 Nos. (List Enclosed)
2	Other Offices- Primary Connectivity	Minimum 2 Mbps Broadband VPN connectivity with requisite hardware.	242 Nos.
3	Secondary Connectivity on all offices other than Data Center	2 Mbps Broadband VPN for RAPDRP town & for other town 1 Mbps Internet with different technology.	297 Nos.
4	Operation & Maintenance	As per scope of work.	1 Job

Schedule of requirement for Minimum Hardware

- 2 Nos. VPN Server (1 for DC & 1 for DR center) with having capacity to handle minimum 2500 Nos. users at a time.
- Other Item which are not mentioned here, but in the scope of work shall be part of schedule of requirement.
- Apart from the above the provision to access the system from any time anywhere.
- The type of connectivity mentioned in the Appendix-C above supersedes the type of connectivity mentioned elsewhere in the RFP. As such, the bidder should strictly refer Appendix-C "Schedule of Requirement of Connectivity" with its above amendment for type of connectivity.

  
(ANIL GUPTA)

SUPERINTENDING ENGINEER (IT)

25