

No.JdVVNL/MD/CE(HQ)/SE(RA&C)/JU/2018-19/D. 170 Dt. 27.04.2018

ORDER

Sub.: Disposal of pending VCR's.

Detailed directions for disposal of pending VCR's (upto 30.06.2016) were issued vide this office Order No. Comml.JDP/802 dated 31.07.2017 and Comml.JDP/809 dated 04.08.2017. It is observed that still some VCR's of theft/ misuse nature are pending for logical conclusion. Therefore, to resolve consumer/ non-consumer grievances, this scheme is extended for the period upto 30.06.2018 with following conditions:


1. This scheme shall be applicable for the pending VCR's upto 31.12.2017.
2. The Assistant Engineer of the sub-division is authorized to dispose the VCR's by accepting the following amount:
 - (i) If assessment for Civil liabilities plus Compounding charges of pending VCRs is upto Rs.50,000/- (fifty thousand), concerned Assistant Engineer (O&M) is authorized to close the VCR's by depositing 50% of Civil liabilities & Compounding charges.
 - (ii) If assessment for Civil liabilities plus Compounding charges of pending VCRs is more than Rs.50,000/- (fifty thousand), concerned Assistant Engineer (O&M) is authorized to close the VCRs by depositing Rs.25,000/- (twenty five thousand) plus 10% of the amount above Rupees Fifty Thousand of the Civil liabilities & Compounding charges.
3. Such cases after closing the VCR shall be reported to APTPS where FIR has been lodged for disposal of FIR.

ce

4. The cases in which challan has been submitted in the court against consumer/ non-consumer shall not be entertained under this scheme.
5. In the cases where consumer approaches to court, the benefit under this scheme shall be given only if the consumer voluntary undertakes to withdraw all the court cases pending in any court of Law/ consumer forum / any other forum related to VCR.
6. The cases already decided shall not be re-opened.

This order is issued in suppression to all previous orders issued in this regard.

By Order,


27.4.18
(M.R. MEENA)

**ADDL. CHIEF ENGINEER (HQ)
JODHPUR DISCOM, JODHPUR**