

**Two Part Bid**

**JODHPUR VIDYUT VITRAN NIGAM LIMITED
OFFICE OF THE SUPERINTENDING ENGINEER (MM&C)
NEW POWER HOUSE INDUSTRIAL AREA, JODHPUR.
TELEPHONE: 0291-2742223 / FAX:- 0291-2746539**

SPECIFICATION NO.JDVVNL/SE/MM&C/TN-1479

Tenders are hereby invited in e-tender system for purchase of 2.5 KV Digital Insulation Tester are to be submitted online in electronic format on website <http://www.eproc.rajasthan.gov.in>. The details are as under-

S.No.	Name of Item	Quantity (Approx)
1.	2.5 KV Digital Insulation Tester	4105 Nos.

A.	NIT No.	TN-1479
B.	Last date for receipt of tenders	14.09.2018 upto 12:00 PM
C.	Date & time of tender opening	14.09.2018 at 3:00 PM
D.	Cost of Specification	Rs. 2,950.00 (Two Thousand Nine Hundred & Fifty only) For MSME: Rs. 1,475 (One Thousand Four Hundred & Seventy Five only)
E.	Processing of RISL	Rs. 1,000.00 (One Thousand only)
F.	Bid security to be deposited	General Bidder : Rs 697850.00 Sick Unit : Rs. 348925.00 SSI unit of Rajasthan: Rs. 174463.00 *
G.	Validity	120 days from the next date of opening of techno-commercial bid.

***In case SSI unit of Rajasthan quotes the less than the tendered quantity , then they are required to furnish Bid security @ 0.5% of the value of the quantity offered by them, failing which bid shall be considered non-responsive.**

The micro , small & Medium Scale Industries of Rajasthan and sick Industries , other than Small Scale Industries , whose cases are pending before the Board of Industrial and Financial Reconstruction (BIFR) shall furnish self attest documentary evidence duly attested by notary to claim the above.

IMPORTANT DATES

S.N.	Events	Date & Time	Location
1.	Last Date of downloading of tender specifications	Up to 13.09.2018 (04:00 PM)	www.jdvvn.com & http://www.eproc.rajasthan.gov.in
2.	Last Date of Deposit of cost of Tender Specifications, Processing fee & Bid Security	Up to 13.09.2018 (4:00 PM)	Office of Sr. A.O (Cash & CPC), JdVVNL , New Power House, Industrial Area, Jodhpur
3.	Last Date & time of submission of electronic bid	Up to 14.09.2018 (12:00 PM)	http://www.eproc.rajasthan.gov.in
4.	Opening of Technical Bid	14.09.2018 (03:00 PM)	http://www.eproc.rajasthan.gov.in
5.	Opening of Price Bid	To be intimated separately to the qualified bidders	http://www.eproc.rajasthan.gov.in

INDEX

Section-I	Instructions to Bidder	
Section-II	General Conditions of Contract	
Section-III	Technical Specification	
Schedule-I	Schedule of Requirement	
Schedule-II	Prices	
Schedule-III	Details of Standards	
Schedule-III A	Pre Qualification Requirement (PQR)	
Schedule-III B	Proforma for Bank Guarantee in lieu of Type Test Certificates	
Schedule-IV	BOQ (Price Schedule)	To be uploaded Online on website
Schedule IV A	Details of tendered quantity, quantity offered along with justification with reference to qualifying Requirement	The Bidder is required to justify quantity offered as per qualifying Requirement.
Schedule V	Guaranteed Technical Particulars	
Schedule V A	Departure from Guaranteed Technical Particulars	
Schedule VI A	Departure from the requirement of Technical Specification.	
Schedule VI B	Departure from commercial terms & conditions of specification	
Schedule VII	List of Past supplies	
Schedule VII A	C.A. Certificate for Quantity Justification	
Schedule VIII	Delivery schedule	
Schedule IX	List of equipment & technical hands available with the bidding firm.	
Schedule X	General Particulars about the tender in brief.	
Schedule XI	Format of Affidavit for Rajasthan MSME	
General	Amendments in ITB & GCC	
Appendix-A	Performa for Bank Guarantee in lieu of Bid Security	
Appendix-B	Important instruction	
Annexure-A	Self attested undertaking	

1. Tender documents will be made available on e-Tendering portal www.eproc.rajasthan.gov.in The bidders, in their own interest are requested to read very carefully the tender document before submitting the bid only through online on website www.eproc.rajasthan.gov.in . The bidders can download bid up to 04:00 p.m. one day prior to schedule date of opening of respective bid mentioned above documents and submit their bids online up to 12:00 p.m. on schedule of respective bid mentioned above.
2. Eligible bidders should submit their bid well in advance instead of waiting till last date JdVVNL will not be responsible for non-submission of bids due to any website related problems.
3. The cost of Tender specification **Rs. 2950/- / Rs. 1475/-**(Non-Refundable) to be paid by Demand Draft in Favour of the Sr. Accounts officer(Cash & CPC), JdVVNL, Jodhpur and tender processing fees **Rs. 1000/-** shall be payable by demand draft in favour of The Managing Director RISL, Jaipur (Non- Refundable). The bidders are required to deposit all these payments in the office of the SE(MM&C), JdVVNL, Jodhpur up to 4.00 PM one day prior to date of tendering otherwise their bids are liable to be rejected.
4. The Bid Security amount (as applicable) to be paid by demand draft/banker's cheque in favours of SR.AO(CASH & CPC), JDVVNL, Jodhpur (Payable at jodhpur) **342003 up to 4.00 p.m upto one WORKING day prior to schedule date of opening** of respective bid or Bank guarantee, in specified format, of a scheduled bank in favour of superintending Engineer (MM&C), JDVVNL, Jodhpur be deposited to the Sr. Accounts Officer (MM&C), JdVVNL, New Power House, Industrial Area, Jodhpur-342003 **up to 4.00 p.m. up to one WORKING day prior to schedule date of opening** of respective bid and obtain a receipt/acknowledgement thereof. No other mode of deposit shall be accepted. At the time of depositing the Bid Security amount or Bank Guarantee, the bidder shall also furnish self attested and duly attested by Notary, the documentary evidence of SSI unit of Rajasthan or of sick unit (as applicable) along with affidavit as per schedule XI on Non-Judicial Stamp of Rs. 100/-.

The Bank Guarantee against Bid Security be issued by Nationalized / Scheduled Bank. The same may be accepted after confirmation by issuing Bank. If any Bid Security Bank Guarantee not is proper format / not confirmed by the issuing Bank the same would not be accepted and the bidder would be immediately shorted out from bid process

SECTION-III**TECHNICAL SPECIFICATION FOR 2.5 KV DIGITAL INSULATION TESTER AGAINST TN-1479****1.0 SCOPE :**

The 2.5 KV Digital Insulation Tester shall be used for the measurement of Insulation Resistance of Transformers, Switches, High Voltage Systems, Low and High Tension Lines, Cables, Appliances, Motors etc. with precision in the Charge Yard of 33KV Environment having Electromagnetic field and interference.

2.0 REQUIREMENT:

The requirement of 2.5 KV Digital Insulation Tester is 4105 Nos.

3.0 STANDARDS :

The Tester shall be designed as per relevant national and international industry standards and should be able to carry out the testing as per recommended practices. The following are the applicable standards:

Standard Number	Title
IS 10656 – 1983 (with latest amendments)	Specification for Insulation Tester (Electronic Type)
IEC / EN 61010 – 1	Safety Requirements for Electrical Equipment for Measurement Control and Laboratory Use : <input type="checkbox"/> Pollution Degree 2 <input type="checkbox"/> Installation Category CAT III 600 V
IEC / EN 61326 – 1	EMC
IP 44	

4.0 CLIMATIC CONDITIONS :

The tester to be supplied under the specification shall be suitable for satisfactory operation under the following tropical humid conditions:

Max. Ambient Air Temperature	: 55 Deg. C.
Max. Ambient Air Temperature in Shade	: 45 Deg. C.
Max. Temperature Attainable By The Meter	: 60 Deg. C.
Min. Ambient Temperature	: (-5) Deg. C.
Av. Daily Ambient Temperature	: 40 Deg. C.
Max. Relative Humidity	: 95%
Number of Months During which Tropical	: 4 Months.
Max. Altitude above mean sea level	: 1000 Meters.
Av. Annual rain fall	: 10-100 Cms.
Max. wind pressure	: 200Kg./Cms. Sq.m
Isoceraunic level (days per year)	: 40
Seismic Level (horizontal acceleration)	: 0.30 g.
Permitted noise level	: 45 Db.

The atmosphere is to be considered as laden with industrial smoke / gas and dust in suspension during dry months. Fog, smoke and mild acids are also present. Heavy rainfall and lightning may also be present during the months from June to October.

5.0 TECHNICAL REQUIREMENTS:

- a) The 2.5 KV Digital Insulation Tester should have voltage selection of 500V / 1000V / 2500V DC so that the equipment under test (say transformers) can be tested both on HT as well as LT Side. When insulation measurement is going on,

high voltage is generated. There should be a safety feature of indication of LED light glowing on the tester panel to make the user cautious while conduction the testing at high voltages.

- b) The 2.5 KV Digital Insulation Tester should be handy and portable so that it can be easily operated and it should be light in weight so that it can be carried to site easily. The tester should be supplied with good quality test leads, carrying bag, operating instructions manual and batteries.
- c) Instrument should have internal rechargeable battery with inbuilt battery charging circuit for charging from the 230 V A.C. mains. The power consumption of the instrument should be less than 7.5 VA. There should be indications for low battery condition as well as fully charge condition. Charging should be automatically disconnected after full charging so that overcharging be avoided.
- d) The range for Insulation resistance from 0.1Mega Ohms to 20Giga Ohms should be available. The measured value of insulation resistance should be displayed on large LCD display with at least 0.01Mega Ohms resolution.
- e) Function of measuring AC Voltage from 0 to 600V AC with frequency response of 40 to 400Hz should be provided. This would eliminate the need of carrying additional voltmeter in the field for testing.
- f) Short circuit current should be at least 1mA for having accurate insulation resistance measurement.
- g) In case low insulation resistance is being measured, there should be buzzer / warning and the tester should shut off after sounding the buzzer / warning for 30 seconds. This is very important for the safety of equipment under test as well as to save the battery life.
- h) The tester shall conduct “automatic calibration and auto zero” at every startup of the tester. i) The tester must be able to take the following tests:
 - AC Voltage Measurement
 - Insulation Resistance Measurement
- i) The tester should have Test and Stop Button to enable the start and stop of the tester respectively even by a single person operating the tester easily.
- j) The accuracy of Insulation resistance tester should be as under:
 - For insulation resistance
 - 0.1 MΩ to 200 MΩ (Accuracy: +/- (3%+ 5digit))
 - 200 MΩ to 10 GΩ (Accuracy: +/- (5%+ 5digit))
 - 10 GΩ to 20 GΩ (Accuracy: +/- (10%+ 5digit))
 - For AC voltage 0-600V AC (Accuracy: +/- (2%+ 5digit))
- k) The instrument shall discharge the “device under test” after every test.

6.0 MEASUREMENT RANGE:

- a. DC Test Voltage: 500V / 1000V / 2500V (90 to 110% of DC Test Voltage)
- b. Insulation Resistance Range : 0.1Mega Ohms to 20 Giga Ohms
- c. AC Voltage Range : 0 to 600V AC (40 – 400Hz)

7.0 ENVIRONMENT CONDITIONS:

Operating Temperature: 0 to 40 Degree Centigrade, RH<80%

Storage Temperature: -10 to 50 Degree Centigrade, RH<85%

Calibration Temperature: 23 ± 5 Degree Centigrade, RH<75%

Environment protection instrument should be rated to IP44.

8.0 ACCESSORIES:

Following standard accessories of high quality shall be supplied along with each tester:

1. Test Leads having length 10 metre with Omega Pin and crocodile.
2. Operation Manual (in English)/Hindi
3. Heavy Duty Carrying Case
4. Power supply cord (at least 1.5 mtr. Length) with suitable connector.

9.0 CERTIFICATES:

The Type and Model of 2.5 KV Digital Insulation Tester offered shall be mentioned on the Calibration Certificate. Each tester should be supplied with such manufacturer's Calibration Certificate which has traceability to NPL / NABL laboratory. The bidder must furnish one such sample of Calibration Certificates of the offered model along with the bid. The Calibration Certificates must not be older than one year. The bidder must submit their Company's ISO Certificate with the bid.

10.0 INSPECTION AND TESTING:

Before dispatch, the instrument shall be inspected and tested by the authorized inspecting officer / agency of the Nigam. The manufacturer / suppliers shall furnish the details of the tests which will be arranged at the time of inspection to ascertain routine test at the manufacturer's works in presence of purchase representative. Further before commencement of supply, the supplier has to arrange the demonstration of instrument in the field, location of which will be intimated by the Nigam.

11.0 TYPE TEST CERTIFICATES:

- i) The test & calibrations certificates shall be essentially provided along with each instrument, traceable to any NABL / NPL International Standards.
- ii) All the necessary tests / check shall be carried as per stipulation of IS:10656-1983 latest amendment or equivalent international standards.
- iii) The type test certificates from Govt. Recognized Laboratory as per relevant standards mentioned in the specification for the model quoted should be furnished along with the bid submission, clearly stating the ambient condition under which test has been conducted. The effect of variation in temperature and vibration on accuracy limit should also be stated.

Such type test certificates should not be older than 5 (Five) years as on the date of financial bid opening. For this purpose date of conducting type test will be considered.

A copy of valid type test reports may be submitted by the bidder upto official working hours of three days prior to schedule/notified date of opening of price bid.

However, preliminary/provisional type test report(s) is not acceptable.

12.0 AUTHORIZATION CERTIFICATE:

Authorization letter shall be enclosed from manufacturer that bidder is an authorized dealer/distributor in the region and authorized to quote on their behalf. Simultaneously, in case of any imported brand / model a letter from the manufacturer should be there that bidder is their authorized representative in the country and authorized to quote on their behalf.

13.0 SAMPLE:

Samples along with bid – The bidder shall furnish one sample conforming to this specification duly sealed along with routine test certificates in the office of SE (MM&C), JdVVNL, Jodhpur one day prior to the date of opening of Tender. If the samples are not received, the bid shall be considered as Non-responsive. This sample shall be tested by the M&P Wing of Nigam as per specification in presence of firm's representative. If samples do not conform to our specification, the offer shall be considered as Non-Responsive.

14.0 MARKING ON INSTRUMENT:

The marking on every instrument shall be indelible & distinct. The marking should not fade or otherwise be adversely affected by UV exposure with lapse of time. The basic markings on the Instrument shall be as follows:-

- i. Manufacturer's name or trade mark and place of manufacture
- ii. Serial number
- iii. Month and year of manufacture
- iv. Principal unit(s) of measurement
- v. Property of JdVVNL
- vi. Purchaser's order Number & date
- vii. Guarantee period - 18months

15.0 GUARANTEED TECHNICAL PARTICULARS :

The bidder shall furnish all the necessary information as desired in the schedule of GTP appended at Schedule-V.

16.0 GUARANTEE:

The guarantee **of the instrument (including battery)** shall be for the period of 18 months from the date of receipt of last supply of the material. The bidder shall replace the defective Insulation Resistance Tester within a period of 30 days from the date of intimation of failure/defect. In case defective Insulation Resistance Testers are not replaced in stipulated period, then the penalty as per clause of delay in delivery shall be applicable.

17.0 SCHEDULES:

The tenderer shall fill in enclosed schedules, which are part and parcel of the tender specification and offer. If the schedules are not submitted duly filled in with the offer, the offer shall be liable for rejection.

18.0 DELIVERY SCHEDULE:

The bidder is required to quote monthly delivery. The delivery of quoted quantity should be completed in 3 months period including commencement period of 30 days. In case ordered quantity is different than quoted quantity then monthly delivery shall be adjusted proportionately. Tenders in which monthly delivery schedule is not indicated shall be ignored.

After clearance from purchaser, the material shall be dispatched to Nigam's stores.

19.0. AFTER SALES SERVICE

Bidder shall have to submit the documentary evidence of having established mechanism in India for prompt after sales services.

20.0 As GST act has been effected from 01.07.2017, therefore, BOQ has been prepared accordingly with applicability of GST. Further, old tax structure wherever appearing in ITB/GCC/Specification may be replaced by GST as per notification.

Further, GST registration number of Jodhpur Discom is 08AAACJ8578R1ZJ.

21.0 ADDITIONAL ORDER

Repeat order for additional quantities upto 50% of original ordered quantities, may be placed by the Nigam on the same rates , terms and conditions given in the contract.

22.0 Every Micro, Small & Medium enterprises of Rajasthan shall be required to submit an affidavit in schedule-XI, along with duly filled bid document.

SCHEDULE-I**SCHEDULE OF REQUIREMENT**

The approximate requirement is as under:-

S. No.	Item	Approx. qty. (Nos.)
1.	2.5 KV Digital Insulation Tester	4105 Nos.

NOTE:-The quantities as mentioned in the schedule of requirements are tentative and may increase/decrease as per the requirement of the Nigam.

SCHEDULE- II

PURCHASE OF 2.5 KV Digital Insulation Tester AGAINST TN-1479

PRICE ARE `FIRM`

**SCHEDULE – III**

JODHPUR VIDYUT VITRAN NIGAM LIMITED
A Govt. of Rajasthan Undertaking

Prescribed technical specification for supply of 2.5 KV Digital Insulation Tester

(Name of Material/Equipment/Machinery/T&P etc.)

S.No.	Technical specification to which material/equipment/Machinery/T&P shall confirm	Name of IS/other standard specification to which material should confirm	Other particulars if any.
-------	---	--	---------------------------

Certified that we agree to all the aforesaid technical specification except at S.No..... for which our technical specification shall be as under:-

S.No.	Technical specification to which material/equipment/Machinery/T&P shall confirm	Name of IS/other standard specification to which material should confirm	Other particulars if any.
-------	---	--	---------------------------

(Signature)
 Name & Designation
 with seal of the bidder.

SCHEDULE-III-A

QUALIFICATION REQUIREMENT**Item- 2.5 KV Digital Insulation Testers Under TN-1479**

The bidder should fulfill following qualifying requirements for successful participation in the tender along with relevant documentary evidence supporting each qualifying requirement without which the offer shall be considered non-responsive & rejected.

- I) The bidder should be a Manufacturer/Sole Distributor/ Sole Selling Agent / Authorized Dealer of offered item.
- II) The bidder is required to quote for minimum 10% of tendered quantity, failing which the offer may be considered Non-Responsive.
- III) The bidder should have designed, manufactured / fabricated, tested and supplied to utility / Discoms / Govt. Departments at least 10% of quoted quantity of Insulation Resistance Tester of rating 500 Volt or above in last three years from the date of opening of technical-commercial bid.

In support of fulfillment of the past supply criteria, the bidder shall furnish documentary evidence in the form of certificate from Chartered Accountant in the following manner:-

1. The CA certificate should be furnished by the firm duly notarized by the notary public along with the signature of CA.
2. The CA certificate should be furnished on the letter head of CA and information should be in prescribed format of QR.
3. The CA certificate should have the membership no. with name & address of the CA.
4. The CA certificate clearly indicate the quantity supplied, type of material supplied, voltage, current and accuracy class etc. of the material year wise.
5. The CA certificate should be signed by concerning firm/supplier along with seal.

Any deviation to format or information diverted format, will not be considered and rejected.

Note:-The material supplied and accepted for same or better rating for Turnkey projects to a licensed power utility/Govt. shall be considered for the purpose of evaluation criteria. The certificate given by C.A. shall indicate above quantity **separately**.

- (IV) The bidder shall furnish valid and authenticated type test certificates from a Govt. approved / a Govt. recognized / NABL Accredited laboratory / ILAC i.e. International Laboratory Accredited Laboratory / ILAC i.e. International Laboratory Accreditation Cooperation (in case of foreign laboratory) of similar rating and design of tendered material / equipment. Such type test certificates should not be older than 5 years as on the date of bid opening. For this purpose date of conducting type test will be considered.

The type test certificate by in house laboratory of tendering firm even if it is a Govt. approved / Govt. recognized / NABL accredited / ILAC accredited, shall not be accepted, in case of their own tender. This will not apply if tendering firm is Govt. company / public Sector undertaking.

The bidder should furnish documentary evidence in support of the laboratory whose type test have been furnished, that the said laboratory is a Govt. / a Govt. approved / a Govt.

recognized / NABL accredited laboratory / ILAC accredited (in case of foreign laboratory).

The type test certificates shall be furnished either in original or **copy duly attested by notary**.

The bids of only those bidders shall be considered to be meeting the type test criteria who furnishes complete type test certificate with the bid as per above provision.

However, the bid of the bidder may be considered meeting the type test criteria if the bidder furnishes an undertaking stating that valid type test certificate from a Govt. / Govt. approved / Govt. recognized / NABL accredited / ILAC accredited laboratory shall be furnished by them upto official working hours of three days prior to scheduled/notified date of opening of price bid. **However, Preliminary provisional type test report(s) is not acceptable.**

- V) The bidder should possess adequate testing facilities for carrying out routine & acceptance test of items as per relevant standard at their works. The bidder shall furnish documentary evidence in support for conducting routine & acceptance test.
- VI) The bidder shall furnish sample of tendered item conforming to this specification duly sealed along with the routine test certificates in the office of the Superintending Engineer (MM&C), JdVVNL Jodhpur for checking/testing one day prior from the date of opening of Tender. If the samples are not received the bid shall be considered as Non-responsive.
- VII) **PERFORMANCE CRITERIA:-**

(i) If a bidder has supplied up to 50% of ordered quantity in previous tender up to date of opening of subsequent tender and scheduled delivery period expired, the bid of such bidder will not be opened in the Discom for that item.

(ii) However, if the supplies have been completed for a quantity more than 50% but not completed up to date of opening of subsequent tender and scheduled delivery period expired, the quantity equal to the quantity pending in previous tender for that item shall be reduced from the subsequent tender quantity to be allocated to the bidder.

VIII) **POOR RECORD OF PERFORMANCE AND DELIVERY:**

The bidder who have been black listed or with whom business relations have been severed or debarred in any of the state Discom shall not be considered.

- IX) The bidder shall clearly indicate the deviations such as Technical Deviation & Commercial Deviations in the prescribed pro-forma only. The deviations indicated elsewhere in the bid shall not be accepted.
- X) The bidder must clearly fill up each and every particular of Guaranteed Technical Particulars annexed with Technical Specification otherwise he will be responsible for Technical Non-Responsiveness.

Note :

- i) Rajasthan based firms not meeting minimum quantity supplied criterion but having manufacturing and adequate testing facility and technical know how shall be considered as new firms and would be eligible for trial order only.
- ii) Requirement of quantity manufactured, minimum quantity to be offered and amount of Bank Guarantee to be furnished shall be reduced to 25% for Rajasthan based units.
- iii) The date of conducting type test shall be before the date of opening of Financial Bid.
-

Schedule – III -B**BANK GUARANTEE IN LIEU OF FURNISHING OF TYPE TEST CERTIFICATE**

(On Rajasthan Non-Judicial Stamp Paper worth 0.25% of BG Value or maximum upto Rs. 25,000/-)

To,

The Chief Engineer (MM&C)

Jodhpur Vidyut Vitran Nigam Limited

New Power House ,

Jodhpur

Dear Sir,

Whereas Jodhpur Vidyut Vitran Nigam Limited, Jodhpur (hereinafter called the Purchaser) has issued a tender enquiry under TN_____ for procurement of _____ (name of material).

Whereas M/s _____ (hereinafter called the bidder) has furnished a bid for supply of _____ to the Chief Engineer (MM&C), Jodhpur Vidyut Vitran Nigam Limited, Jodhpur or his nominated officer(s).

Whereas in accordance with the provision of the specification of the aforesaid TN_____, the bidder can deposit a bank guarantee in lieu of the requirement of furnishing the type test certificates.

Whereas M/s _____ (the bidder) have requested us (Name of the Bank) to furnish the bank guarantee, in lieu of the type test certificate, for an amount equivalent to Rs._____ (in words also) only.

Under this Bank Guarantee, we (Name of the Bank) hereby undertake unconditionally and irrevocably to guarantee as primary obligator and not as Surety merely, the payment to the purchaser on his first demand without whatsoever right of objection on our part and without his first claim to the bidder, in the amount not exceeding (amount of guarantee in figures and words).

Payment pursuant to this undertaking will be demanded by the purchaser from the Bank and will be met by the Bank without question in the case in which the bidder, on receipt of the order and/ or after the acceptance of this tender, makes default in furnishing the required type test certificates. As to whether the occasion or ground has arisen for such demand the decision of the Chief Engineer (MM&C), Jodhpur Vidyut Vitran Nigam Limited shall be final.

The liability of the Bank shall not at any time exceed Rs._____ (Rupees _____).

The undertaking will be determined on but will not withstanding such determination, continue to be in force till the expiry of 3 months from that date.

No indulgence or grant of time by the purchaser to the bidder without the acknowledgement of the Bank will discharge the liabilities of the Bank under this guarantee.

The guarantee herein contained shall not be affected by any change in the constitution of the bidder.

All disputes arising under the said guarantee between the Bank and the bidder or between the bidder and the purchaser pertaining to the guarantee shall be subject to the jurisdiction of Courts only at JODHPUR in Rajasthan.

The Bank further undertake not to revoke this guarantee during its currency except with the previous consent of the Chief Engineer (MM&C), Jodhpur Vidyut Vitran Nigam Limited, Jodhpur .

Notwithstanding anything contained herein before, the Bank's liability under this guarantee i.e. restricted to Rs. _____ (Rupees _____) and the guarantee shall remain in force upto _____. Unless demand or claim in writing is presented on the Bank within three months from that date, the Bank shall be released and discharged from all liabilities there-under. However, the validity of the bank guarantee shall be extended as and when required by the purchaser.

IN WITNESS WHEREOF the Bank has executed these presents the _____ day _____ month _____ and year _____.

Yours faithfully,

(Bankers)

EXECUTANT

Witnesses:

1.

2.

SCHEDULE-IV `A`**Must be filled-in by the tenderer and attach with technical bid (Part-I)**

To,
 The Superintending Engineer (MM&C),
 Jodhpur Vidyut Vitran Nigam Limited,
 Jodhpur.
 Dear Sir,

With reference to your invitation to tender against specification No. **JDVVNL/SE/MM&C/TN-1479**, we agree to supply the following quantity:-

S. No	Particulars of item	Tendered Quantity (In Nos.)	Qty. Offered (In Nos.)	Justification of quantity offered as per Qualifying Requirement	Status of type test reports submitted.
1	2	3	4	5	6
1.	2.5 KV DIGITAL INSULATION TESTERS	4105 nos.			

1. The offer is valid for a period of 120 days from the date of opening of this tender.
2. The prices are 'FIRM'.
3. It is noted that the quantities as mentioned in the specification are approximate and we agree to supply any quantity as per your requirement.
4. The delivery shall strictly be in accordance with our delivery clause as given in Schedule-VIII of this specification. In case we fail to deliver the material as indicated in the clause No. 1.23, we are liable to pay recovery for delay in delivery as per clause No. 1.24 of this Schedule-II of this specification. The material shall conform to your specification No. **JDVVNL/SE/MM&C/TN-1479** and as per relevant ISS in all respect.
5. We confirm that we agree to all the terms & conditions as well as the technical stipulations of your specification No. **JDVVNL/SE/MM&C/TN-1479** and there are no deviations other than as specified in the Schedule VI (A&B).

Yours faithfully,

Signature of tenderer with stamp

Dated:



SCHEDULE-V

GUARANTEED TECHNICAL PARTICULARS FOR 2.5 KV DIGITAL INSULATION TESTERS AGAINST NIT NO. JDVVNL/SE (MM&C)/ TN-1479

Sr.	Particular	To be Filled By the Tenderer	Remarks
1	Name and Address of Bidder / Manufacturer		
2	Work Address		
3	GSTN		
4	Make		
5	Model / Type Designation		
6	Application	Testing of Insulation Resistance and Voltage of Transformers, Switches, High Voltage Systems, Low and High Tension Lines, Cables, Appliances, Motors etc.	
7	DC Test Voltage	500V / 1000V /2500V DC	
8	DC Output Test Voltage Range	90 to 110% of DC Test Voltage	
9	Insulation Resistance Range and Resolution	Range : 0.1MΩ to 20GΩ Resolution : 0.01MΩ	
10	AC Voltage Range and Resolution	Range : 0 to 600V AC (40 to 400Hz) Resolution : 1V AC	
11	Accuracy : For Insulation Resistance Accuracy : For AC Voltage	0.1MΩ to 200MΩ [Accuracy : ± (3% + 5Dgt)] 200MΩ to 10GΩ [Accuracy : ± (5% + 5Dgt)] 10GΩ to 20GΩ [Accuracy : ± (10% + 5Dgt)] 0 – 600V AC [Accuracy : ± (2% + 5Dgt)]	
12	Short Circuit Current	> 1 mA	
13	High Voltage Indication	Should Be Provided	
14	Operating Principal	Micro Controller Based Tester	

15	Low Resistance Warning	Buzzer should sound if the Load is $\leq 1M\Omega$. The Test Power should be shut off after sounding for 30 seconds	
16	Indication	3.5 Digit 1999 Count Large LCD Display	
17	Range Selection	Auto Ranging (For Insulation Resistance Test)	
18	Data Hold Facility	Should Be Provided	
19	Low Battery Indication	Should Be Provided	
20	Dielectric Strength	3.5kV at 50Hz for 1 minute between Input Terminals and Case	
21	Battery Used Type	Internal Rechargeable battery having inbuilt charging circuit.	
22	Power Consumption	<7.5 VA	
23	Environment Condition	Operating Temp. : 0 to 40°C, RH < 80% Storage Temp. : -10 to 50°C, RH < 85% Calibration Temp. : 23 \pm 5°C, RH < 75% Environment protection instrument should be rated to IP44.	
24	Standards	Emc Standard: EMC Meets IEC 61326-1 Class B Instrument should have compliance to safety standard IEC/EN 61010-1 and IEC/EN 61010-031. Over voltage CAT III, 600V.	
25	Dimension and Weight	It should be easily portable.	
26	Accessories	Insulation Resistance Measurement Test Lead x 1 set, Heavy Duty Carrying Bag x 1 pc, Operating Instruction Manual x 1pc, Rechargeable and replacable inbuilt battery	
27	Company Certification		
28	Display	Digital/LCD	

Name of Firm
Signature of Bidder
Designation & Seal
Date

Schedule – V(A)**JODHPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking**

Statement of guaranteed technical particulars and other performance data for supply of (Name of material) against specification no.....

S.No.	Particulars of technical & other performance data guaranteed.
-------	---

Certified that we agree to all the aforesaid technical particulars and other performance data except following :-

S.No.	Particulars of technical & other Performance data	Reasons for deviations/departure.
-------	---	-----------------------------------

(Signature)

Name & Designation

with seal of the bidder.

Schedule – VI (A)**JODHPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking****DEPARTURE/DEVIATION FROM TECHNICAL SPECIFICATION**

The bidder shall state under this schedule the departure from the Purchaser's specification in respect of technical is as under:-

S.No.	Main Deviations from Technical Specification.
-------	---

Certified that we agree to all the technical specification of the NIT except for the deviation to the extent indicated above.

(Signature)

Name & Designation
with seal of the bidder.

Schedule – VI (B)**JODHPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking****DEPARTURE FROM COMMERCIAL TERMS & CONDITIONS OF THE SPECIFICATION**

The bidder shall state under this schedule the departure from the Purchaser's specification in respect of Commercial terms & conditions:-

S.No.	Main Deviations from Specification.
-------	-------------------------------------

Certified that we agree to all the commercial terms & conditions as laid down in General Conditions of Contract to the specification except for the deviation to the extent indicated above.

(Signature)

Name & Designation
with seal of the bidder.

Schedule – VII**JODHPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking****LIST OF PAST SUPPLIES**

The bidder shall state under this schedule whether material and equipments, similar to those offered in the tender have been previously supplied by him. A list shall be given of such orders executed by him together with information regarding the names of purchasing organizations, quantities supplied and when the supplies were effected. This list should be in form given below:-

S.No.	Detailed particulars items supplied	Qty in Nos.	Order No. & Date authority	Name & details of purchasing	Date of Completion
1	2	3	4	5	6

If executed partially to be mentioned (Qty. in Nos.)	whether still to be executed	Delivery stipulated in order	Remarks
7	8	9	10

Note: Separate schedules are to be furnished by the bidder for past supply to the JdVVNL, Jodhpur other State Electricity Boards and other Departments /Organisations.

(Signature)

Name & Designation
with seal of the bidder.



Schedule-VIIA

PROFORMA FOR C.A. CERTIFICATE FOR QUANTITY VERIFICATION**TN No.1479****TO WHOM SO EVER IT MAY CONCERN**

This is to certify that M/s. _____ (complete with address) have manufactured and supplied the goods / equipments / material during the following financial year(s) to the Electrical utilities / Government Department / Discoms / SEBs as detailed out below :

FOR THE LAST THREE FINANCIAL YEAR FROM THE DATE OF OPENING OF TECHNO-COMMERCIAL BID.

S. No.	Financial Year in which material supplied	Detailed particulars of item(s) supplied	Name & particulars of Purchasing Authority	Order No. & date against which item(s) supplied.	Unit	Ordered		Actual supplied upto		Remarks
						Qty.	Value (Rs.)	Qty.	Value (Rs.)	
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

Signature ,
Name & Designation
With Seal of the Bidder
Date _____
Place _____

Signature of C.A
Name :
Address:

Membership No

The above particulars are true and correct based on explanations, records and books of accounts produced before us. Further the above certificate issued on the request of the company

CA Firm (_____)

Note:- The C.A. certificate should be furnished on the letter head of CA and must be signed by the bidder and C.A. firm. The details i.e. address of C.A. & membership No. shall clearly be mentioned on C.A. certificate. In case C.A. certificate is not signed by the bidder/furnished without membership No. & address of C.A. then same may not be considered for which responsibility rests with the bidder.

**Schedule – VIII****JODHPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking****DELIVERY SCHEDULE****PART-A**

The delivery schedule of the material by the Purchase Officer is as mentioned hereunder:-

S.No.	Particulars of Material	Commencement period	Rate of supply per month	Period for completion of delivery of entire material
1.	2.5 KV DIGITAL INSULATION TESTERS	After 30 Days from the date of receipt of detailed Purchase Order/ proto approval.	_____ Nos. per month (to be quoted by tenderer)	Completion in three months (including commencement period of 30 days) at equal monthly rate.

PART-B

In case bidder deviates from the delivery schedule mentioned by the purchaser in Part-A then the delivery schedule shall be indicated/mentioned by the bidder as under:-

S.No.	Particulars of Material	Commencement period per Month.	Rate of supply per Month	Period for completion of delivery of entire material

- Note:**
1. During the commencement period the process of model assembly and submission of B.O.M. for approval shall be got completed.
 2. During the commencement period the contractual formalities shall be got completed.

(Signature)

Name & Designation
with seal of the bidder

**Schedule – IX**

JODHPUR VIDYUT VITRAN NIGAM LIMITED
A Govt. of Rajasthan Undertaking

List of Equipments and Technical Hands Available with the Firm
 (To be filled in by the bidders & enclosed with the bid)

Manufacturers and / or their authorized agents who are quoting against this bid are requested to furnish the following information along-with the bid. The Purchaser will have the discretion to ignore the bid without the under noted particulars and/or ignore the bid particulars.

1.	Name and Address of Manufacturer (With landline, fax and mobile no.)	
2.	Official email ID	
3.	GSTIN No.	
4.	Whether firm is proprietorship/partnership/ Limited (Please give details and also enclose copy of memorandum of constitution of firm along with name of directors/ partners/proprietor & their address.	
5.	Place where works exist (indicate the name of the only one works from where you want to supply the offered material).	
6.	Details of machinery particularly with B.H.P. of each item installed.	
7.	Details of staff employed in the works.	
8.	Date when started the manufacturing of item under reference	
9.	List of items manufactured.	
10.	Literature and drawings of items manufactured showing their description, size, design and other important technical particulars	
11.	Details of order so far, executed along with the names of organization to whom supplied.	
12.	Manufacturing capacity.	
13.	Is the workshop open for inspection by the representative of the board, if required?	
14.	Statement of financial resources and Banking Reference along with Balance-Sheet for previous two years	
15.	Testing facilities available for the manufactured articles in the testing laboratory of works.	
16.	Whether the Firm is a small/medium/large scale industry.	
17.	Registration No. with :-	
	• i. Small Scale, National/State.	
	• ii) DGTD	
	• iii) State Industries Department	

(Signature)

Name & Designation
with seal of the bidder.

Schedule – X**GENERAL PARTICULARS ABOUT THE TENDER IN BRIEF**

**JODHPUR VIDYUT VITRAN NIGAM LIMITED
OFFICE OF THE SUPERINTENDING ENGINEER (MM&C)
NEW POWER HOUSE INDUSTRIAL AREA, JODHPUR.
TELEPHONE: 0291-2742223 / FAX:- 0291-2746539**

Two Part Bid

SPECIFICATION FOR SUPPLY OF **2.5 KV DIGITAL INSULATION TESTERS** UNDER
SPECIFICATION NO. JdVVNL/SE/MM&C/ TN-1479

A	NIT No.	TN-1479
B	Last date for receipt of tenders	14.09.2018 upto 12:00 PM
C	Date & time of tender opening	14.09.2018 at 3:00 PM
D	Cost of Specification	Rs. 2,950.00 (Two Thousand Nine Hundred & Fifty only) For MSME: Rs. 1,475 (One Thousand Four Hundred & Seventy Five only)
E	Processing of RISL	Rs. 1,000.00 (One Thousand only)
F	Bid security to be deposited	General Bidder : Rs 697850.00 Sick Unit : Rs. 348925.00 SSI unit of Rajasthan: Rs. 174463.00 *
G	Validity	120 days from the next date of opening of techno-commercial bid.

*** In case SSI unit of Rajasthan quote the less than the tendered quantity, then they are required to furnish Bid Security @ 0.5% of the estimated value of the quantity offered on the basis of estimated unit FOR destination price mentioned above.**

Further while depositing the bid security amount in the office of Accounts Officer (MM), JdVVNL, Jodhpur, the bidders shall also furnish a certificate of SSI unit of Rajasthan/sick unit and also to submit a letter mentioning the quantity offered by them.

VERY VERY IMPORTANT

The bids not accompanied with qualification requirement, technical requirement indicated in the specification and other requirement given here under will be considered as incomplete offer and sufficient grounds for offer to be passed over:

1. Capacity, capability and competency proofing documents.
 - a. Capacity/orders of similar and higher rating of tendered equipment booked as on date of bidding with type and rating and construction details of equipment for which order received be indicated.
 - b. Copy of purchase orders of Erstwhile RSEB /SEB`S / Electric Utilities / Govt.
2. Departments / Discom for similar or higher rating equipment latest executed.
3. Year wise past experience for last 5 years of similar or higher rating of tendered equipment.
4. The details of testing facilities available at the works and 25copies of latest type test certificates, carried out on similar ITEM.
5. Quality assurance plan.

6. Complete guaranteed technical particulars, out lines and general arrangement drawings along with Bill of Material.
7. Bids without Section-I, II, III & Schedules (I to XI) shall be rejected.
8. Bids shall be furnished **through online**.
9. JdVVNL has the right to reject any offer on the basis of track record of poor performance in execution of previous order / equipment supplied /after sales service while evaluating the Techno-Commercial bid.
10. JdVVNL reserves the right to accept minor deviations in standard terms and conditions and also in technical and constructional features as specified in the technical specification (**Schedule-III**).
11. Deviation of any kind shall not be quoted in price bid, if found quoted, the same shall be ignored.
12. The following facilities are to be provided by the supplier at his own cost to the inspecting officer of Nigam (JdVVNL):-
 - i. Suitable accommodation.
 - ii. Local conveyance between arrival point, place of stay, works and departure point.
 - iii. The supplier shall assist in arranging return ticket and reservation on the request of the inspecting officer for which the payment shall be made by the inspecting officer. In case of joint inspection, single or shared double room accommodation shall be provided

Schedule – XI**Format of Affidavit****(ON NON JUDICIAL STAMP OF RS. 100/-)**

I _____ S/o _____ Aged _____ Yrs. _____
 Residing at _____ Proprietor/Partner/Director of
 M/s _____ do hereby solemnly affirm and declare that:

(a) My/Our above noted enterprise M/s _____ has been issued
 acknowledgement of Entrepreneurial Memorandum Part II by the District Industries
 Centre _____. The acknowledgement No. is _____ dated
 _____ and has been issued manufacture of following items:

Name of Items	Production Capacity (Yearly)
---------------	------------------------------

- (i)
- (ii)
- (iii)
- (iv)
- (v)

(b) My/Our above noted acknowledgement of Entrepreneurial Memorandum Part-II has not
 been cancelled or withdrawn by the Industries Department and that the enterprise is regularly
 manufacturing the above items.

(c) My/Our enterprise is having all the requisite plant and machinery and is fully equipped to
 manufacture the above noted items.

Place _____

Signature of
 Proprietor/Director Authorized Signatory
 With Rubber Stamp and date

GENERAL

Amendments in GCC & ITB

- 1) **Wherever EMD and Security Bank Guarantee (SBG), are appearing in the ITB, GCC & other Bidding Documents, same is hereby replaced by BID SECURITY as under:-**

BID SECURITY

Bid security shall be 2% **of the estimated value of subject matter of procurement put to bid.** In case of Small Scale Industries of Rajasthan it shall be 0.5% of the **quantity offered** for supply and in case of sick industries, other than Small Scale Industries, whose cases are pending with Board of Industrial and Financial Reconstruction, it shall be 1% of the value of bid. Every bidder, if not exempted, participating in the procurement process shall be required to furnish the bid security as specified in the notice inviting bids.

In case SSI unit of Rajasthan quotes the less than the tendered quantity, then they are required to furnish Bid Security @ 0.5% of the value of the quantity offered by them, failing which bid shall be considered non-responsive.

The Bid Security amount (as applicable) to be paid by Demand Draft/Banker's Cheque in favour of SR. AO (CASH & CPC), JDVVNL, Jodhpur (payable at Jodhpur) 342003 **upto 4.00 p.m. upto one WORKING day prior to schedule date of opening** of respective bid or Bank Guarantee, in specified format, of a scheduled bank in favour of Superintending Engineer (MM&C), JDVVNL, Jodhpur, be deposited to the Sr.Accounts Officer (MM&C), JDVVNL, New Power House, Industrial Area, Jodhpur-342003 **upto 4.00 p.m. upto one WORKING day prior to schedule date of opening** of respective bid and obtain a receipt/acknowledgement thereof. No other mode of deposit shall be accepted. At the time of depositing the Bid Security amount or Bank Guarantee, the bidder shall also furnish self attested and duly attested by Notary, the documentary evidence of SSI unit of Rajasthan or of sick unit (as applicable) along with affidavit as per schedule XI on Non-Judicial Stamp of Rs. 100/-.

The Bank Guarantee against Bid Security be issued by Nationalized / Scheduled Bank. The same may be accepted after confirmation by issuing Bank. If any Bid Security Bank Guarantee not is proper format / not confirmed by the issuing Bank the same would not be accepted and the bidder would be immediately shorted out from bid process.

The Micro, Small & Medium Scale Industries of Rajasthan and sick industries, other than Small Scale Industries, whose cases are pending before the Board of Industrial and Financial Reconstruction (BIFR) shall furnish self-attested documentary evidence duly attested by Notary to claim the above.

- 2) **Wherever Performance Bank Guarantee (PBG) and Composite Bank Guarantee (CBG) are appearing in the ITB, GCC & other Bidding Documents, same are hereby replaced by PERFORMANCE SECURITY as under:-**

PERFORMANCE SECURITY

- (i) Performance security shall be solicited from all successful bidders except the department's of the State Government and undertakings, corporations, autonomous bodies, registered societies, co-operative societies which are owned or controlled or managed by the State Government and undertakings of the Central Government. However, a performance security declaration shall be taken from them. The State

Government may relax the provision of performance security in particular procurement or any class of procurement.

- (ii) Performance security from the successful bidder shall be **5%** of the amount of supply order (in case of established suppliers)/ **1%** of the amount of supply order (in case of Micro, Small & Medium scale industries of Rajasthan)/ **2%** of the amount of supply order (in case of sick industries) / **10%** of the amount of supply order (in case of other suppliers). In case of successful bidder, the amount of bid security may be adjusted in arriving at the amount of the performance security, or refunded if the successful bidder furnishes the full amount of performance security.

3) VENDOR REGISTRATION

The relaxation/exemption given to the registered vendors of the Nigam in respect of EMD/SBG, wherever appearing in the ITB, GCC & other Bidding documents, are hereby WITHDRAWN.

- 4) The indirect taxes i.e. Excise Duty, Service Tax, VAT/CST, Entry Tax etc. mentioned in G.C.C., may now be read as G.S.T**

5) Due Date of payment:

Payment shall be due and payable by the purchaser in accordance with the provision of the contract within a reasonable period from the date of receipt of each invoice by the contractor / supplier duly supported by a certificate of the Engineer. The purchaser will take all possible effort to make payment to the contractor / supplier generally on **45th day** after receipt of duly verified challans / receipts / bill in the office of paying authority (Sr. Accounts Officer (Cash &CPC) Jodhpur Discom, Jodhpur / Concerned Circle Accounts Officer) and completion of contractual formalities. But in case of delay in payment the purchaser shall not be liable to pay any interest on the outstanding amount to the contractor / supplier.

APPENDIX-A

Bank Guarantee No. _____.
 Security Amount : _____.
 Issued on dated : _____.
 Valid upto : _____.
 Claim upto / Grace period: _____.

PERFORMA OF BANK GUARANTEE FOR BID SECURITY

(Bank Guarantee in lieu of bid Security on non-judicial Stamp Paper of Rajasthan State of 0.25% of the B.G. value or Rs.25,000/-, whichever is less)

To,
 The Superintending Engineer (MM&C),
 Jodhpur Vidyut Vitaran Nigam Limited,
 Jodhpur.

1. Whereas _____ (name of the Bidder) (hereinafter called "the Bidder") has submitted its bid dated _____ (date of submission of bid) for _____ (name of contract/ name of the material with Bid no. / TN No. _____) (hereinafter called "the Bid").
2. KNOW ALL PEOPLE by these presents that WE _____ (name and address of branch of Bank) of _____ (name of country), having our registered office at _____ (addresses of bank) (hereinafter called "the Bank"), are bound unto _____ (name of Purchaser) (hereinafter called "the Purchaser") in the sum of Rs. * _____ for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents sealed with the Common Seal of the said Bank this _____ day of _____ 20____.
3. THE CONDITIONS of this obligation are :
 - i. If the bidder withdraws its Bid during the period of bid validity specified by the Bidder in the Bid Form; or
 - ii. If the bidder refuses to accept the correction of error in his Bid; or
 - iii. If the bidder, having been notified of the acceptance of its Bid by the purchaser during the period of bid validity:
 - a. Fails or refuses to execute the Contract Agreement within the time specified in purchase / work order, if required, or
 - b. Fails or refuses to furnish the performance security within the time specified in purchase / work order in accordance with the GCC, or
 - c. Fails to commence supply of goods or services or execute work as per purchase / work order within time specified.
 - iv. If the bidder breaches any provision of the Code of integrity specified in the RTPP Act and Chapter VI of the RTPP Rules.
4. We undertake unconditionally and irrevocably to guarantee as primary obligator and not as surety merely to pay to the purchaser a sum of Rs. _____ (in words Rs. _____) upon receipt of its first written demand, without the purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or all of the above three conditions specifying the occurred condition or conditions.
5. The decision of the Superintending Engineer (MM&C), Jodhpur Vidyut Vitaran Nigam Limited, Jodhpur shall be final whether breach has been committed on the right to demand the amount of guarantee from us which has accrued to the purchaser.
6. This guarantee shall not cease or determine, if the purchaser grants time or indulgence or vary the terms of the contract with the Contractor or without our consent or knowledge.
7. The guarantee herein contained shall not be affected by any change in the constitution of the Contractor.

8. We _____ (Bank Name) further undertake not to revoke this guarantee during its currency except with the previous consent of the Superintending Engineer (MM&C), Jodhpur Vidyut Vitaran Nigam Limited, Jodhpur.
9. All disputes arising under the said guarantee between the Bank and the Nigam or between the Contractor and the Nigam pertaining to the guarantee, shall be subject to the jurisdiction of the Courts in Jodhpur, Rajasthan alone.
10. This guarantee will remain in force up to and including one hundred eighty (180) days after the date of the opening of bids, i.e. upto _____, with a further grace period of Ninety (90) days and any demand in respect thereof should reach the Bank not later than the above date.

Yours faithfully,
Bankers (EXECUTANT)
Signed by the above named Bank in presence of :
(signature with full Name and Address)

Witness :

Attested by Notary Public, First Class Magistrate or directly confirmed by the executing Bank.

* The Bidder should insert the amount of the guarantee in words and figures denominated in the currency of bid.

Note : In case the bid is submitted by a Joint Venture, the Bid Bank guarantee shall be in the name of Lead partner or in the name of joint venture partners submitting the Bid covering all the partners of the joint venture.

Appendix-B**IMPORTANT INSTRUCTION**

As discussed following instructions/clarifications are required to be incorporated in the tender specification:

1. All the intending bidders are requested to submit hard copy of all the document(s), uploaded on the e-procurement web-portal, in a sealed envelop in the office of the SE (MM & C), JdVVNL, Jodhpur. This sealed envelop shall be opened on the same date of bid opening i.e. on website of e.proc.rajasthan.
2. Bidders are requested to read the bid documents very carefully and upload their bid well in time. Please note that no further chance shall be given for attending shortcoming(s), if any and in the event of shortcoming in any tender document(s), the bid is likely to be rejected.
3. At the time of accepting counter offer given or at the time of negotiation, bidders change the quantity of original offer & give the conditional acceptance of counter offer which is not in accordance with RTPP rules and Act therefore Negotiation with the bidders or counter offer given to bidder shall be accepted in terms of price only. Restriction on quantity to be supplied or any other conditional offer shall not be accepted. If any conditional offer is given then that bidder shall be treated for violation of the code of integrity in terms of sec 11 of RTPP Act and Rule 80 of RTPP Rules and action shall be taken against defaulter bidder in accordance with RTPP Rules and Act.
4. In case of bid security deposited, the firm deposits lesser security than the required amount, bid shall be rejected.
5. As per notification SO 165 issued by Fin. Dept. dt. 19.11.2015 on reference to RTPP rules, "clause 8(A)" bidding document shall be provided to MSME at 50% of prescribed cost.
6. RTPP Act 2012 & RTPP rules 2013 shall be applicable for the procurement process.
7. A declaration regarding debarment/blacklisting/code of integrity shall be given by bidder in Annx-'A' .

ANNEXURE-A**SELF ATTESTED UNDERTAKING TO BE GIVEN ON FIRM'S LETTER HEAD**

We, the undersigned declare that:

- 1. Our firm, its affiliates of subsidiaries including any subcontractor or suppliers for any part of the contract have not debarred by the state government or the procuring entity or a regulatory authority under any applicable law.**

- 2. We declare that we have complied with and shall continue to comply with the provision of the code of integrity including conflict of interest as specified for bidders in the RTPP Act 2012, RTPP Rules 2013 and the bidding document during the procurement process and execution of contract till completion of all our obligation under contract.**

**Firm's Name
Seal & Signature**