



RAJASTHAN RAJYA VIDYUT PRASARAN NIGAM LIMITED
CIN: U40109RJ2000SGC016485 (An ISO 9001-2008 Certified Company)
OFFICE OF THE SUPERINTENDING ENGINEER (T&C)
CHITTORGARH
PIN- 312201

Email: < se.tnc.chittor@rvpn.co.in >

NO: RVPN/SE/T&C/COR/TECH/F.46/D. 687 / Date: October 25, 2016

All Registered Contractors (Class E I & E II / G 1 & G 2)
(T&C) Zone AJMER

Subject: Yard cleaning work for the Year 2016-17 at 132 kV GSS
AJOLIYA KA KHERA

Reference: 1. CLRC order NO: RVPN/SE/SSPC/TK/ A.1/TN-2975/
CLRC /D.303 dated 18.05.15
2. CLRC extension order NO: RVPN/SE/SSPC/TK/
A.1/ TN-2975/CLRC /D: 1151 dated 11.09.15

You are hereby requested to submit your consent latest by closing hours of
November 3, 2016 positively for carrying out the following work Under CLRC rates:

"Yard cleaning work for the Year 2016-17 at 132 kV GSS AJOLIYA KA KHERA"

| Serial Number | Name of Work | Tentative Amount | Remarks |
|---------------|--|------------------|---------------------|
| 1. | Yard cleaning work for the Year 2016-17 at 132 kV GSS AJOLIYA KA KHERA (One Cycle) | ₹ 39202/- | As per "G SCHEDULE" |

Kindly give your consent separately for each work. The "G Schedule" is being enclosed herewith for your reference with request to submit your consent before schedule date.

Please also submit following detail and certificate along with your consent.


1. Ongoing and completed work detail.
2. Copy of registration certificate as registered contractor.
3. Copy of Tax Clearance Certificate.


SUPERINTENDING ENGINEER (T&C)
RVPN CHITTORGARH

Copy to: -

1. THE EXECUTIVE ENGINEER (220KV GSS) RVPN CHITTORGARH
2. THE FEEDER MANAGER (T&C) RVPN UDAIPUR


SUPERINTENDING ENGINEER (T&C)
RVPN CHITTORGARH

**RAJASTHAN RAJYA VIDYUT PRASARAN NIGAM LIMITED**

(AN ISO 9001:2008 Certified Company)

OFFICE OF THE ASSISTANT ENGINEER

132 K.V. G.S.S., AJOLIYA KA KHERA, POST-PUTHOLI, CHITTORGARH

Ph.-01472-235520 E-mail ID: aen_132_akk@rvpn.co.in

Annexure-A**G-Schedule(For Year 2016-17)****कार्यालय सहायक अभियन्ता, 132 के.वी. ग्रिड सब-स्टेशन, आजोलिया का खेड़ा****ग्रिड सब-स्टेशन के यार्ड की साफ-सफाई का कार्य**

| क.सं. (BSR-2011) | कार्य का विवरण | आवृत्ति | इकाई | दर (रूपयों में) BSR-2011 | अनुमानित मात्रा | योग |
|---------------------|--|--------------|---------------|--------------------------|--------------------------------|-----------------|
| 1.0 | सामान्य सफाई कार्य : | | | | | |
| 1.5 | कैबल ट्रेन्चों के कवर हटा कर अन्दर से सफाई करना व निकले गए कचरे को ग्रिड सब-स्टेशन परिसर से बाहर प्रभारी अधिकारी द्वारा निर्धारित स्थान पर डालना व कैबल पुनः व्यवस्थित कर ट्रेंच कवर वापस लगाना। सफाई कार्य हेतु झाड़ू एवं आवश्यक उपकरण ठेकेदार को स्वयं की लागत पर लाने होंगे। | | | | | |
| | अ) 0.6 मीटर तक गहराई के ट्रेंच | अर्ध वार्षिक | रनिंग मीटर | 2.90 | 90 | 261.00 |
| | ब) 0.6 मीटर से 1.2 मीटर तक गहराई के ट्रेंच | अर्ध वार्षिक | रनिंग मीटर | 4.50 | 305 | 1372.50 |
| 1.6 | ग्रिड सब-स्टेशन को स्विच यार्ड में जंगली घास, काँटेदार झाड़ियां, जंगली पेड़ पौधों आदि जड़ से उखाड़ कर सम्पूर्ण सफाई का कार्य व इस कार्य के लिए जो ग्रेवल अव्यवस्थित की गयी हो उसे पुनः व्यवस्थित करना। समस्त निकाले गए कचरे को ग्रिड सब-स्टेशन परिसर से बाहर प्रभारी अधिकारी द्वारा निर्धारित स्थान पर डालना व कैबल पुनः व्यवस्थित कर ट्रेंच कवर वापस लगाना। सफाई कार्य हेतु झाड़ू एवं आवश्यक उपकरण ठेकेदार को स्वयं की लागत पर लाने होंगे। | | | | | |
| | अ) ग्रेवल क्षेत्र (समस्त ग्रेवल हटाना व पुनः लगाना इस कार्य में शामिल नहीं है।) | अर्ध वार्षिक | 100 वर्ग मीटर | 137.00 | 59.83 | 8196.71 |
| | ब) अन-ग्रेवल क्षेत्र | अर्ध वार्षिक | 100 वर्ग मीटर | 89.00 | 164.84 | 14670.76 |
| | | | | | | 24500.97 |
| | | | | | Add 60% above as per CLRC | 14700.58 |
| | | | | | Total | 39201.55 |
| | | | | | For 1 Half Yearly Cycle (R/O)= | 39202.00 |
| | Say as, In Words (Rs. Thirty Nine Thousand Two Hundred Two only) In Figure | | | | | 39202.00 |

(Signature)
EXECUTIVE ENGINEER
(220 KVGSS), RRVPNL
Chittorgarh (Ra.)

(Signature)
सहायक अभियन्ता (132 के. वी. जी. एस.एस.,)
रा. रा. वि. प्र. नि. लि., आजोलिया का खेड़ा