



RAJASTHAN RAJYA VIDYUT PRASARAN NIGAM LTD.
(An ISO 9001:2008 Certified Company)
OFFICE OF THE EXECUTIVE ENGINEER (220 KV GSS), MIAALWAR
TEL NO. 0144 – 2881422: email xen_220_mia_alwar@rvpn.co.in


No. : RVPN/XEN/220 KV GSS/MIA/AWR/Tech/Estt/F/D. 487 Dated. 03/11/17

To.

All enlisted contractor
Jaipur Zone


Sub- Consent for painting work at 220 KV GSS MIA Alwar, 132KV GSS Govindgarh & 132KV GSS Malakhera for year 2017-18.

With reference to the above subject it is requested to you that if you are interested to carryout the painting work at 220 KV GSS MIA Alwar, 132KV GSS Govindgarh & 132KV GSS Malakhera as per 'G' schedule enclosed for the financial year 2017-18 at CLRC rate, then kindly give your consent in 'G' Schedule for above work in 15 days positively and if consent not received within the time it will be treated that you are not interested in work.


Executive Engineer (220 KV GSS),
RVPN, MIA, Alwar

Copy Submitted to following for information and n/a

- 1). The Superintending Engineer (T&C) RVPN, Alwar.
- 2) Notice Board


Executive Engineer (220 KV GSS),
RVPN, MIA, Alwar

**RAJASTHAN RAJYA VIDYUT PRASARAN NIGAM LIMITED**

(Corporate Identity Number (CIN):U40109RJ2000SGC016485)

Regd. Office: VidyutBhawan, Jyoti Nagar, Jaipur-302005

Office of the Executive Engineer (220 KV GSS), MIA(Alwar)

Ph.No:-0144-2881422;E-MAIL:- xen.220.mia.alwar@rvpn.co.in

(An ISO 9001-2008 Certified Company)

Name of Work: - G - SCHEDULE for Painting of structure, Transformer & Equipments at 220 KV GSS, MIA (Alwar),132 KV GSS MALAKHERA & GOVINDGARH (ALWAR)

(A) 220 KV GSS, MIA (Alwar)

Sr No.	Name of Work	Unit	BSR-2011 Rate	Qty. in sq. meter	Amount
1	PAINTING OF OLD PAINTED STEEL STRUCTURE: Aluminium painting of old painted steel structures at the GSS including supply of paint and painting brush, emery paper, cloth & solvents etc. the surface shall be first cleaned with wire brush/emery paper and thereafter wiped with cloth to remove rust and dust or any other deposits on erected M.S. Steel structures. Two coats of aluminum paints shall be applied. Each subsequent coat shall be applied only after the previous coat had dried up. The paints used shall be from any of the following recognized manufacturers, namely Asian/ Nerolac/ Berger/ Johnson Nicholson.	Sq. Mtr	24.00	5230.75	125538.0
				TOTAL	125538.0

(A) Say Rs=125538 (in words one lakh twenty five thousand thirty eight rupees only)**(B) 132 KV GSS GOVINDGARH (Alwar)**

Sr No.	Name of Work	Unit	BSR-2011 Rate	Qty. in sq. meter	Amount
1	PAINTING OF UNPAINTED STRUCTURES:- Aluminium painting of unpainted steel structure at the GSS including supply of paint and painting brush, emery paper, cloth & solvents etc. The surface shall be first cleaned with wire brush/emery paper and thereafter wiped with cloth to remove rust and dust or any other deposits on erected M.S. Steel structures & beam. One coat of red oxide paint shall be applied after carrying out cleaning and allowed to dry. Thereafter two coats of aluminium paint shall be allowed. Each subsequent coat shall be applied only after the previous coat has dried up. The paints used shall be from any of the following recognized manufacturers namely Asian/ Nerolac /Berger/Johnson Nicholson.	Sq. Mtr	31.00	53	1643.00
2	PAINTING OF TRANSFORMER & EQUIPMENTS:- Enamel painting on power transformer and other equipments including supply of paint and spray painting set, emery paper, cloth & solvents etc. at GSS by cleaning surface thoroughly with soda /caustic solution to clean oily surface and thereafter washing with water. Thereafter two coats of smoke gray synthetic enamel paint shall be applied by spray method. Each subsequent coat shall be applied after the previous coat has fully dried up. The paints used shall be from any of the following recognized manufacturers namely Asian/ Nerolac /Berger/Johnson Nicholson. In case of surface area of radiators, those fins will only be considered which are actually feasible and approachable for painting by spray or brush.	Sq. Mtr	25.00	385	9625.00
				TOTAL	11268.00

(B) Say Rs=11268 (in words Eleven thousand two hundred sixty eight rupees only)

(C) 132 KV GSS MALAKHERA (Alwar)

Sr No.	Name of Work	Unit	BSR-2011 Rate	Qty. in sq. meter	Amount
1	PAINTING OF UNPAINTED STRUCTURES:- Aluminium painting of unpainted steel structure at the GSS including supply of paint and painting brush, emery paper, cloth & solvents etc. The surface shall be first cleaned with wire brush/emery paper and thereafter wiped with cloth to remove rust and dust or any other deposits on erected M.S. Steel structures & beam. One coat of red oxide paint shall be applied after carrying out cleaning and allowed to dry. Thereafter two coats of aluminium paint shall be allowed. Each subsequent coat shall be applied only after the previous coat has dried up. The paints used shall be from any of the following recognized manufacturers namely Asian/ Nerolac /Berger/Johnson Nicholson.	Sq. Mtr	31.00	24.2	750.20
2	PAINTING OF OLD PAINTED STEEL STRUCTURES:- Aluminium painting of old painted steel structure at the GSS including supply of paint and painting brush, emery paper, cloth & solvents etc. The surface shall be first cleaned with wire brush/emery paper and thereafter wiped with cloth to remove rust and dust or any other deposits on erected M.S. Steel structures & beam. Two coats of aluminium paint shall be applied. Each subsequent coat shall be applied only after the previous coat has dried up. The paints used shall be from any of the following recognized manufacturers namely Asian/ Nerolac /Berger/Johnson Nicholson	Sq. Mtr	24.00	33.88	813.12
3	PAINTING OF TRANSFORMER & EQUIPMENTS:- Enamel painting on power transformer and other equipments including supply of paint and spray painting set, emery paper, cloth & solvents etc. at GSS by cleaning surface thoroughly with soda /caustic solution to clean oily surface and thereafter washing with water. Thereafter two coats of smoke gray synthetic enamel paint shall be applied by spray method. Each subsequent coat shall be applied after the previous coat has fully dried up. The paints used shall be from any of the following recognized manufacturers namely Asian/ Nerolac /Berger/Johnson Nicholson. In case of surface area of radiators, those fins will only be considered which are actually feasible and approachable for painting by spray or brush.	Sq. Mtr	25.00	553.91	13847.75
				TOTAL	15411.07

(C) Say Rs=15411 (in words Fifteen thousand four hundred eleven rupees only)

TOTAL (A+B+C)

=152217.00


Add Premium 60% for CLRC

= 91330.20


Grand Total

=243547.20

(In words say Rs. Two lacks forty three thousand five hundred forty seven rupees only)



Assistant Engineer
220KV GSS MIA (Alwar)



Executive Engineer
220KV GSS MIA (Alwar)