



RAJASTHAN RAJYA VIDYUT PRASARAN NIGAM LIMITED]
Regd. Office: VidyutBhawan, Jyoti Nagar, Jaipur - 302005
OFFICE OF THE EXECUTIVE ENGINEER (T&C), RATANGARH
Email:- xen.cm.400ratangarh@rvpn.co.in Tel:- 01567222060
Mob NO:- 9414061547

NOTICE FOR INVITING BID FOR AUGMENTATION OF 220/132, 160 MVA POWER TRANSFORMER AT 220 KV GSS TEHANDESAR (CHURU)

NIB No. – 06 / 2016 - 17

Sealed bids are invited from competent and experienced contractors/firms for Augmentation of 220/132, 160 MVA Power Transformer at 220 KV GSS, Tehandesar (Churu) as per details given below :-

NIB NO.	<u>06/ 2016 - 17</u>
WORK DESCRIPTION	Augmentation of 220/132, 160 MVA Power Transformer at 220 KV GSS, Tehandesar (Churu)
LAST DATE AND TIME FOR BID SUBMISSION	10.02.2017, UPTO 2.30 PM
DATE AND TIME OF OPENING OF BID	10.02.2017, 3.00 PM
ESTIMATED COST	Rs.4,38,198.00
BID SECURITY TO BE DEPOSITED	Rs.8,764.00
COST OF THE BID SPECIFICATION	Rs.1000.00
VALIDITY OF OFFER	90 DAYS FROM THE DATE OF OPENING OF BID

GENERAL INSTRUCTIONS REGARDING BID:

1. The bidder, in their own interest is requested to read very carefully the bid documents before submitting the bid. The bidder can download bid documents from the website rvpn.co.in/raj.energy.gov.in
2. The bid should be addressed to the Executive Engineer (T&C), Rajasthan Rajya Vidyut Prasaran Nigam Limited, Ratangarh.
3. The bid shall be submitted in closed/sealed envelope duly super scribed "**Augmentation of 220/132, 160 MVA Power Transformer at 220 KV GSS, Tehandesar (Churu), NIB No. – 06 / 2016-17**"
4. All additions and or alterations in the bid must be clearly initialled by the bidder.
5. Bids received late, from the date & time indicated above, due to any reason or incomplete bids shall not be accepted for consideration.
6. All the documents required i.e. G-Schedule shall be submitted by the bidder duly filled up in all respect with seal & signature on each page.
7. The Bid is being invited by the Executive Engineer (T&C), Rajasthan Rajya Vidyut Prasaran Nigam Limited, Ratangarh having office at 220 KV GSS Premises on Ratangarh - Sardarshahar Mega Highway, RVPN, Ratangarh and bid is to be sent on aforementioned address through registered post or handed over personally. E-mail id is xen.cm.400ratangarh@rvpn.co.in and contact no. is 01567-222060 & 9414061547.
8. Bid will be accepted upto 02.30 PM of dated 10.02.2017 and will be opened on the same day i.e. on dt.10.02.2017 at 3.00 PM in the presence of bidders or their representative, who wish to be present.


EXECUTIVE ENGINEER (T&C)
RVPN, RATANGARH

BID SPECIFICATION (NIB 06/2016-17)

SCOPE: This specification covers Augmentation of 220/132, 160 MVA Power Transformer at 220 KV GSS, Tehandesar (Churu). The procurement process shall be governed by RTPP Act,2012 and RTPP Rules,2013.

1. The procurement is being done through single stage bid.
2. RVPN does not bind himself to accept the lowest or any other bid and reserve the right to reject any or all bid(s) without assigning any reason thereof.
3. RVPN reserves the right to award this work wholly or partly to any other contractor also.
4. RVPN reserves the right to terminate the contract at any time by giving 15 days notice in writing without assigning any reason thereof.
5. In case of any violation of terms & conditions of contract or unsatisfactory service/ performance, RVPN reserves the right to terminate the contract by giving 15 days notice to the contractor.
6. The cost of Bid Specification (non refundable) and bid security as given above shall be deposited either in cash or by crossed demand draft/Banker's cheque in the name of Accounts Officer (T&C), RVPN, Ratangarh.
7. Any Bid not accompanied receipt for depositing of cost of Bid Specification and Bid Security (equivalent to 2% of estimated value) shall be rejected and the Bid will not be opened.
8. Conditional bids will not be accepted.
9. No interest shall be payable on such deposits.
10. RVPN reserves the right to forfeit bid security or a part thereof in circumstance, which according to him indicate that the bidder is not earnest in accepting/executing any order placed under the specification and under following conditions:-
 - (i) when the bidder withdraws or modifies its bid after opening of bids.
 - (ii) when the bidder does not execute the agreement, if any, after placement of work order within the time specified.
 - (iii) when the bidder fails to commence the service or execute work as per work order within the time specified.
 - (iv) when the bidder does not deposit the performance security within specified period after the work order is placed.
 - (v) if the bidder breaches any provision of code of integrity prescribed for bidders specified in the RTPP Act-2012/Rules-2013.
11. The quoted rate(s) shall be valid for 90 days from the date of bid opening.
12. The successful bidder(s) will have to deposit the performance security equivalent to 10% of the order value at the time of signing contract agreement within 10 days of issue of order. This performance security shall be refunded after a period of sixty days from the successful completion of the work, up to the satisfaction of incharge.
13. In case of successful bidder, the amount of bid security may be adjusted in arriving at the amount of performance security or refunded if the successful bidder furnishes the full amount of performance security.
14. The Bid Security of unsuccessful bidders shall be refunded soon after final acceptance of successful bid and signing contract agreement and submitting performance security.

AS

15. The work of Augmentation of transformer will be completed within 30 days from the date of receipt of material.
16. If work is not completed within scheduled completion period, penalty @0.5% per week or part thereof will be recovered from contractor's bills for unexecuted work subject to maximum of 5% .
17. 100% Payment will be arranged through the AO (T&C), RVPN, Ratangarh after deducting all statutory deductions as per rules come into force from time to time.
18. All sorts of T&P required for the job will be arranged by the contractors at his own source and cost.
19. The purchaser reserves the right to cancel any part or complete tender without assigning any reason.
20. In case of dispute arise between the purchaser and the contractor the decision of the ZCE(T&C), RVPN, Jodhpur will be final & binding on both the parties.
21. The successful contractor will execute the contract agreement on non- judicial stamp paper @0.25% of the contact value of Govt. of Rajasthan within 10 days of issue of work order.
22. Only such bidders can participated in the BID who have successfully completed such type of work / EHV work(s) during last five year from the date of opening of BID.


EXECUTIVE ENGINEER (T&C)
RVPN, RATANGARH

APPENDIX

• **Annexure –A: Compliance with The Code of Integrity and No Conflict of Interest**

Any person participating in a procurement process shall –

- (a) not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) not indulge in any collusion, Bid rigging or anti – competitive behaviour to impair the transparency, fairness and progress of the procurement process;
- (d) not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) not obstruct any investigation or audit of a procurement process;
- (g) disclose conflict of interest, if any; and
- (h) disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of Interest:-

The Bidder participating in a bidding process must not have a conflict of interest.

A conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- i. A Bidder may be considered to be in conflict of interest with one or more parties in a bidding process if, including but not limited to:
 - a. have controlling partners/shareholders in common; or
 - b. receive or have received any direct or indirect subsidy from any of them; or
 - c. have the same legal representative for purposes of the Bid; or
 - d. have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
 - e. the Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidders is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
 - f. the Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid: or
 - g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the procurement Entity as engineer-in-charge/consultant for the contract.

R. N. S.

• **Annexure –B: Declaration by the Bidder regarding Qualifications**

Declaration by the Bidder

In relation to my/our Bid submitted to.....for Procurement of.....in response to their Notice Inviting Bids No.....Dated.....I/we hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012 that:

1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the State Government or any local authority as specified in the Bidding Document;
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of the legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date:
Place

Amey

Signature of bidder
Name:
Designation:
Address:

• **Annexure –C: Grievance Redressal during Procurement process**

The designation and addresses of the First Appellate Authority is _____

The designation and addresses of the Second Appellate Authority is _____

(1) Filing an Appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued thereunder, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provide that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:

Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- (2)** The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of appeal.
- (3)** If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

(4) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- (a) determination of need of procurement;
- (b) provisions limiting participation of Bidders in the Bid process;
- (c) the decision of whether or not to enter into negotiations;
- (d) cancellation of procurement process;
- (e) applicability of the provisions of confidentiality.

(5) Form of Appeal

- (a) An appeal under para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorised representative.

Q. 12

(6) Fee of filing Appeal

- (a) Fee of first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of the Scheduled Bank in India payable in the name of Appellate Authority concerned.

(7) Procedure for disposal of Appeal

- (a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall,
 - (i) hear all the parties to appeal present before him; and
 - (ii) peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause(c) above shall also be placed on the State Public Procurement Portal.

Ampt

Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act, 2012

Appeal No..... of.....

Before the(First/Second Appellate Authority)

i. A Bidd

1. Particulars of appellant:

- (i) Name of the appellant:
- (ii) Official address, if any:
- (iii) Residential address:

2. Name and address of the respondent(s):

- (i)
- (ii)
- (iii)

3. Number and date of the order appealed against and name and designation of the officer/authority who passed the order (enclosed copy), or a statement of a decision, action or omission of the Procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:

4. If the Appellant propose to be represented by a representative, the name and postal address of the representative:

5. Number of affidavits and documents enclosed with the appeal:

6. Grounds of appeal:.....
(Supported by an affidavit)

7. Prayer:.....

Place

Date

Ramesh

Appellant's Signature

• **Annexure –D: Additional Conditions of Contract**

1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii. if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- iii. if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid security shall be forfeited or its Bid Securing Declaration shall be executed.

2. Procuring Entity's Right to vary Quantities

- (i) At the time of award of contract, the quantity of Goods, works or services originally specified in the bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (ii) If the procuring Entity does not Procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.
- (iii) In case of procurement of Goods or Services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one Bidder at the time of award (In case of Procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, Whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

R. S. Jey

Rajasthan Rajya Vidyut Parsaran Nigam Limited

Transmission and Construction Circle-SE(T&C),RVPN,Ratangarh.

G -Schedule for Erection of structure & Equipments, Jumpering and earthing work for Augmentation of Transformer at 220 KV GSS ,RVPN, Tehandsar.

S.No	Particulars	Unit	Updated, BSR,on 2015 Rate (Rs.)	Quantity	Amount (Rs.)
1	EARTH MESH WORK				
A.	Laying of earth mesh with 25/28 mm dia M.S.Rod at a depth of 0.80m from top level of foundations ,including excavation of trench of required depth and backfilling of the same ,transportation of M.S.Rods from site store to locations ,welding of M.S.Rod to M.S.Rod along the length ,at the crossing and with earth electrodes as per drawing ,application of bitumen compound and covering with bitumen impregnated tape on all welded joint for all the type of soil prevalent at 0.8m below top level of foundations (M.S.Rod of above sizes &M.S.Flat as required shall be made available by RVPN)				
	a. In case electricity is made available by RVPN without charge				
	i. Normal dry soil	Meter	23.00	1000	23000.00
	ii. Hard soil / Murram / Black Cotton soil	Meter	24.00		
	iii. Soft Rock	Meter	33.00		
	iv. Hard rock (with blasting)	Meter	51.00		
	v. Hard rock (blasting prohibited)	Meter	56.00		
	(b)In case diesel generator is arranged by the contractor at his own cost				
B	Laying of earthing riser of 50x10mm / 50x12mm size M.S.Flat at a depth of 0.8m form the top level of foundations ,including excavation of trench of required depth and backfilling of the same ,transportation of M.S.Flat from site store to locations preparation of risers bending as per requirement (after heating if necessary),fixing on and welding / bolting to equipments / structure and peaks of structures ,laying in the trench, welding to the earth mesh of M.S.Rod as per drawing ,including welding of extra length of M.S.Flat if required , application of bitumen compound and covering with bitumen impregnated tape on all welded joints , painting of all surfaces of risers above ground level with red oxide and green paint , for all the type of soil prevalent at 0.8m below top level of foundations (M.S.Rod of above sizes &M.S.Flat as required shall be made available by RVPN)				
	a. In case electricity is made available by RVPN without charge				
	i. Normal dry soil	Meter	25.00	600	15000.00
	ii. Hard soil / Murram / Black Cotton soil	Meter	26.00		
	iii. Soft Rock	Meter	36.00		
	iv. Hard rock (with blasting)	Meter	55.00		
	v. Hard rock (blasting prohibited)	Meter	61.00		

7/11/15

	(b)In case diesel generator is arranged by the contractor at his own cost				
C	Placing / Driving of earth electrodes of 25/28mm dia M.S.Rod of length 3.30 meter (approx) to a depth of 3.80 meter from the top level of foundations , including excavation of pit as required and back filling of the same , transportation of M.S.Rod from site store to locations cutting of M.S. Rod to desired length ,preparation of one end as spike if necessary , welding of earth electrodes to earth mesh of M.S.rod as per drawing, application of bitumen compound and covering with bitumen impregnated tape on all welded joints , painting of all surfaces of risers above ground level with red oxide and green paint , for all the type of soil prevalent at 3.8m below top level of foundations (M.S.Rod of above sizes &M.S.Flat as required shall be made available by RVPN)				
	(a)In case electricity is made available by RVPN without charge				
	i. Normal dry soil	Nos.	188.00	25	4700.00
	ii. Hard soil / Murram / Black Cotton soil	Nos.	200.00		
	iii. Soft Rock	Nos.	320.00		
	iv. Hard rock (with blasting)	Nos.	560.00		
	v. Hard rock (blasting prohibited)	Nos.	635.00		
	(b)In case diesel generator is arranged by the contractor at his own cost				
D	Placing of earth electrodes of 25/28mm dia M.S.Rod of length 7.50 meter (approx) to a depth of 8.00 meter from the top level of foundations , including drilling of 200 mm dia earth pit having a throughout bore of 200 mm dia to a depth of 8.00 meter from the top level of the foundations , in all type of rock by DTH system and over burden and back filling of the pit with bentonite slurry (with cost of bentonite slurry) ,including its preparation , transportation of M.S.Rod and bentonite from site store to locations ,cutting of M.S. Rod to desired length , welding of earth electrodes to earth mesh of M.S.rod as per drawing, application of bitumen compound and covering with bitumen impregnated tape on all welded joints .(M.S.Rod of above sizes &M.S.Flat as required shall be made available by RVPN)				
(i)					
	(a)In case electricity is made available by RVPN without charge	Nos.	6750.00		
	(b)In case diesel generator is arranged by the contractor at his own cost	Nos	6800.00		

Buy

(ii)	Placing of earth electrodes of 25/28mm dia M.S.Rod of length 7.50 meter (approx) to a depth of 8.00 meter from the top level of foundations in already bored hole, including back filling of pit with Bentonite slurry (with cost of Bentonite slurry),including its preparation, transportation of M.S. Rod and Bentonite from site store to location, cutting of M.S. Rod as per drawing , applicatio of butimen compound and covering withbitumen impregnated tape on all welded joints (M.S. Rod of above sizes & M.S. Flat as required shall be made available by RVPN).				
	(a)In case electricity is made available by RVPN without charge	Nos.	795.00		
	(b)In case diesel generator is arranged by the contractor at his own cost	Nos.	845.00		
2	ERECTION OF SUBSTATION STEEL STRUCTURE columns, beams lighting mast and equipment structures (excluding circuit Breakers and Capacitor Banks) of all type including transportation of structure member, nuts & bolts, washers, etc. from site store to locations, their assembly, placing on foundation, fixing of template, with foundation bolts as required, leveling and preparing for grouting as required, but excluding grouting, erection after grouting and tightening & punching of nuts & bolts. (Maximum height of structures up to 20 meters)	M.T.	2180.00	25	54500.00
3	BUS BAR WORK				
A	STRINGING of 220,132,33 &11 KV bus bar of ACSR conductor including transportation of conductor, disc isolator and tension hardware from site store to location, laying and cutting required length of conductor, cleaning and assembly of disc insulator as required along with fitting of bolted type or compression type tension hardware as made available (compression machine shall be provided by RVPN on rent basis), making up at one end, stringing of conductor between the beams with specified sag and tension, also equalizing sag and fitting spacers and spacer T- Clamps for twin conductor for three phase of conductor in each section .				
	i) Single ACSR panther	section	875.00	0	0.00
	ii) Single ACSR Zebra	section	1274.00	2	2548.00
	iii) Double ACSR Zebra	section	1836.00	2	3672.00
B	JUMPERS of ACSR conductor (3 nos. Y-type) between bus to equipment, or between equipment to equipment or between bus to bus, including transportation of conductor, disc insulator and hardware from site store to location, cleaning and assembly of disc insulator as required along with fitting of suspension hardware and erection as required, cutting required length of conductor, making connection, fixing of spacer & spacer T- clamp as required, tightening of clamps/ connectors, dressing etc., for three phase.				
	i) Single ACSR Zebra/ panther cond.	set	313.00	25	7825.00
	ii) Double ACSR Zebra cond.	set	625.00	25	15625.00
4	STRINGING of earth wire (size 7/3.15mm of 7/4.00 mm), including transportation of earth wire, tension hardware, etc	Each			

Paul

	from site store to locations, laying and cutting required length of earth wire, fitting of bolted type of compression type hardware as made available (compression machine shall be provided by RVPN on rent basis), making up at one end, stringing of earth wire between structure peaks with specified sag and tension umpiring and connecting earth bonds for single earth wire.		274.00	15	4110.00
5	ERECTION OF SUB STATION EQUIPMENTS				
B	Erection of current transformer/ potential transformer / capacitive voltage transformer / series reactor / residual voltage transformer / natural current transformer with clamps & connectors, on already erected steel structure including transportation from site store to location fabrication of base frame fixing of terminal connection tightening of nuts & bolts etc. complete in all respects.				
	i) 220 KV CT/PT/CVT	Nos.	2375.00	3	7125.00
	ii) 132 KV CT/PT/CVT	Nos.	1329.00	3	3987.00
	iii) 33 KV or 11 KV CT/PT	Nos.	500.00	0	0.00
	iv) 33 KV or 11 KV SR/RVT/NCT	Nos.	954.00		
C	Erection of lightning arrester on already erected steel structure including transportation of lightning arrester, clamps & connectors, surge counter etc. from site store to location, fabrication of base frame, fixing of terminal connectors, surge counter, tightening of nuts & bolts etc. complete in all respect.				
	i) 220 KV	Nos.	1875.00	3	5625.00
	ii) 132 KV	Nos.	1336.00	3	4008.00
	iii) 33 KV or 11 KV	Nos.	298.00	0	0.00
D	Erection of isolators on already erected steel structure including transportation of base frame, P.Is, contacts, mechanism-box, clamps & connectors etc. from site store to location, minor fabrication as required, and fixing of terminal connectors, for their smooth operation and final adjustment if required after jumpering.				
	i) 220 KV				
	a) without earth blade	Nos.	4133	3	12399.00
	b) with single earth blade	Nos.			
	c) with double earth blade	Nos.			
	d) tandem	Nos.	4601	1	4601.00
	ii) 132 KV				
	a) without earth blade	Nos.	2438.00	3	7314.00
	b) with single earth blade	Nos.	860.00		
	c) tandem	Nos.	2860.00		
	iii) 33 KV or 11 KV				
	a) without earth blade	Nos.	860.00		0.00
	b) with single earth blade	Nos.	1281.00		


Prof


G	Erection of 220 KV or 132 KV Circuit Breaker, including transportation of equipment, structure members, nuts & bolts, clamps & connectors, accessories etc. from site store to location, assembly of support structure their placing on foundation, leveling and preparing for grouting as required, but excluding grouting, assembly/ placing of support columns/ poles mechanism box/ control cubical, and other accessories as per manufacturers drawing fitting of SF-6 gas pipeline, fabrication of air/ oil pipeline as required, electrical wiring from pole to control cubical, fixing of terminal connectors as required, but excluding commissioning of CB, for all types of operating mechanism, as required.				
	i) 220 KV	Nos.	18048	1	18048.00
	ii) 132 KV	Nos.	14298.00	1	14298.00
H	Erection of 33 KV or 11 KV Circuit Breaker, including transportation of equipment, structure members, nuts & bolts, clamps & connectors, accessories etc. from site store to location, assembly of support structure their placing on foundation, leveling and preparing for grouting as required, but excluding grouting, assembly/ placing of support poles, mechanism box etc. on support structure as per manufacturers drawing, fitting of terminal connectors, etc. but excluding commissioning of CB.				
	i) 33 or 11 KV outdoor type (VCB/SF-6)	Nos	5563.00	0	0.00
	ii) 11 KV Kiosk (VCB/SF-5/MOCB)				
I	Erection of Post Insulator on already erected structure including transportation of P.I's, nuts & bolts, clamps & connectors, etc. from site store to location, fabrication of base frame & assembly if required, fixing of clamps, etc.				
	i) 220 KV	Nos.	829.00	45	37305.00
	ii) 132 KV	Nos.	625.00	27	16875.00
	iii) 33 or 11 KV	Nos.	70.00		0.00
J	Erection of 220 KV class EHV Trasformer (gas filled tank already placed on foundation with wheels), including transportation of accessories from site store to location erection of HV, IV, LV & Neutral bushing, main & OLTC conservator, radiator, equalizing pipe line, marshalling Kiosk, etc. as per manufacturers drawing preparation of oil filling, dehydration of transformer (filter machine, oil tank & operating staff shall be provided by RVPN), electrical wiring from individual equipment e.g., Buchholz relay, MOLG, OSR, etc. to marshalling kiosk, etc. but excluding testing & commissioning of transformer.				
	a) If electricity is available & arranged by RVPN without charges				
	i) Transformer received oil filled	Nos	120781.00	1	120781.00
	ii) Transformer received gas filled				
	b) If electricity is not available & the contractor is required to arrange diesel generator of appropriate capacity.				
	i) Transformer received oil filled				
ii) Transformer received gas filled					

Handwritten signature

6	Erection of control & Relay Panels complete in all respects including transportation from site store to control room ,placing on foundation / cable trench as per layout, interconnection between C&R panels and with existing panels,fixing of earth strip in control room, connection of bus wiring to existing panel and between C&R panel as required				
	(i) 2*2 Duplex Panel	Nos.	1	2368.00	2368.00
	(ii) Duplex panel	Nos	1	1188.00	1188.00
	(ii) Simplex panel ,DC panel, RTCC panel, PLCC panel etc.	Nos	1	594.00	594.00
7	Erection of Marshalling Kiosk , complete in all respects including transportation from site store to location ,placing on foundation/ cable trench as per Layout, preparing for ground of foundation bolts but excluding grounding etc.				
	(i) 220 or 132 KV Marshalling kiosk	Nos	2	351	702.00
	(ii) 33 KV Marshalling kiosk	Nos	0	180	0.00
10	LAYING AND TERMINATION OF CABLES				
A	Control Cable				
	i)Laying of P.V.C. insulated unarmored / armored control cables of 11KV grade with copper conductor in cable trenches as per specification as required, including transportation of cable drums from site store to locations, laying in cable trenches, cutting to required length, placing them on cable racks/ cable trays/ cable batten & dressing. Including removing & re- fixing trench cover as required, making necessary connections testing, cable marking on both the terminating ends, etc. As required for all sizes from 2c x 2.5 sq. mm. to 20c x 2.5 sq. mm., 4c x 4 sq. mm. & 4c x 6 sq. mm.				
	a) unarmoured control cable	Meters	5	10000	50000.00
	(iii) Termination of wires and cable with Copper Conductor using Copper terminal ends (Pin or Ring type as required of Dowell's or equivalent make as approved by the Engineer In charge) duly crimped with crimping tool, including making wire ends ready for crimping, feruling and dressing of wires etc. as required including cost of terminal ends for all wires for each cable at both ends for cable of the following sizes:				
				Total Rs.	438198.00

Handwritten signature


Executive Engineer(T&C)
RVPN, Ratangarh


Assistant Engineer-I
(T&C),RVPN,Ratangarh

Add above /Below on BSR rates as above
Total=.....

I here declare that I have read the all terms & condition of the tender documents and agreed to comply the terms & condition.

Signature of the Contractor with Seal