



**RAJASTHAN RAJYA VIDHYUT PRASARAN NIGAM LTD.**

Corporate identity Number (CIN) U40109RJ2000SGC016485

Regd office Vidhyut Bhawan, Jyoti Nagar Jaipur-302005

(An ISO: 9001.2008 certified company)

**OFFICE OF THE EXECUTIVE ENGINEER 220 KV GSS RVPN JALORE**

AHORE-ROAD JALORE-343001, Tele-Phone No-02973-223998, 9414061350

Email: [xen.220.jalore@rvpn.co.in](mailto:xen.220.jalore@rvpn.co.in), Website: [www.rvpn.co.in](http://www.rvpn.co.in)

NO: RVPN/XEN/220KV/GSS/JLR/F-T - /D.73 Dt. 25.05.2017.

To

All Contractors of Jodhpur Zone

Sub.-: Providing consent for Yard cleaning work at 220 KV GSS Jalore for year 2017-18 as per G- schedule on CLRC approved Rates.

Ref.-: CLRC Order No..RVPN/SE/SSPC/TK/A.1/TN-2975/CLRC/D.501DT.24.05.2013 CLRC

Dear Sir's,

Since you are enlisted contractor under Jodhpur Zone. This office wants your consent for one cycle Yard cleaning work at 220 KV GSS Jalore for year 2017-18 as per G- schedule on CLRC approved of RVPNL. The quantum of work involved comes to Rs.42714/- As per 'G' schedule enclosed with this letter.

Please send your consent within 10 days from dispatch of this letter so that further action may be taken. If your reply not received within the period, it will be presumed that you are not interested in such work and work will be awarded to other contractor registered with the Jodhpur Zone.

A favorable reply is expected, thanking you.

Encls.As above 'G' schedule

(Er. B.L. Meena)

Executive Engineer  
220KV GSS RVPN Jalore

Copy submitted /forwarded to the following for necessary information and action.

1. The Superintending Engineer (T&C) RVPN Sirohi.


Executive Engineer  
220KV GSS RVPN Jalore


**G- Schedule of cleaning of switch yard at 220 KV GSS JALORE  
on the basis of Nigam's BSR issued on 01.01.2011**

Sr. N.	Particulars	Frequ ncy	Unit	Rate (Rs)	Qty. (100sq. M)	Amount (Rs)	
1	ग्रीड सब स्टेशन के स्विच यार्ड में जंगली घास, कॉटेदार झाड़ियाँ, जंगली पेड़ पौधों आदि जड़ से उखाड़कर सम्पूर्ण सफाई का कार्य व इस कार्य के लिए जो ग्रेवल अव्यवस्थित की गई हो उसे पुनः व्यवस्थित करना। समस्त निकाले गए कचरे को ग्रीड सब स्टेशन परिसर से बाहर प्रभारी अधिकारी द्वारा निर्धारित स्थान पर डालना। सफाई कार्य हेतु झाड़ू एवं आवश्यक उपकरण ठेकेदार को स्वयं की लागत पर लाने होंगे।						
	अ ) ग्रेवल क्षेत्र (समस्त ग्रेवल हटाना व पुनः लगाना इस कार्य में शामिल नहीं है।)	Half Yearly	100 Sq mtr	137.00	152.57	20902.09	
	ब ) अनग्रेवल क्षेत्र	Half Yearly	100 Sq mtr	89.00	65.1	5793.90	
	<b>TOTAL</b>					Rs	26695.99
	Add 60.00% as per CLRC rate.						16017.59
	<b>Grand Total</b>					Rs	42713.58

**SAY Rs. 42714=00**

Say Rupees Fourty Two Thousand Seven Hundred Forteen only.

  
 Assistant Engineer [M]  
 220 KV GSS ,RVPN JALORE

  
 Executive Engineer  
 220KV GSS,RVPN Jalore