



RAJASTHAN RAJYA VIDYUT FRASARAN NIGAM LTD.

VIDYUT BHAWAN, JANPATH, JYOTI NAGAR, JAIPUR – 302 005.

PHONE NO. 0141-2740381/82,

website; www.rajenergy.com & www.rvpn.co.in

No. RVPN/Karmik/F.4(G)35-I/D. 540

Jaipur, dated: 22/11/16


ORDER

In continuation to this office order No. RVPN/ Karmik/ F.4 (G) 35-I/ D. 309 dated 19.08.2016, the norms for deployment of Ex-Servicemen as Security Guards through REXCO at the GSSs/ office Buildings/ Stores are hereby revised as under :-

S. No.	Name of office buildings / GSSs	Armed Guards	Un-Armed Guards	Total
1.	765 KV GSS	3	6	9
2.	400 KV GSS	3	3	6
3.	220 KV GSS	3	1	4
4.	132 KV GSS	0	3	3
5.	LD Office premises, Heerapura	4	4	8
6.	LD Control Room, SLDC, Heerapura	-	3	3
7.	ACOS	4	4	8
8.	AEN-I/II (M &F), Heerapura , Jaipur	4	4	8
9.	ZCE (Civil), Jaipur	0	3	3
10.	ZCE (T&C), Ajmer	0	3	3
11.	XEN (P) & AEN(P), Udaipur	0	2	2
12.	For MM Building, Jaipur	0	3	3
13.	NPH Practical Training School, Jaipur	0	3	3
14.	JMC Building, Jaipur	0	3	3
15.	CDCC/IT Center Chambal Power House, Hawa Sadak, Jaipur	0	4	4
16.	Stores (other than ACOS & M&F Stores) / Sub-SLDC offices	0	4	4

This bears approval of the CMD, RVPN.

By order


(Pukhraj Sen)
Secretary(Admn.)

:2:

Copy to the following for information and necessary action:

1. The Chief Engineer/Addl. Chief Engineer (_____)RVPN, _____
2. The General Manager, REXCO, Jaipur .
3. The Superintending Engineer(_____), RVPN, _____.
4. The Dy. Director Personnel/ P.O.(_____),RVPN, _____
5. The RCAO/ Sr. A.O/ A.O. (_____) RVPN _____
6. The P.S. to C.M.D / P.S to Director (Opr./ Tech./ Fin.), RVPN, Jaipur.

Amitabh Gupta
22/11/16

(Amitabh Gupta)
Jt. Director Personnel