



प्रमाणित शशि सूर्ययोः

**JAIPUR VIDYUT VITRAN NIGAM LIMITED**  
 office: Vidyut Bhawan, Janpath, Jyoti Nagar, Jaipur 302005  
 Website: [www.energy.rajasthan.gov.in/jvvn](http://www.energy.rajasthan.gov.in/jvvn)  
 E-mail: [jaipurdiscom@jvvn.org](mailto:jaipurdiscom@jvvn.org)



**OFFICE OF THE SUPERINTENDING ENGINEER (MM-II)**  
**MM Building, Old Power House Premises,**  
 Near Ram Mandir, Banipark, Jaipur-302006  
 Tel. 0141-2202607, E-Mail id:- [semm2@jvvn.org](mailto:semm2@jvvn.org)

NO.JPD/SE/MM-II/SPO-IV/TN-2572/D. 239

DATED: 19/5/2020

**TN-2572**

**(SUPPLY OF 3 PHASE, 4 WIRE A.C. STATIC HT-TRIVECTOR ENERGY METER OF CLASS OF ACCURACY 0.5S WITH DLMS PROTOCOL).**

**CORRIGENDUM No. 1****i) Clause No. 3.16 SOFTWARES AND INTERFACE BETWEEN METER & HHU:**

The TOD Time-Zones appearing in this clause are hereby amended to read as under:-

TOD Time Zone appearing in the clause	Amended TOD Time Zone
i) 05.00 Hours to 06.00 Hours	i) 06.00 Hours to 07.00 Hours
ii) 06.00 Hours to 09.00 Hours.	ii) 07.00 Hours to 11.00 Hours.
iii) 09.00 Hours to 18.00 Hours	iii) 11.00 Hours to 18.00 Hours
iv) 18.00 Hours to 23 .00 Hours.	iv) 18.00 Hours to 23 .00 Hours.
v) 23.00 Hours to 05.00 Hours	v) 23.00 Hours to 06.00 Hours

(S.P.GUPTA)

SUPERINTENDING ENGINEER (MM-II)

Copy forwarded to the Superintending Engineer (IT), Jaipur Discom, Jaipur for arranging the hosting of above corrigendum at Nigam's website.

SUPERINTENDING ENGINEER (MM-II)