

INDEX **(TN-2592)**

| | | |
|-----------------|-------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| Section-I | Instructions to bidders | |
| Section-II | General Conditions of Contract | |
| Section III | Technical Specification | |
| Schedule-I | Schedule of Requirement | |
| Schedule-II | Prices | |
| Schedule-III | Details of Standards | |
| Schedule-III A | Pre Qualification Requirement (PQR) | |
| Schedule-IV | Price Schedule (Bill of Quantity) | <u>To be uploaded On line on website</u> |
| Schedule-IVA | Details of tendered quantity, quantity offered along with justification with reference to qualifying Requirement. | <u>The bidder is required to justify quantity offered as per qualifying requirement.</u> |
| Schedule V | Departure from Guaranteed Technical Particulars | |
| Schedule V(A) | Guaranteed Technical Particulars. | |
| Schedule VI (A) | Departure from the requirement of Technical Specification. | |
| Schedule VI (B) | Departure from commercial terms & conditions of specification | |
| Schedule VII | List of Past Supplies | |
| Schedule VII A | C.A. Certificate for Quantity Justification. | |
| Schedule VIII | Delivery schedule. | |
| Schedule IX | List of equipment & technical hands available with the bidding firm. | |
| Schedule X | General Particulars about the bid in brief. | |
| General | Amendment in ITB and GCC | |
| Appendix-A | Proforma for Bid Security | |
| Appendix-B | Details of Bank account or Bid Security | |
| Appendix-C | Format of Affidavit for MSME Unit | |
| Appendix-D | Declaration by the Bidder | |

1. Tender documents will be made available on e-Tendering portal <http://www.eproc.rajasthan.gov.in/nicgep/app> . The bidders, in their own interest are requested to read very carefully the tender document before submitting the bid only through online on website <http://www.eproc.rajasthan.gov.in/nicgep/app>. The bidders can download bid documents and submit their bids upto 5.00 p.m. one day prior to schedule date of opening of respective bid mentioned above.
2. Eligible bidders should submit their bid well in advance instead of waiting till last date. JVNl will not be responsible for non-submission of Bid due to any website related problems.
3. The Tender process fee **Rs.1,180/-** to be paid by Demand Draft/Banker's Cheque in favour of MD,RISL, Jaipur and cost of tender specification to be paid by Demand Draft/Banker's Cheque in favour of AO(MM), JVNl, Jaipur (payable at Jaipur), be deposited in the office of the Accounts Officer (MM), JVNl, Old Power House Premises, Bani Park, Jaipur-302006 upto 2.00 p.m. upto one WORKING day prior to schedule date of opening of respective bid.

4. The cost of tender specification (Non-refundable) to be paid by **Net Banking/ NEFT/ RTGS/ Demand Draft/ Banker's cheque** in favour of AO(MM) JVVNL, Jaipur (Payable at Jaipur). All eligible interested bidders are required to provide UTR No. for recognizing any fund transfer.
5. The Bid security amount (as applicable) to be paid by **Net Banking/ NEFT/ RTGS/ Demand Draft/ Banker's cheque** in favour of AO(MM) JVVNL, Jaipur (Payable at Jaipur) or Bank Guarantee in specified format of a scheduled bank in favour of Chief Engineer (MM) JVVNL, Jaipur be deposited in the office of the Accounts Officer (MM), JVVNL, Old Power House Premises, Bani Park, Jaipur-302006 upto 2.00 p.m. upto one WORKING day prior to schedule date of opening of respective bid. All eligible interested bidders are required to provide UTR No. for recognizing any fund transfer.
6. * **In case SSI units of Rajasthan quote less than the tendered quantity then they are required to furnish Bid Security @ 0.5% of the estimated value of quantity offered on the basis of estimated unit FOR destination price.**
7. Further, while depositing the bid security amount in the office of Accounts Officer (MM), JVVNL, Jaipur, the bidders shall also furnish a certificate of SSI unit of Rajasthan/ sick unit and also to submit a letter mentioning the quantity offered by them. An Affidavit for MSME unit of Rajasthan in the enclosed format is to be furnished on non-judicial stamp paper of Rs.100/- duly attested by Notary public, to the office of Sr.Accounts Officer (MM), JVVNL, Jaipur. The Bid Security of requisite amount shall be furnished on non-judicial stamp paper of Rajasthan State.

Note :- 1. All eligible interested bidders are required to get enrolled on e-Tendering portal <http://www.eproc.rajasthan.gov.in/nicgcp/app>.

2. If any difficulty arises, in down downloading/ uploading of tender you may contact in the RISL, Jaipur Rajasthan at following Contact/address

Address of RISL:-

RajCOMP Info Services Limited (RISL)
1st Floor, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur (Rajasthan)

| | |
|-----------------|----------------------------------------------------------|
| Tel : | 0120-4200462, 0120-4001002 |
| Mobile : | 8826246593 |
| E-Mail : | support-eproc[at]nic[dot]in |
| | Local Helpdesk Number - 0141-4022688 |
| | Available all Working days (between 9.30 AM and 6.00 PM) |
| E-Mail : | eproc[at]rajasthan[dot]gov[dot]in |

**JAIPUR VIDYUT VITARAN NIGAM LIMITED
OFFICE OF THE SUPERINTENDING ENGINEER (MM-II)
OLD POWER HOUSE PREMISES, BANI PARK, JAIPUR -06**

TELEPHONE: 0141-2202607

TELE FAX: 0141-2202025

BID DOCUMENTS FOR PURCHASE OF 12 KV OUTDOOR VCB KIOSKS UNDER SPECIFICATION NO.JPD/SE/MM-II/SPO-V/TN-2592

| | |
|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| LAST DATE AND TIME FOR BID SUBMISSION | 16.06.2020 at 5.00 p.m. |
| DATE AND TIME OF OPENING OF BID | 17.06.2020 at 3.00 p.m. |
| ESTIMATED UNIT FOR DESTINATION PRICE OF ITEM | Rs.2,34,380/- |
| BID SECURITY TO BE DEPOSITED | i) General Bidder : Rs. 70.00 Lac ii) Sick Unit : Rs. 35.00 Lac iii) SSI Unit of Rajasthan : Rs. 17.50 Lac * |
| COST OF THE SPECIFICATION | Rs.2,950.00(non refundable) Rs.1475/- (for MSME Units) |
| TENDER PROCESSING FEE | Rs.1,180.00(non refundable) |
| VALIDITY | 120 DAYS FROM THE NEXT DATE OF OPENING OF TECHNO-COMMERCIAL BID |

*** In case SSI units of Rajasthan quote less than the tendered quantity then they are required to furnish Bid Security @ 0.5% of the estimated value of quantity offered on the basis of estimated unit FOR destination price.**

Further, while depositing the bid security amount in the office of Accounts Officer (MM), JVVNL, Jaipur, the bidders shall also furnish a certificate of SSI unit of Rajasthan/ sick unit and also to submit a letter mentioning the quantity offered by them.

The Micro, Small & Medium Scale Industries of Rajasthan and sick industries, other than Small Scale Industries, whose cases are pending before the Board of Industrial and Financial Reconstruction (BIFR) shall furnish self-attested documentary evidence duly attested by Notary to claim the above.

The bid security may be given in the form of banker's cheque or demand draft in favour of Accounts Officer (MM), JVVNL, Jaipur payable at Jaipur or bank guarantee, in specified format, of a scheduled bank in favour of Chief Engineer (MM), JVVNL, Jaipur up to stipulated date & time, and obtain a receipt/ acknowledgement thereof. No other mode of deposit shall be accepted. Further, while depositing the bid security amount in the office of Accounts Officer (MM), JVVNL, Jaipur, the bidders shall also furnish a certificate of SSI unit of Rajasthan/ sick unit and also to submit a letter mentioning the quantity offered by them. An Affidavit for MSME unit of Rajasthan in the enclosed format is to be furnished on non-judicial stamp paper of Rs.100/- duly attested by Notary public, to the office of Sr. Accounts Officer (MM),

JVNVL, Jaipur. The Bid Security of requisite amount shall be furnished on non-judicial stamp paper of Rajasthan State

NOTE:-1. Wherever EMD and Security Bank Guarantee (SBG), are appearing in the ITB, GCC & other Bidding Documents, same is hereby replaced by BID SECURITY as above.

Note:-2 VENDOR REGISTRATION: The relaxation/exemption given to the registered vendors of the Nigam in respect of EMD/SBG, wherever appearing in the ITB, GCC & other Bidding documents, are hereby WITHDRAWN

Schedule – I**SCHEDULE OF REQUIREMENT**

| S.No | ITEM | QUANTITY |
|-------------|---------------------------------|-------------------|
| | 12 KV OUTDOOR VCB KIOSKS | 1,500 Nos. |

NOTE:-The quantities as mentioned in the schedule of requirements are tentative and may increase/decrease as per the requirement of the Nigam.

SCHEDULE- II**PRICE ADJUSTMENT FORMULA**
12 KV OUTDOOR VCB KIOSKS (TN-2592)

The price quoted / confirmed is based on the input cost of raw materials / components and labour cost as on the date of quotation and the same is deemed to be related to prices of raw materials/ components and all India average consumer price index number of industrial workers as specified in the price variation clause given below. In case of any variation in these prices and Index number, the price payable shall be subject to adjustment up or down in accordance with the following formula :-

$$P = \frac{P0}{100} \left(20 + 28 \frac{IS}{ISO} + 26 \frac{C}{CO} + 4 \frac{AL}{ALO} + 9 \frac{In}{In0} + 13 \frac{W}{W0} \right)$$

Wherein,

P = Price payable as adjusted in accordance with the above formula.

PO = Price quoted / confirmed (Exclusive of all taxes and duties).

ISo = Wholesale price index for "Manufacture of basic metals" (Base: 2011-12 = 100) (refer notes).

This index is as applicable for the month, three month prior to the date of tendering.

Co = Average LME settlement price of copper wire bars (refer notes).

This price is as applicable for the month, one month prior to the date of tendering.

Alo = Price of busbar grade aluminium (refer notes).

This price is as applicable on the first working day of the month, one month prior to the date of tendering.

Ino = Price of epoxy resin for indoor circuit breakers and switchgear (refer notes).

This price is as applicable on the first working day of the month, one month prior to the date of tendering. **OR**

Wholesale price index of insulator for outdoor circuit breakers (VBF and SDB) (refer notes)

This index number is as applicable for the month, three month prior to the date of tendering.

Wo= All India average consumer price index number for industrial workers, as published by the Labour Bureau, Ministry of Labour, Govt. of India (Base 2001 = 100).

This index number is as applicable for the month, four months prior to the date of tendering.

For example, if the date of tendering falls in May, 2019, the applicable prices of copper (Co), aluminium bus bar (Alo) should be as on 1st April 2019 and wholesale price index of "Manufacture of basic metals" (ISo) and insulating material (Ino) should be as on 1st February 2019 and all India average consumer price index number (Wo) should be for the month of January, 2019.

The above prices and indices are as published by IEEMA vide circular reference number IEEMA (PVC)SWGR(R-1)/___/___ONE prevailing as on first working day of the month _____ i.e. one month prior to the date of tendering.

IS = Whole sale price index for "Manufacture of basic metals" (Base: 2011-12 = 100) (refer notes).

This index is as applicable on the first working day of the month, four months prior to the date of delivery.

C = Average LME settlement price of copper wire bars (refer notes).

This price is as applicable on the first working day of the month, two months prior to the date of delivery.

Al = Price of busbar grade aluminium (refer notes).

This price is as applicable on the first working day of the month, two months prior to the date of delivery.

In = Price of epoxy resin for indoor circuit breakers and switchgear (refer notes).

This price is as applicable on the first working day of the month, two month prior to the date of tendering. **OR**

Wholesale price index of insulator for outdoor circuit breakers (VBF and SDB) (refer notes)

This index number is as applicable for the month, four month prior to the date of tendering.

W = All India average consumer price index number for industrial workers, as published by the Labour Bureau, Ministry of Labour, Govt. of India (Base 2001 = 100).

This index number is as applicable for the months, five months prior to the date of delivery.

For example, if the date of tendering falls in June, 2019, the applicable prices of copper (Co), aluminium bus bar (Alo) should be as on 1st April 2019 and wholesale price index of "Manufacture of basic metals" (ISo) and insulating material (Ino) should be as on 1st February 2019 and all India average consumer price index number (Wo) should be for the month of January, 2019.

The "date of delivery" is the date on which the product is notified as being ready for inspection / dispatch. (In the absence of such notification the date of

manufacturer's dispatch note is to be considered as the date of delivery) or the contracted delivery date (including any agreed extension thereto), whichever is earlier.

Note:- The base date will be 1.5.2020 irrespective of date of tender opening.

SCHEDULE-II-A**PRICES & PRICE VARIATION**

- a) The prices quoted shall be variable as per Price Variation Formula given in the Specification (Schedule-III-A) without any ceiling.
- b) If the price variation formula is changed, the same shall be applicable for the price variation. During the transit period when both old and new indices are being circulated, then the admissible Price Variation shall be applicable, which is advantageous to Nigam, and the period from which the old indices are discontinued then the P.V. shall be admissible with the new indices.
- c) The date of delivery applicable for claiming price variation shall be the date prevailing on the first day of Calendar month which shall be determined in the manner prescribed hereunder:-
 - (i) When the material is offered within stipulated delivery schedule : For allowing P.V. the date of delivery shall be considered the date on which material is notified as being ready for inspection or date of receipt of inspection call in the office.
 - (ii) When the material is offered after expiry of stipulated delivery schedule : For allowing P.V. in the cases supplies are made after the expiry of scheduled delivery, the price prevailing in the last month of the stipulated scheduled delivery or the date on which material is notified as being ready for inspection or date of receipt of inspection call in the office, whichever is beneficial to Nigam shall be allowed.
 - (iii) When the material is offered ahead of delivery schedule on the request of Jaipur Vidyut Vitran Nigam Limited : Normally supplies ahead of delivery schedule shall not be accepted. However in case of urgency of material, if supplies are accepted ahead of delivery schedule, PV shall be allowed on the basis of the material is notified as being ready for inspection or date of receipt of inspection call in the office.
 - (iv) When the material is offered ahead of delivery schedule by firm at their own and accepted by Nigam on the request of firm: Normally the request of the firm to accept the material ahead of delivery schedule will not be accepted. In case firm offers supplies ahead of delivery schedule at their own and such request is accepted by Nigam, the price prevailing in the last month of stipulated delivery schedule or the date on which material is notified as being ready for inspection or date of receipt of inspection call in the office, whichever is beneficial to Nigam shall be allowed.

Schedule – III**JAIPUR VIDYUT VITRAN NIGAM LIMITED**

A Govt. of Rajasthan Undertaking
Prescribed technical specification for supply of
 (Name of Material/Equipment/Machinery/T&P etc.)

| S.No. | Technical specification which material/equipment/ Machinery/T&P shall confirm | Name of IS/other standard specification to which material should confirm | Other particulars if any. | to |
|-------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------|----|
|-------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------|----|

Certified that we agree to all the aforesaid technical specification except at S.No..... for
 which our technical specification shall be as under:-

| S.No. | Technical specification which material/equipment/ Machinery/T&P shall confirm | Name of IS/other standard specification to which material should confirm | Other particulars if any. | to |
|-------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------|----|
|-------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------|----|

(Signature)

Name & Designation
 with seal of the bidder.

SCHEDULE-III-A**QUALIFICATION REQUIREMENT****ITEM :- 12 KV OUTDOOR VCB KIOSK****TN- 2592**

The bidder should fulfill following qualifying requirements for successful participation in the tender along with relevant documentary evidence supporting each qualifying requirement without which the offer shall be considered non-responsive & rejected.

1.0 STATUS OF BIDDER:-

- a) The bidder should be a Manufacturer of offered item. The offers from sole selling agent/ authorized dealers shall not be entertained.
- b) Old/ New suppliers:- Any bidder located within or outside the state of Rajasthan has participated for the first time in a particular Discom & meeting minimum qualification requirement and has supplied the tendered material/or of higher rating in other utility shall be treated as an old supplier. Rajasthan's firms although supplied in past but not meeting minimum quantity supplied criterion including altogether new units which have not supplied any quantity but having adequate & required manufacturing and testing facility and technical know-how of the tendered material shall be considered as new firms and would be eligible for trial order only. In case of supply made to the licensed power utility outside India, the C.A. certificate furnished by firm shall be considered.

2.0 PAST SUPPLY & PERFORMANCE CRITERIA :-

The bidder shall meet both past supply and performance criteria as detailed below for opening of tenders:-

2.01 PAST SUPPLY:-

- 2.01.1 The bidder is required to quote for minimum **10%** of tendered quantity of 12 KV OUTDOOR VCB KIOSK, failing which their offer may be considered Non-Responsive.
- 2.01.2 The bidder should have designed, manufactured / fabricated, tested and supplied to utility / Discoms / Govt. Departments at least 2 X QQ (QQ being the quoted quantity) of similar item / higher rating of tendered material / equipment in last 3 financial years from the date of opening of technical-commercial bid.

Note: Requirement of quantity manufactured and minimum quantity to be offered shall be reduced to 25% for Rajasthan based units.

- 2.01.3 In support of fulfillment of the past supply criteria, the bidder shall furnish documentary evidence in the form of certificate from Chartered Accountant in the enclosed prescribed proforma only. This prescribed proforma should be furnished either in original or copy duly attested by Notary. The bidder shall also sign and affix seal on the C.A. Certificate. The certificate should have membership number with the name & address of the chartered accountant. Certificate should clearly indicate the quantity supplied, period of supply, voltage Class, Rating of the VCB etc. in the format prescribed, any deviation to format or information diverted format, will not be considered and rejected.

Note:-The material supplied and accepted for same/higher rating for Turnkey projects to a licensed power utility/Govt. shall be considered for the purpose of evaluating criteria. The certificate given by C.A. shall indicate above quantity separately.

2.02 **PERFORMANCE CRITERIA:-**

- 2.02.1 i) If a bidder has supplied upto 50% of ordered quantity in previous tender upto date of opening of subsequent tender and scheduled delivery period expired, the bid of such bidder will not be opened in the Discom for that item.
ii) However, if the supplies have been completed for a quantity more than 50% but not completed upto date of opening of subsequent tender and scheduled delivery period expired, the quantity equal to the quantity pending in previous tender for that item shall be reduced from the subsequent tender quantity to be allocated to the bidder.

3.0 **TYPE TEST CRITERIA:-**

- 3.01 The bidder shall furnish valid and authenticated type test certificates from any CPRI/ERDA/NABL accredited/ ILAC i.e. International Laboratory Accreditation Cooperation (in case of foreign laboratory) of similar rating and design of tendered material/equipment. The type test certificates by in-house Lab. of tendering firm, even if it is a NABL accredited/ ILAC accredited, will not be acceptable. Such type test certificates should not be older than **5 (Five) years** as on the date of bid opening. For this purpose date of conducting type test will be considered.
- 3.02 The bidder should furnish documentary evidence in support of the laboratory whose type test have been furnished, that the said laboratory is a NABL accredited laboratory / ILAC accredited (in case of foreign laboratory).
- 3.03 The type test certificates shall be furnished either in original or copy duly attested by notary.
- 3.04 The bids of only those bidders shall be considered to be meeting the type test criteria who furnishes complete type test certificate with the bid as per above provision.

- 3.05 Following 10 type tests are generally required for outdoor VCB/outdoor VCB kiosk/ indoor VCB panel. These type tests can be divided in following two groups:

GROUP I

- (i) Single phase short circuit test
- (ii) Basic short circuit duties test
- (iii) Out of phase making & Breaking test
- (iv) Capacitive current switching test
- (v) Mechanical operation type test

GROUP II

- (vi) Dielectric test on main circuits
- (vii) Short Time Withstand & peak withstand current tests
- (viii) Temperature Rise Test
- (ix) Measurements of resistance of main current:
- (x) IP-55/IP-5X Test (to be conducted on cubicle/control cabinet)

In view of the purchaser, in light of various provisions of IEC/applicable standards, assemblies of outdoor VCB/outdoor VCB kiosk/ indoor VCB panel with following arrangements are generally acceptable:

- (i) Outdoor VCB/outdoor VCB kiosk/ indoor VCB panel of rated current rating (type tested as per group II) fitted with Circuit Breaker of higher current rating (type tested as per as per group I) or vice-versa.
- (ii) Outdoor VCB/outdoor VCB kiosk (type tested as per group II) and fitted with Circuit Breaker (type tested as per group I with indoor panel or type tested as VCB truck alone).
- (iii) Indoor VCB panel (type tested as per group II) fitted with Circuit Breaker (type tested as per group I with Outdoor VCB/outdoor VCB kiosk or type tested as VCB truck alone).
- (iv) Complete type tests conducted on higher current rating outdoor VCB/outdoor VCB kiosk/ indoor VCB panel are also acceptable if bidder confirms to supply the material with such higher rating.

Accordingly, type test reports of Indoor VCB panel when tendered item is Outdoor VCB/ Outdoor VCB Kiosk may be acceptable or vice versa when arrangement is as above. But type tests (as per group II) of indoor VCB panel will not be acceptable when tendered item is Outdoor VCB/outdoor VCB kiosk. Similarly, type tests (as per group II) of Outdoor VCB/outdoor VCB kiosk will not be acceptable when tendered item is indoor VCB panel.

Indoor VCB panel/ Outdoor VCB kiosk, type tested (as per group II) and fitted with type tested (as per group I) Circuit Breaker where one or more type test (as per group I) is carried out on higher current rating or one or more type test (as per group II) is carried out on higher current rating kiosk/panel is acceptable if there is no change in constructional design. In case any change in constructional design is made, the same is acceptable only if manufacture can demonstrate that this change

does not influence the result of the individual type test. The performance of any particular arrangement may be substantiated by test data of comparable arrangements.

- 3.06 In technical specifications operating duty for gang operation is defined as O-0.3 sec.-CO-3 min.-CO, the firms are required to furnish the type test reports of making and breaking tests including Basic short circuit duty tests of circuit breaker as per operating duty for gang operation as defined O-0.3 sec.-CO-3 min.-CO. However, mechanical operation test on other operating sequence conducted as per IEC 62271-100 may be acceptable.
- 3.07 Certain makes of Vacuum Interrupter are approved by the purchaser and mentioned in the technical specifications. It is mandatory for the firm to furnish the type test reports and supply of the material with approved make of Vacuum Interrupter. The make of Vacuum Interrupter should invariable be same in type test reports as well as in supply.
- 3.08 The firms furnish the drawings to the purchaser for approval before commencement of supply. The approved drawing of VCB should be representative of the type tested material and therefore it is irrespective that the type test reports are of fixed type VCB or draw out type VCB. Any change of constructional detail is acceptable, if the manufacture can demonstrate that this change does not influence the result of the individual type test.

4.0 POOR RECORD OF PERFORMANCE AND DELIVERY :

The bidder who have been black listed **in any of the state Discom** or with whom business relations have been severed in Jaipur Discom shall not be considered. Severment of business relations will be done in case of following circumstances for the period and with the recovery mentioned against each:

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| i) When vendor does not accept order awarded on its accepted price and terms and conditions or does not comply with contractual formalities. | Forfeiture of EMD/cancellation of vendor registration to recover amount of EMD along with severment of business relations for three years from the date of issue of order. |
| ii) When vendor complies with contractual formalities but does not commence supplies. | Levy of maximum recovery on account of delay in delivery along with severment of relations for a period of 2 years from the date of issue of order or in next two bids whichever is later along with forfeiture of EMD / cancellation of vendor registration. |

5.0 (A) Black listing of a firm:

After having given Show Cause Notice of 30 days, and having established & cogent reasons for blacklisting of the firm as given below, the firm should immediately be blacklisted for a period of 5 years indicating reasons of doing so, in the letter itself, and a copy of such blacklisting should be given to the firm, with the approval of CLPC:-

- (i) There are sufficient and strong reasons to believe that the supplier or his employee has been guilty of malpractices such as manhandling/misbehavior with Government official by supplier or his partner/employee, bribery, corruption or abatement of such a offence in a position where he could corrupt Nigam's official, fraud, vitiating fair tender process including substitution of or interpolation in tender, mis-representation, pilfer-aging or unauthorized use or disposal of Nigam's material issued for specific work etc.
- (ii) Where a supplier or his partner or his representative has been convicted by a court of Law for offences involving moral turpitude in relation to the business dealing or where security considerations including suspected disloyalty to the Nigam/state so warrant the blacklisting.
- (iii) If the State Bureau of Investigation or any other authorized investigating agency recommends for blacklisting after completing the investigation.

Note: - 1 If a supplier after having tendered for a supply or after negotiations gives application voluntarily vitiating the fair tendering process, it shall also tantamount to malpractice.

Note:-2 A register containing the reasons for blacklisting the supplier as also the names of all the partner of the suppliers and the allied concerns coming within the effective influence of the blacklisted supplier will be maintained.

Note: - 3 A register of black listed supplier will be maintained which will not only include suppliers enlisted with the Enlisting Authority but also black listed suppliers in Nigam.

Note :-4 A Black listed supplier (i) shall not be entitled for registration in any of the Discom (ii) shall not be awarded any supply order in future in any Discom during the notified period.(iii) his registration if any shall stand cancelled immediately and his registration security /EMD/S.D. shall stand forfeited. (iv) In case of blacklisting of the firm by any one of Discom for the cogent prescribed reason(s) as stipulated above, the same shall be applicable to all the three Discoms and as a consequence of blacklisting, all the pending orders to that firm, will be cancelled in all three (3) Discoms with immediate effect. However in respect of completed/executed contract G.P. obligations as well as other liabilities shall be fulfilled by the supplier.

(B) Severment of Business relation:

- (a) After having given Show Cause Notice of 30 days, and having established & cogent reasons for Severment of business relation as given below, the firm should immediately be severed the business relations for a period of 2 to 3 years indicating reasons of doing so, in the letter itself, and a copy of such severment should be given to the firm, with the approval of CLPC:-
 - (i) The supplier continuously refuses to pay Nigam dues without showing adequate reasons and where the purchasing authority is satisfied that no reasonable dispute attracting reference to Settlement Committee or Court of Law exists for the supplier's action of non-supply.

- (ii) When vendor does not accept LOI/detailed purchase order awarded on its accepted prices and terms & conditions or does not comply with the contractual formalities.
- (iii) When vendor/supplier who otherwise completed contractual formalities but does not commence supplies on the date of opening of technical bid of the fresh tender/completion of schedule delivery period whichever is later.

Note-1-In case supplier does not deposit outstanding dues towards Nigam, even after completion of severment period, the period of severment will continue.

2. Severment done purely/ mainly on account of non-deposition of dues against the supplier/vendor/contractor could be lifted by CLPC, if the dues are deposited prior to the expiry of such severment period.
3. Severment done by one Discom for non-supply of material and /or corresponding non-recovery of dues will not be effective in other Discoms except in respect of common purchase cases of three Discom.
4. On severment of business, the EMD/SD/vendor registration security will be forfeited.
5. The orders in execution satisfactorily will not be cancelled other than the order on which severment have been done.

(C) DEBARMENT

Reasons on which Debarment can be made:-

- (i) The competent authority may debar the supplier on account of his performance or other disabilities, if it is no longer considered fit to remain under vendor registration as per his obligation under vendor registration.
- (ii) If at any subsequent stage of inspection of firms after award of contract, it is found that firm does not have sufficient tech. staff or required/necessary technical equipments, the purchasing authority can debar the firm for one year or next tenders whichever is later. The debarment will be lifted only on re-inspection of firm's works; the defects noticed earlier are fully rectified to the satisfaction of Nigam.
- (iii) When contract agreement executed and supplies commenced but could supply only up to 50% of ordered quantity and scheduled delivery period expired, then the firm can be debarred for one year or next tender whichever is later in that Discom only for that particular item/rating/ capacity/size etc.
- (iv) The suppliers who have been awarded contract for supply of material is not adhering to the periodic delivery schedule, the contract awarding authority reserve the right to terminate the contract and may debar the firm in participating in tender for a period of 2 to 3 years.

Note:-1. On debarment, the EMD/ SD/Vendor Registration security shall be forfeited.

Note:-. 2. If the firm is debarred in one Discom for any reasons then the same should not be applicable in other Discom subject to exception that in case of

common Discoms purchases such debarment of a firm would be applicable to all three Discoms for that particular item and rating/capacity/size etc.

6.0 APPEALS AND APPLICATIONS:-

Appeal against the order of blacklisting, severment and debarment can be filed before BOD within a period of 3 months from the date of intimation. The letter of appeal will be addressed to the order placing authority. Who will process the case for placing the matter in B.O.D. with in a period 60 days. The BOD may reduce or waive the penalty, if sufficient reasons/supporting documents are furnished by the supplier.

GENERAL CONDITIONS : - (ALL CONDITIONS BE DULY SIGNED & SEALED)

- I) The bidder shall clearly indicate the deviations such as `Technical Deviation & Commercial Deviations' in the prescribed proforma only. The deviations indicated elsewhere in the bid shall not be accepted.
- II) The bidder must clearly fill up each and every particular of guaranteed technical particulars annexed with Technical Specifications otherwise he will be responsible for Technical Non-responsiveness.
- III) All documents required in the prescribed format are to be furnished along with the bid itself only except an attested copy of BIS license (wherever it is required), failing which the bid will be summarily rejected.
- IV) However, a copy of BIS License may be submitted by the bidder up to the official working hours of one working day prior to the schedule / notified date of opening of price bid.

Must be filled-in by the tenderer and attach with technical bid (Part-I)

To,

The Superintending Engineer (MM-II),
Jaipur Vidyut Vitran Nigam Limited,
Jaipur.

Dear Sir,

With reference to your invitation to tender against specification No. JPD/SE/MM-II/TN-2592 we agree to supply the following quantity:-

| S. No | Particulars of item | Tendered Quantity (Nos.) | Qty. Offered | Justification of quantity offered as per Qualifying Requirement. | Status of Type Test Certificates. |
|-------|---------------------------------|--------------------------|--------------|------------------------------------------------------------------|-----------------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 1. | 12 KV OUTDOOR VCB KIOSKS | 1,500 | | | |

- The offer is valid for a period of 120 days from the date of opening of this tender.
- The base date of prices will be **1.5.2020** (as per IEEMA latest circular) irrespective of date of tender opening.
- It is noted that the quantities as mentioned in the specification are approximate and we agree to supply any quantity as per your requirement.
- The delivery shall strictly be in accordance with our delivery clause as given in **Schedule-VIII** of this specification. In case we fail to deliver the material as indicated in the clause No. 1.23 of G.C.C. (Schedule-II), we are liable to pay recovery for delay in delivery as per clause No. 1.24 of this Schedule-II of this specification. The material shall conform to your specification No. JPD/SE/MM-II/TN-2592 and as per relevant ISS in all respect.
- We confirm that we agree to all the terms & conditions as well as the technical stipulations of your specification No. JPD/SE/MM-II/TN-2592 and there are no deviations other than as specified in the **Schedule VI (A&B)**.

Yours faithfully,

Signature of tenderer
with stamp
Dated

Schedule – V**JAIPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking**

Statement of guaranteed technical particulars and other performance data for supply of
 (Name of material) against specification
 no.....

S.No. Particulars of technical & other performance data guaranteed.

Certified that we agree to all the aforesaid technical particulars and other performance data except following :-

| S.No. | Particulars of technical & other Performance data | Reasons for deviations/departure. |
|-------|---------------------------------------------------|-----------------------------------|
|-------|---------------------------------------------------|-----------------------------------|

(Signature)

Name & Designation
 with seal of the bidder.

Schedule – V(A)



**SCHEDULE OF GUARANTEED TECHNICAL PARTICULARS OF 12 KV
OUTDOOR VCB KIOSKS AGAINST TN-2592**

| Sl. No. | PARTICULARS | To be furnished by the Bidder |
|--------------------------------|-----------------------------------------------------------------------------|-------------------------------|
| <u>CIRCUIT BREAKERS</u> | | |
| 1 | NAME OF MANUFACTURER & COLLABORATOR, IF ANY | |
| (A) | OFFICE ADDRESS OF MANUFACTURER | |
| (B) | WORKS ADDRESS | |
| 2 | CONSTRUCTION TYPE OF BREAKER | |
| 3 | NO. OF POLES | |
| 4 | CLASS | |
| 5 | RATED VOLTAGE | |
| 6 | RATED INSULATION LEVEL | |
| (a) | LIGHTENING IMPULSE WITHSTAND VOLTAGE | |
| (b) | ONE MIN. POWER FREQ. WITHSTAND TEST VOLTAGE KV (rms) | |
| (c) | ONE MIN. POWER FREQ. WITHSTAND TEST VOLTAGE FOR AUXILIARY CIRCUITS KV (rms) | |
| 7 | RATED FREQUENCY | |
| 8 | RATED NORMAL CURRENT | |
| 9 | RATED SHORT CIRCUIT BREAKING CURRENT/ CAPACITY | |
| 10 | RATED SHORT TIME WITHSTAND CURRENT AND ITS DURATION | |
| 11 | RATED TRANSIENT RECOVERY VOLTAGE FOR TERMINAL FAULTS | |
| 12 | RATED SHORT CIRCUIT MAKING CURRENT | |
| 13 | RATED OPERATING SEQUENCE | |
| 14 | FIRST POLE TO CLEAR FACTOR | |
| 15 (a) | OPENING TIME | |
| 15 (b) | CLOSING TIME | |
| 16 | TOTAL BREAK TIME MEASURED FROM THE INSTANT OF TRIP CIRCUIT ENERGISATION | |
| (a) | AT 10% BREAKING CAPACITY | |
| (b) | AT 100% BREAKING CAPACITY | |
| 17 | PROTECTION CLASS OF KIOSK | |
| 18 | CONTACT TRAVEL | |
| (a) | LENGTH OF TRAVEL | |
| (b) | RATE OF TRAVEL | |

| | | |
|-------------|----------------------------------------------------------------------------------------------------------|--|
| 19 | MAKE TIME | |
| 20 | SPRING CHARGING TIME | |
| 21 | DEGREE OF VACUUM PROVIDED IN VCB | |
| 22 | OPERATING MECHANISM OF CIRCUIT BREAKER AND ITS ASSOCIATED EQUIPMENT | |
| 22.1 | TYPE OF CLOSING MECHANISM | |
| 22.2 | WHETHER THE CIRCUIT BREAKER IS TRIP FREE OR FIXED TRIP AND WHETHER IT IS WITH LOCKOUT PREVENTING CLOSING | |
| 22.3 | RATED SUPPLY VOLTAGE OF CLOSING MECHANISM | |
| 22.4 | CURRENT REQUIRED AT RATED SUPPLY VOLTAGE TO CLOSE THE CIRCUIT BREAKER | |
| 22.5 | RATED SUPPLY VOLTAGE OF SERIES/ SHUNT OPENING RELEASE | |
| 22.6 | CURRENT REQUIRED AT RATED VOLTAGE FOR SERIES/ SHUNT OPENING RELEASE | |
| 22.7 | NO. AND TYPE OF SPARE AUXILIARY SWITCHES/ CONTACTS | |
| 22.8 | CURRENT REQUIRED AT RATED SUPPLY VOLTAGE BY OTHER AUXILIARIES | |
| 23 | OTHER INFORMATION | |
| 23.1 | (a) TYPE OF BREAKER (DRAWOUT/ FIXED) | |
| | (b) TYPE OF ISOLATION (VERTICAL/ HORIZONTAL) | |
| 23.2 | TYPE OF ARC CONTROL DEVICE | |
| 23.3 | CONTACTS | |
| (a) | MAIN | |
| (I) | TYPE | |
| (II) | MATERIAL | |
| (III) | SILVER FACING PROVIDED | |
| (iv) | DESIGN CONTACT PRESSURE | |
| (b) | ARCING CONTACTS | |
| (I) | TYPE | |
| (II) | MATERIAL | |
| (III) | SILVER FACING PROVIDED | |
| (IV) | DESIGN CONTACT PRESSURE | |
| 23.4 | LIFE | |
| (I) | MECHANICAL OPERATIONS | |
| (II) | ELECTRICAL OPERATIONS | |
| (III) | SHORT CIRCUIT OPERATIONS | |
| 23.5 | MAXIMUM TEMPERATURE RISE OVER AN AMBIENT TEMPERATURE OF 50° C | |
| 23.6 | TRANSIENT BEHAVIOUR DETAILS | |
| (a) | PF RECOVERY VOLTAGE BETWEEN PHASES | |
| (b) | PEAK TRANSIENT RECOVERY VOLTAGE | |
| © | RATE OF RISE OF RECOVERY VOLTAGE | |
| 23.7 | WHETHER THE CIRCUIT BREAKER IS RESTRIKE FREE | |
| 23.8 | DETAILS OF INTERLOCKS PROVIDED | |

| | | |
|-------|-----------------------------------------------------------------------------------------|--|
| 23.9 | DERATING FACTOR FOR SPECIFIED 50 DEG. C. AMBIENT TEMPERATURE AND SITE CONDITION, IF ANY | |
| 23.10 | MAXIMUM CHOPPING CURRENT | |
| 23.11 | VACUUM INTERRUPTED DETAILS | |
| (a) | MAKE AND CODE NUMBER OF VACUUM BOTTLE | |
| (b) | PRESSURE INSIDE INTERRUPTER | |
| (C) | MANUFACTURER'S CODE NO. / REFERANCE STANDARD | |
| 23.12 | CONTACT WEAR INDICATION | |
| 23.13 | MAX. OVER VOLTAGE ON SWITCHING TRANSFORMER ON NO LOAD. | |
| 24 | THICKNESS OF SHEET STEEL | |
| 25 | WHETHER COLD ROLLED OR HOT ROLLED | |
| | 11 KV VOLTAGE TRANSFORMER | |
| 1 | MANUFACTURER'S NAME | |
| 2 | TYPE DESIGNATION | |
| 3 | HIGHEST EQUIPMENT VOLTAGE | |
| 4 | NO. OF PHASES | |
| 5 | SYSTEM EARTHING | |
| 6 | INSULATION LEVEL | |
| (a) | ONE MINUTE POWER FREQUENCY WITHSTAND VOLTAGE | |
| (I) | PRIMARY WINDING | |
| (II) | SECONDARY WINDING | |
| (b) | IMPULSE WITHSTAND VOLTAGE | |
| 7 | FREQUENCY | |
| | TRANSFORMATION RATIO | |
| | RATED OUTPUT | |
| | ACCURACY CLASS | |
| | WINDING CONNECTION | |
| | RATED VOLTAGE FACTOR | |
| 13 | TYPE | |
| 13.1 | RESIN CAST OR OIL FILLED | |
| 13.2 | WHETHER SINGLE PHASE OR THREE PHASE | |
| 13.3 | TYPE OF FUSES PROVIDED | |
| (a) | PRIMARY | |
| (b) | SECONDARY | |
| © | MAKE | |
| | CURRENT TRANSFORMERS | |
| 1 | MANUFACTURER'S NAME | |
| 2 | TYPE DESIGNATION | |
| 3 | RATED VOLTAGE | |
| 4 | TYPE OF INSULATION WHETHER OIL FILLED OR RESIN CAST | |
| 5 | INSULATION LEVEL | |
| 5.1 | ONE MINUTE POWER FREQUENCY WITHSTAND VOLTAGE | |
| 5.2 | IMPULSE WITHSTAND VOLTAGE | |

| | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------|--|
| 5.3 | PF WITHSTAND VOLTAGE FOR SECONDARY | |
| 6 | FREQUENCY | |
| 7 | TRANSFORMATION RATIO | |
| 8 | RATED OUTPUT | |
| 9 | CLASS OF ACCURACY | |
| 10 | INSTRUMENT SECURITY FACTOR | |
| 11 | SHORT TIME THERMAL CURRENT AND ITS DURATION | |
| 12 | SECONDARY WINDING RISE AT 75 DEG.C | |
| 13 | KNEE POINT VOLTAGE | |
| 14 | MAXIMUM EXCITING CURRENT IN RMS | |
| | RELAYS | |
| 1 | MANUFACTURER'S NAME | |
| 2 | TYPE DESIGNATION | |
| 3 | RATED CT SECONDARY CURRENT. | |
| 4 | TAP RANGE | |
| 5 | VA BURDEN | |
| | 1) HIGHEST TAP | |
| | 2) LOWEST TAP | |
| 6 | RATED VOLTAGE OF COIL FOR OPERATION. | |
| 7 | WHETHER RELAY IS ABLE TO STORE A MINIMUM OF FIVE FAULT VALUES INCLUDING FAULT LEVEL AND PHASE WITH DATE & TIME. | |
| 8 | WHETHER RELAY IS MOUNTED IN FLUSH PATTERN ON THE PANEL BOARD. | |
| 9 | WHETHER TEST BLOCKS PROVIDED AS PER SPEC. | |
| 10 | WHETHER NUMERICAL RELAY IS WITH COMMUNICATION FACILITY AND STANDARD OPEN PROTOCOL / SCADA COMPATIBILITY ALONGWITH IED FOR PURPOSE OF SCADA | |
| 11 | WHETHER COMMUNICATION ON RS-485 PORT PROTOCOL PROVIDED. | |
| 12 | TYPE OF CHARACTERISTIC | |
| 13 | DESCRIPTIVE LEAFLET ATTACHED OR NOT | |
| 14 | ACCURACY CLASS OF CT NEEDED | |
| 15 | RANGE OF SETTING FOR OVER CURRENT AND EARTH FAULT PROTECTION. | |
| 16 | WHETHER DRAWOUT TYPE | |
| | | |
| | MEMORY TYPE STATIC HT TVM ENERGY METER | |
| | | |
| 1 | NAME OF MANUFACTURER | |
| 2 | TYPE OF METER | |
| 3 | CLASS OF ACCURACY | |
| 4 | REFERENCE VOLTAGE | |
| 5 | BASIC CURRENT | |
| 6 | MAXIMUM CONTINUOUS CURRENT | |

| | | |
|-------|------------------------------------------------------------------------------------------------------------------------------------|--|
| 7 | WHEATHER SEALING ARRANGEMENT PROVIDED ON FRONT SIDE OF METER FOR METER BODY/ TERMINAL COVER / MD RESET BUTTON/ COMMUNICATION PORT. | |
| 8 | PROGRAMMED INTO METER MEMORY FOR IDENIFICATION THROUGH CMRI | |
| 9 | BURDEN AND WATT LOSS OF VOLTAGE CIRCUIT PER PHASE. | |
| 10 | PUSH BUTTON MODE AS PER SPECIFICATIONS PROVIDED OR NOT | |
| 11 | MEMORY NON- VOLATILE OR BATTERY BACKED | |
| 12 | WHETHER ENERGY METER CONFIRMING TO IS AND HAVING ALL THE PARAMETER REQUIRED AS PER LATEST SPEC. OF JVVNL. | |
| | INDICATING AND INTEGRATING INSTRUMENTS | |
| (I) | | |
| 1 | MANUFACTURER'S NAME | |
| 2 | TYPE DESIGNATION | |
| 3 | ACCURACY CLASS | |
| 4 | THE VA BURDEN AT NORMAL CURRENT AND OR NOMINAL VOLTAGE | |
| (a) | CURRENT COIL | |
| (b) | POTENTIAL COIL | |
| 5 | TRANSFORMATION RATIO OF INSTRUMENT TRANSFORMER FOR WHICH THE INSTRUMENT HAS BEEN ADJUSTED, IF RELEVANT | |
| 6 | SIZE | |
| 7 | WHETHER SUITABLE FOR SHEET STEEL MOUNTING | |
| 8 | COLOUR FINISH | |
| 9 | SHORT DURATION OVER LOAD CAPACITY | |
| 10 | MAKE AND TYPE OF SELECTOR SWITCH FOR AMMETER/ VOLTMETER | |
| (ii) | CONTROL SWITCHES | |
| 1 | MANUFACTURER'S NAME | |
| 2 | TYPE DESIGNATION | |
| 3 | TYPE OF HANDLE PROVIDED | |
| 4 | NO. OF POSITION | |
| 5 | NO. OF CONTACTS | |
| (a) | NORMALLY CLOSED | |
| (b) | NORMALLY OPENED | |
| 6 | MAKING/ BREAKING CAPACITY | |
| 7 | WHETHER SPRING RETURNED TO NORMAL OR STAY PUT TYPE | |
| 8 | TYPE OF LOCK PROVIDED | |
| (iii) | INDICATING LAMPS | |
| 1 | MANUFACTURER'S NAME | |
| 2 | TYPE DESIGNATION | |
| 3 | OPERATING VOLTAGE | |
| 4 | SIZE OF LAMP | |
| 5 | WATTAGE OF LAMPS | |
| 6 | COLOUR OF LAMP BODY | |
| (IV) | SWITCH BOARD WIRING | |

| | | |
|----------|------------------------------------------------------------------------------------------------------------------------|--|
| 1 | INSULATION OF WIRING | |
| 2 | SIZE OF WIRING CONDUCTOR FOR | |
| (a) | CT CIRCUITS | |
| (b) | PT CIRCUITS | |
| (c) | AC SUPPLY CIRCUITS | |
| (d) | OTHER CIRCUITS | |
| 3 | SIZE OF EARTHING BAR FOR SAFETY EARTHING | |
| 4 | TYPE OF TERMINALS PROVIDED ON WIRING | |
| 5 | CONDUCTOR MATERIAL | |
| 6 | COLOUR USED | |
| (a) | AC CIRCUITS | |
| (I) | I PHASE | |
| (II) | II PHASE | |
| (III) | III PHASE | |
| (IV) | NEUTRAL | |
| (V) | EARTH | |
| (b) | DC CIRCUITS | |
| 7 | IDENTIFICATION OF SUFFIX USED FOR | |
| a) | METERING CIRCUITS | |
| (b) | O/C AND E/F INDICATION | |
| 8 | AC AUXILIARY CIRCUITS | |
| | MICELLANEOUS INFORMATION | |
| 1 | BUSHINGS | |
| (a) | MAKE AND DRAWING NO. | |
| (b) | TYPE OF BUSHING | |
| (c) | CREEPAGE DISTANCE | |
| (I) | TOTAL | |
| (ii) | PROTECTED | |
| (d) | ONE MINUTE POWER FREQUENCY WITHSTAND VOLTAGE FOR BUSHING | |
| | DRY | |
| | WET | |
| (e) | IMPULSE WITHSTAND VOLTAGE | |
| (f) | REFERENCE STANDARD | |
| (g) | PERMISSIBLE SAFE CANTILEVER LOADING ON BUSHING | |
| (h) | CATALOGUE NO. OF BUSHING OFFERED AND ITS MECHANICAL STRENGTH | |
| 2 | MOTOR | |
| a) | MAKE | |
| (b) | WATTAGE | |
| (c) | RATED VOLTAGE | |
| (d) | PROTECTION EQUIPMENT | |
| (e) | CLOSING CONTACTOR | |
| 3 | TERMINAL CONNECTORS | |
| a) | MAKE/ MATERIAL | |
| (b) | RATED CONTINUOUS CURRENT | |
| (c) | RATED SHORT TIME CURRENT FOR 3 SEC. | |
| (d) | MAXIMUM TEMPERATURE RISE OF TERMINAL CONNECTOR OVER AMBIENT TEMPERATURE OF 50 DEG. C AND MAXIMUM TEMPERATURE ATTAINED. | |

| | | |
|-----------|---------------------------------------------------------------------------------------------------------------------------|--|
| 4 | PAINT SHADE OF OUTDOOR KIOSK | |
| 5 | MAIN BUS BAR | |
| a) | SIZE | |
| (b) | MATERIAL (COPPER ONLY) | |
| (c) | RATED SHORT TIME CURRENT FOR 3 SEC. | |
| (d) | CURRENT DENSITY | |
| 6 | INTER CONNECTING BUS BAR | |
| a) | SIZE | |
| (b) | MATERIAL (COPPER ONLY) | |
| (c) | RATED SHORT TIME CURRENT FOR 3 SEC. | |
| (d) | CURRENT DENSITY | |
| 7 | CT WINDINGS | |
| (a) | PRIMARY | |
| (i) | NO. OF TURNS | |
| (ii) | CROSS SECTIONAL AREA | |
| (iii) | MATERIAL | |
| (b) | SECONDARY | |
| (i) | NO. OF TURNS | |
| (ii) | CROSS SECTIONAL AREA | |
| (iii) | MATERIAL | |
| 8 | LIST OF INTERLOCKS | |
| (a) | MECHANICAL | |
| (b) | ELECTRICAL | |
| 9 | OVERALL DIMENSIONS | |
| 9.1 | FOR VACUUM CIRCUIT BREAKER KIOSK COMPLETE | |
| 9.2 | CIRCUIT BREAKERS | |
| 9.3 | IMPACT FOR FOUNDATION DESIGN TO INCLUDE DEAD LOAD PLUS IMPACT VALUE ON OPENING AT MAXIMUM INTERACTING RATING IN DEAD LOAD | |
| 10 | CONSTRUCTIONAL FEATURES | |
| (a) | MASS OF COMPLETE CIRCUIT BREAKER WITH MECHANISM AND VACUUM BOTTLE | |
| (b) | MASS OF VACUUM BOTTLE | |
| (c) | NO. OF BREAKERS IN SERIES PER POLE. | |
| (d) | MINM. CLEARANCE IN AIR. | |
| (I) | BETWEEN POLES | |
| (ii) | TO EARTH | |
| 11 | ARRANGEMENT PROVIDED | |
| | POLE DISCREPANCY | |
| (a) | TRIP FREE / FIXED TRIP | |
| (b) | ANTI PUMPING | |
| 12 | CONNECTION FOR CT | |
| (a) | SIZE | |
| (b) | MATERIAL | |
| 13 | CONNECTION FOR PTs | |
| (a) | SIZE | |
| (b) | MATERIAL | |

Name of Firm
Signature of Bidder
Designation & Seal
Date

Schedule – VI (A)**JAIPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking****DEPARTURE/DEVIATION FROM TECHNICAL SPECIFICATION**

The bidder shall state under this schedule the departure from the Purchaser's specification in respect of technical is as under:-

| S.No. | Main Deviations from Technical Specification. |
|-------|-----------------------------------------------|
|-------|-----------------------------------------------|

Certified that we agree to all the technical specification of the NIT except for the deviation to the extent indicated above.

(Signature)
Name & Designation
with seal of the bidder.

Schedule – VI (B)**JAIPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking****DEPARTURE FROM COMMERCIAL TERMS & CONDITIONS OF THE
SPECIFICATION**

The bidder shall state under this schedule the departure from the Purchaser's specification in respect of Commercial terms & conditions:-

| S.No. | Main Deviations from Specification. |
|-------|-------------------------------------|
|-------|-------------------------------------|

Certified that we agree to all the commercial terms & conditions as laid down in General Conditions of Contract to the specification except for the deviation to the extent indicated above.

(Signature)
Name & Designation
with seal of the bidder.

Schedule – VII**JAIPUR VIDYUT VITRAN NIGAM LIMITED**

A Govt. of Rajasthan Undertaking
LIST OF PAST SUPPLIES

The bidder shall state under this schedule whether material and equipments, similar to those offered in the tender have been previously supplied by him. A list shall be given of such orders executed by him together with information regarding the names of purchasing organizations, quantities supplied and when the supplies were effected. This list should be in form given below:-

| S.No. | Detailed particulars of items supplied | Qty in Nos. | Order No. & Date | Name & details of purchasing authority | Date of Completion |
|-------|----------------------------------------|-------------|------------------|----------------------------------------|--------------------|
| 1 | 2 | 3 | 4 | 5 | 6 |

| If executed partially to be mentioned (Qty. in Nos..) | whether still to be executed | Delivery stipulated in order | Remarks |
|-------------------------------------------------------|------------------------------|------------------------------|---------|
| 7 | 8 | 9 | 10 |

Note: Separate schedules are to be furnished by the bidder for past supply to the **JVVNL/AVVNL/JdVVNL**, other State Electricity Boards and other Departments /Organisations.

(Signature)
 Name & Designation
 with seal of the bidder.

SCHEDULE-VIIA**TN-2592****TO WHOMSOEVER IT MAY CONCERN**

This is to certify that M/s. _____ (Complete with address) have manufactured and supplied the goods / equipments / material during the following financial year(s) to the Utilities / Government Departments / Discoms/ SEBs as detailed out below:

FOR THE LAST THREE FINANCIAL YEARS FROM THE DATE OF OPENING OF TECHNO-COMMERCIAL BID.

| S.No | Financial year in which material supplied | Detailed Particulars of item(s) supplied | Name and particulars of purchasing authority | Order No. & date against which item(s) supplied | Unit | Ordered | | Actual Supplied up to | | Remarks |
|------|-------------------------------------------|------------------------------------------|----------------------------------------------|-------------------------------------------------|------|----------|------------|-----------------------|------------|---------|
| | | | | | | Quantity | Value (Rs) | Quantity | Value (Rs) | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Signature ,
Name & Designation
With Seal of the Bidder
Date _____
Place _____

Signature of C.A
Name :
Address:

Membership No

The above particulars are true and correct based on explanations, records and books of accounts produced before us. Further the above certificate issued on the request of the company

CA Firm (_____)

Note:- The CA Certificate should be furnished on the letter head of CA and must be signed by the bidder and C.A. firm. The details i.e. address of C.A. & membership No. shall clearly be mentioned on C.A. certificate. In case C.A. certificate is not signed by the bidder/furnished without membership No. & address of C.A. then same may not be considered for which responsibility rests with the bidder.

Schedule – VIII**JAIPUR VIDYUT VITRAN NIGAM LIMITED**

**A Govt. of Rajasthan Undertaking
DELIVERY SCHEDULE**

PART-A

The delivery schedule of the material by the Purchase Officer is as mentioned hereunder:-

| Sr. No. | Particulars of Material | Commencement period | Rate of supply per month | Period for completion of delivery of entire material |
|----------------|---------------------------------|--------------------------------------------------------------------|-------------------------------------------------|-------------------------------------------------------------|
| 1. | 12 KV OUTDOOR VCB KIOSKS | After 60 Days from the date of receipt of detailed Purchase Order. | _____ Nos. per month (to be quoted by tenderer) | Completion in Six months at equal monthly rate. |

PART-B

In case bidder deviates from the delivery schedule mentioned by the purchaser in Part-A then the delivery schedule shall be indicated/mentioned by the bidder as under:-

| S.No. | Particulars of Material | Commencement period per Month. | Rate of supply per Month | Period for completion of delivery of entire material |
|-------|-------------------------|--------------------------------|--------------------------|------------------------------------------------------|
|-------|-------------------------|--------------------------------|--------------------------|------------------------------------------------------|

- Note:**
1. During the commencement period the process of model assembly and submission of B.O.M. for approval shall be got completed.
 2. During the commencement period the contractual formalities shall be got completed.

(Signature)

Name & Designation
with seal of the bidder.

Schedule – IX**JAIPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking**

List of Equipments and Technical Hands Available with the Firm

(To be filled in by the bidders & enclosed with the bid)

Manufacturers and / or their authorized agents who are quoting against this bid are requested to furnish the following information along-with the bid. The Purchaser will have the discretion to ignore the bid without the under noted particulars and/or ignore the bid particulars.

| | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 1. | Name and Address of Manufacturer (with landline Phone No, Mobile No. & Fax No.) | |
| 2. | Official email ID | |
| 3. | GSTIN | |
| 4. | Whether firm is proprietorship/partnership/ Limited (Please give details and also enclose copy of memorandum of constitution of firm along with name of directors/ partners/proprietor & their address. | |
| 5. | Place where works exist (indicate the name of the only one works from where you want to supply the offered material). | |
| 6. | Details of machinery particularly with B.H.P. of each item installed. | |
| 7. | Details of staff employed in the works | |
| 8. | Date when started the manufacturing of item under reference | |
| 9. | List of items manufactured. | |
| 10. | Literature and drawings of items manufactured showing their description, size, design and other important technical particulars | |
| 11. | Details of order so far, executed along with the names of organization to whom supplied. | |
| 12. | Manufacturing capacity. | |
| 13. | Is the workshop open for inspection by the representative of the board, if required? | |
| 14. | Statement of financial resources and Banking Reference along with Balance-Sheet for previous two years | |
| 15. | Testing facilities available for the manufactured articles in the testing laboratory of works. | |
| 16. | Whether the Firm is a small/medium/large scale industry. | |
| 17. | Registration No. with :- | |
| | i. Small Scale, National/State. | |
| | ii) DGTD | |
| | iii) State Industries Department | |

(Signature)Name & Designation
with seal of the bidder.

GENERAL PARTICULARS ABOUT THE TENDER IN BRIEF

**JAIPUR VIDYUT VITRAN NIGAM LIMITED
(MATERIAL MANAGEMENT)
NEAR RAM MANDIR , BANI-PARK, JAIPUR-302006**

TELEPHONE: - 0141 2202607**FAX: - 0141-2202025**

SPECIFICATION FOR SUPPLY OF 12 KV OUTDOOR VCB KIOSKS UNDER SPECIFICATION NO.JPD/SE/MM-II/SPO-V/TN-2592.

| | |
|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| LAST DATE AND TIME FOR BID SUBMISSION | 16.06.2020 at 5.00 p.m. |
| DATE AND TIME OF OPENING OF BID | 17.06.2020 at 3.00 p.m. |
| ESTIMATED UNIT FOR DESTINATION PRICE OF ITEM | Rs.2,34,380/- |
| BID SECURITY TO BE DEPOSITED | i) General Bidder : Rs. 70.00 Lac ii) Sick Unit : Rs. 35.00 Lac iii) SSI Unit of Rajasthan : Rs. 17.50 Lac * |
| COST OF THE SPECIFICATION | Rs.2,950.00(non refundable) Rs.1475/- (for MSME Units) |
| TENDER PROCESSING FEE | Rs.1,180.00(non refundable) |

*** In case SSI unit of Rajasthan quotes the less than the tendered quantity, then they are required to furnish Bid Security @ 0.5% of the value of the quantity offered by them, failing which bid shall be considered non-responsive.**

Further, while depositing the bid security amount in the office of Accounts Officer (MM), JVVNL, Jaipur, the bidders shall also furnish a certificate of SSI unit of Rajasthan/ sick unit and also to submit a letter mentioning the quantity offered by them.

VERY VERY IMPORTANT

The bids not accompanied with qualification requirement, technical requirement indicated in the specification and other requirement given here under will be considered as incomplete offer and sufficient grounds for offer to be passed over:

1. Capacity, capability and competency proofing documents.
 - a. Capacity /orders of similar and higher rating of tendered equipment booked as on date of bidding with type and rating and construction details of equipment for which order received be indicated.
 - b. Copy of purchase orders of Erstwhile RSEB /SEB`S / Electric Utilities / Govt. Departments / Discom for similar or higher rating equipment latest executed.
2. Year wise past experience for last 5 years of similar or higher rating of tendered equipment.
3. The details of testing facilities available at the works and copies of latest type test certificates, carried out on similar ITEM.
4. Quality assurance plan.

6. Complete guaranteed technical particulars, out lines and general arrangement drawings along with Bill of Material.
7. Bids without Section-I, II, III & Schedules (I to X) shall be rejected.
8. Bids shall be furnished **through online**.
9. JVVNL has the right to reject any offer on the basis of track record of poor performance in execution of previous order / equipment supplied /after sales service while evaluating the Techno-Commercial bid.
10. JVVNL reserves the right to accept minor deviations in standard terms and conditions and also in technical and constructional features as specified in the technical specification **(Schedule-III)**.
11. Deviation of any kind shall not be quoted in price bid, if found quoted, the same shall be ignored.
12. The following facilities are to be provided by the supplier at his own cost to the inspecting officer of Nigam (JVVNL):-
 - i. Suitable accommodation.
 - ii. Local conveyance between arrival point, place of stay, works and departure point.
 - iii. The supplier shall assist in arranging return ticket and reservation on the request of the inspecting officer for which the payment shall be made by the inspecting officer. In case of joint inspection, single or shared double room accommodation shall be provided

AMENDMENT IN ITB AND GCC

- 1) Wherever EMD and Security Bank Guarantee (SBG), are appearing in the ITB, GCC & other Bidding Documents, same is hereby replaced by BID SECURITY as under:-**

BID SECURITY

Bid security shall be 2% **of the estimated value of subject matter of procurement put to bid.** In case of Small Scale Industries of Rajasthan it shall be 0.5% of the **quantity offered** for supply and in case of sick industries, other than Small Scale Industries, whose cases are pending with Board of Industrial and Financial Reconstruction; it shall be 1% of the value of bid. Every bidder, if not exempted, participating in the procurement process shall be required to furnish the bid security as specified in the notice inviting bids.

In case of SSI units of Rajasthan quotes the less than the tendered quantity ,then they are required to furnish Bid Security @0.5% of the estimated value of quantity offered on the basis of estimated unit FOR destination price mentioned in the bidding document, failing which bid shall be considered non-responsive.

The Bid Security amount (as applicable) to be paid by Demand Draft/Banker's Cheque in favour of AO(MM), JVVNL, Jaipur (payable at Jaipur) or Bank Guarantee, in specified format (**Appendix-A**), of a scheduled bank in favour of Chief Engineer (MM), JVVNL, Jaipur, be deposited in the office of the Sr. Accounts Officer (MM)/Accounts Officer (MM), JVVNL, Old Power House Premises, Bani Park, Jaipur-302006 upto 2.00 p.m. upto one WORKING day prior to schedule date of opening of respective bid.

The Micro, Small & Medium Scale Industries of Rajasthan and sick industries, other than Small Scale Industries, whose cases are pending before the Board of Industrial and Financial Reconstruction (BIFR) shall furnish self-attested documentary evidence duly attested by Notary to claim the above.

- 2) Wherever Performance Bank Guarantee (PBG) and Composite Bank Guarantee (CBG) are appearing in the ITB, GCC & other Bidding Documents, same are hereby replaced by PERFORMANCE SECURITY as under:-**

PERFORMANCE SECURITY:

- (i) Performance security shall be solicited from all successful bidders except the department's of the State Government and undertakings, corporations, autonomous bodies, registered societies, co-operative societies which are owned or controlled or managed by the State Government and undertakings of the Central Government. However, a performance security declaration shall be taken from them. The State Government may relax the provision of performance security in particular procurement or any class of procurement.
- (ii) The amount of performance security shall be **five percent** of the amount of supply order in case of procurement of goods and services and **ten percent** of the amount of

work order in case of procurement of works. In case of **Micro, small and Medium scale Industries** of Rajasthan it shall be **one percent** of the amount of quantity ordered for supply of goods and in case of sick industries, other than Small Scale Industries, whose cases are pending before the Board of Industrial and Financial Reconstruction (BIFR), it shall be **two percent** of the amount of supply order.

3) VENDOR REGISTRATION

The **relaxation/exemption given to the registered vendors of the Nigam in respect of EMD/SBG, wherever appearing in the ITB, GCC & other Bidding documents, are hereby WITHDRAWN.**

4) The indirect taxes i.e. Excise Duty, Service Tax, VAT/CST, Entry Tax etc. mentioned in G.C.C., may now be read as G.S.T.

5. Clause No. 1.43 "DUE DATE OF PAYMENT" of the General conditions of contract has been amended to following extent as under:

Payment shall be due and payable by the purchaser in accordance with the provision of the contract within a reasonable period from the date of receipt of each invoice by the contractor / supplier duly supported by a certificate of the Engineer. The purchaser will take all possible effort to make payment to the contractor/supplier generally on **45th day** after receipt of duly verified challans/ receipts/ bill in the office of paying authority (Sr. Accounts Officer (CPC)/ Concerned Circle Accounts Officer) and completion of contractual formalities. But in case of delay in payment the purchaser shall not be liable to pay any interest on the outstanding amount to the contractor/supplier.

6. The GST will be charged extra at the prevailing rate on all the settlement Fees as applicable and amended time to time.

APPENDIX-A**PERFORMA OF BANK GUARANTEE FOR BID SECURITY**

(Bank Guarantee in lieu of Bid security on non-judicial Stamp Paper of Rajasthan State of 0.25% of the B.G value or Rs. 25,000/- , whichever is less)

To,
The Chief Engineer (MM),
Jaipur Vidyut Vitran Nigam Ltd., Jaipur

1. Whereas(name of the Bidder) (hereinafter called "the Bidder") has submitted/ has to submit its bid dated.....(date of submission of bid) for(name of contract/ Name of the material with Bid no.)(hereinafter called " the Bid").

2. KNOW ALL PEOPLE by these presents that WE.....(name of bank) of(name of country), having our registered office at..... (addresses of bank) (hereinafter called "the Bank"), are bound unto..... (name of Purchaser) (hereinafter called " the Purchaser") in the sum of Rs.* _____ for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents. Sealed with the Common Seal of the said Bank thisday of20.....

3. THE CONDITIONS of this obligation are:

(i) If the Bidder withdraws its Bid during the period of bid validity specified by the Bidder in the Bid Form; or

(ii) If the bidder refuses to accept the correction of error in his Bid; or

(iii) If the Bidder, having been notified of the acceptance of its Bid by the purchaser during the period of bid validity:

(a) Fails or refuses to execute the Contract Agreement within the time specified in purchase/work order, if required, or

(b) Fails or refuses to furnish the performance security within the time specified in purchase/work order in accordance with the GCC, or

(c) Fails to commence supply of goods or services or execute work as per purchase/work order within time specified.

(iv) If the bidder breaches any provision of the Code of Integrity specified in the RTPP Act and Chapter VI of the RTPP Rules.

4. We undertake to pay to the purchaser up to the above amount upon receipt of its first written demand, without the purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or all of the three conditions specifying the occurred condition or conditions.

5. The decision of the CHIEF ENGINEER (MM), JAIPUR VIDYUT VITRAN NIGAM LIMITED, JAIPUR shall be final whether breach has been committed on the right to demand the amount of guarantee from us which has accrued to the purchaser.

6. This guarantee shall not cease or determine, if the purchaser grants time or indulgence or vary the terms of the contract with the Contractor or without our consent or knowledge.

7. The guarantee herein contained shall not be affected by any change in the constitution of the Contractor.

8. We.....further undertake not to revoke this guarantee during its currency except with the previous consent of the CHIEF ENGINEER (MM), JAIPUR VIDYUT VITRAN NIGAM LIMITED, JAIPUR.

9. All disputes arising under the said guarantee between the Bank and the Nigam or between the Contractor and the Nigam pertaining to the guarantee, shall be subject to the jurisdiction of Courts in Jaipur, Rajasthan alone.

10. This guarantee will remain in force up to and including one hundred eighty (180) days after the date of the opening of bids, i.e. up to, with a further grace period of Ninety (90) days and any demand in respect thereof should reach the Bank not later than the above date.

Yours faithfully,
Bankers (EXECUTENT)
Signed by the above named Bank in presence of :-
(Signature with full Name and Address)

Witness :

- 1. _____
- 2. _____

Attested by Notary Public, First Class Magistrate or directly confirmed by the executing bank.

* The Bidder should insert the amount of the guarantee in words and figures denominated in the currency of bid.

Note1 :- In case the bid is submitted by a Joint Venture, the Bid Bank guarantee shall be in the name of Lead partner or in the name of joint venture partners submitting the Bid covering all the partners of the joint venture.

Appendix-B

**JAIPUR VIDYUT VITARAN NIGAM LIMITED
OFFICE OF THE SUPERINTENDING ENGINEER (MM-II)
OLD POWER HOUSE PREMISES, BANI PARK, JAIPUR -06**

DETAILS OF BANK FOR RTGS

FOR FURNISHING BID SECURITY/BANK GUARANTEE

| | | |
|----|-------------------------------------------------------|-------------------------------------------------------------------|
| 1. | Account No. | 51093320896 |
| 2. | Account Holder Name | Accounts Officer (MM) |
| 3. | Bank Name & Branch | State Bank of India Collectorate Branch, Jaipur (Rajasthan) |
| 4. | IFS Code | SBIN0031026 |
| 5. | Phone No. of Sr.Accounts Officer (MM) JVVNL Jaipur | 0141-2202608 |
| 6. | Email ID of Sr.Accounts Officer (MM) JVVNL Jaipur | sraomm@jvvn.org |
| 7. | GSTIN of Jaipur Discom | 08AABCJ6373K1Z7 |

APPENDIX-C**Format of Affidavit for MSME Unit**

(On Non-Judicial Stamp Paper of Rs. 100/- attested by Notary Public/ First Class Magistrate)

I, _____ S/o _____ Aged ____ Years
 residing at _____ Proprietor/ Partner/ Director of
 M/s _____ do hereby solemnly affirm and
 declare that:-

- (a) My/ our above noted enterprise M/s _____ has been issued acknowledgement of Entrepreneurial Memorandum Part-II by the District Industries Center, _____. The acknowledgement No. is _____ dated _____ and has been issued for manufacture of following items:-
- (i)
 - (ii)
 - (iii)
 - (iv)
- (b) My/ our above noted acknowledgement of Entrepreneurial Memorandum Part-II has not been cancelled or withdrawn by the Industries Department and that the enterprise is regularly manufacturing the above items.
- (c) My/our enterprise is having all the requisite plant and machinery and is fully equipped to manufacture the above noted items.
- (d) The present status of the firm is as per acknowledgment of Entrepreneurial Memorandum Part-II issued on the date of District Industries Center, _____.

Place

Signature of Proprietor/ Director/
 Authorized Signatory with Stamp and Date

VERIFICATION

I, _____ S/o _____ Aged ____ Years
 residing at _____ Proprietor/ Partner/ Director of
 M/s _____ verify and confirm that the
 contents at (a), (b), (c) & (d) above are true and correct to the best of my knowledge and
 nothing has been concealed therein. So, help me God.

DEPONENT

APPENDIX-D**Declaration by the Bidder**

In relation to my/ our bid submitted to SE (MM-II) For procurement of _____ in response to their notice inviting bids under TN- ____ I/We here by declare under section 7 of Rajasthan Transparency in Public Procurement Act, 2012, that : -

1. I/We possess the necessary professional, technical, financial and managerial resources and competence required by the bidding document issued by the procuring entity.
2. I/We have fulfilled my/ our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the bidding document.
3. I/We are not insolvent, in receivership, bankrupt or being wound up, not have my/ our affairs administered by a court or a judicial officer, not have my/ our business activities suspended and not the subject of legal proceeding for any of the foregoing reasons.
4. I/We do not have, and our directors and officers not have, been convicted of any criminal offence related to my/ our professional conduct or the making of false statements or misrepresentations as to my/ our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings.
5. I/We do not have a conflict of interest as specified in the Act, Rules and the bidding document, which materially affects fair competition.

Date :
Place :

Siganture of bidder
Name :
Designation :
Address :