



प्रभास्मि शशि सूर्ययोः

JAIPUR VIDYUT VITRAN NIGAM LIMITED  
OFFICE OF THE SUPERINTENDING ENGINEER(MM-II)  
OLD POWER HOUSE PREMISES, BANI PARK, JAIPUR-302 006

email: [semm2@jvvn.org](mailto:semm2@jvvn.org)/ [jaipurdiscom@jvvn.org](mailto:jaipurdiscom@jvvn.org)

Regd. Office: Vidyut Bhawan, Jyoti Nagar, Jaipur-302005, Tel.: 0141-2747017; Fax: 0141-2744187

CIN: U40109RJ2000SGC016486 Website: [www.jaipurdiscom.com](http://www.jaipurdiscom.com)



NO.JPD/SE/MM-II/SPO-IV/TN-2673/F. D. 5887 Dt: 28/10/21

**CORRIGENDUM No. 1**

**TN-2673**

**(TENDER ENQUIRY FOR PURCHASE OF MOULDED POLYCARBONATE METER CUP-BOARD SUITABLE FOR THREE PHASE STATIC ENERGY METERS)**

The Addendum/Corrigendum in the above Technical Specification is as under is issued where following clauses are hereby amended to read as under:-

Sr. No.	Clause no	Existing Provisions	To be read as under:-
1	Spec Cl No. 2.7 Inspection and Testing (g)	<p>g) Verification of testing of materials supplied</p> <p>i) After receipt of approval of sample meter box and seals before commencement of supplies, the successful bidder shall offer first lot of meter box comprising minimum 25% of ordered quantity for inspection within 30 days. After satisfactory testing &amp; clearance from purchaser, the material shall be dispatched to Nigam's stores.</p> <p>ii) Three samples of meter box for type tests shall be selected &amp; sealed from the first lot received in Nigam's stores. The selected samples shall be sent to CIPET/NABL Accredited laboratory along with complete details of meter boxes &amp; seals for all tests i.e. as per Table 1 (for material) &amp; Table 2 as per relevant standard and specification of TN-2673. Such type test charges shall be borne by the supplier. Payment shall only be released after successful type test reports.</p>	<p>g) Verification of testing of materials supplied</p> <p>i) After receipt of approval of sample meter box and seals before commencement of supplies, the successful bidder shall offer first lot of meter box comprising minimum <b>25% of ordered quantity or 5,000 Nos whichever is lower</b> for inspection within 30 days. After satisfactory testing &amp; clearance from purchaser, the material shall be dispatched to Nigam's stores.</p> <p>ii) <b>The Inspecting Officer shall seal two lots of 6 Kg raw material of Meter Box at the time of first inspection.</b></p> <p>iii) Three samples of meter box for type tests shall be selected &amp; sealed from the first lot received in Nigam's stores. The selected samples shall be sent to CIPET/NABL Accredited laboratory along with complete details of <b>meter boxes</b> for all tests i.e. as per Table 1 (for material) &amp; Table 2 as per relevant standard and specification of TN-2673, Such type test charges shall be borne by the supplier.</p>

*(Handwritten signature)*

The complete type test report under a cover of registered letter shall be sent directly to the purchaser. The purchaser however in first instance may pay testing charges to the testing agency which shall be recovered by AO(CPC) from the bill of the supplier alternatively a sum of Rs.50,000 may be got deposited by the supplier with first inspection call.

iii) The supplies, at the option of purchaser, may be utilized in the field. The supplier can continue supplying material in anticipation of successful type test(s) results.

iv) In case of successful type test results, supplies shall be continued. However, in case the meter box(es) do not meet the requirement as per ISS/Specification in type test(s), three more samples shall be selected from the supplies already received to get them type tested at supplier's cost. In case of repeat failure in type test(s), the order of balance quantity including the quantity lying unused in the stores/ field shall be cancelled. The guarantee period of quantity already supplied & used shall be doubled and payment for used meter boxes shall be arranged after deducting 10% cost.

v) However, purchaser may allow the supplier to re-offer the material after change/ modification in the design of meters. The balance material shall be accepted only after successful type testing. The type testing charges shall be borne by the supplier.

The complete type test report under a cover of registered letter shall be sent directly to the purchaser. The purchaser however in first instance may pay testing charges to the testing agency which shall be recovered by AO(CPC) from the bill of the supplier alternatively a sum of Rs.50,000 may be got deposited by the supplier with first inspection call.

iv) **The supplies, at the option of purchaser (MM wing), may be utilized in the field. The supplier can continue supplying material in anticipation of successful type test(s) results, 70% of the payment shall be released after receipt of material in store, if material is being utilized in the field, and balance payment shall be released after receipt of successful type test reports.**

v) In case of successful type test results, supplies shall be continued. However, in case the meter box(es) do not meet the requirement as per ISS/Specification in type test(s), three more samples shall be selected from the supplies already received to get them type tested at supplier's cost. In case of repeat failure in type test(s), the order of balance quantity including the quantity lying unused in the stores/ field shall be cancelled. The guarantee period of quantity already supplied & used shall be doubled and payment for used meter boxes shall be arranged after deducting 10% cost.

vi) However, purchaser may allow the supplier to re-offer the material after change/ modification in the design of meter Boxes. The balance material shall be accepted only after successful type testing. The type testing charges shall be borne by the supplier.

Copy forwarded to the Superintending Engineer (IT), Jaipur Discom, Jaipur for arranging the hosting of above corrigendum at Nigam's website.

27/12  
(R.K. SHARMA)

SUPERINTENDING ENGINEER (MM-II)

27/12  
SUPERINTENDING ENGINEER (MM-II)

43201