

JAIPUR VIDYUT VITRAN NIGAM LIMITED

Regd. Office: VidyutBhawat, Jyoti Nagar, Jaipur -302005
 Office of the Superintending Engineer (TW)
 Near Ram Mandir, Old Power House Premises, Banipar, Jaipur-302006.
 Tele Fax No. 0141-2201022, Website: www.jaipurdiscom.com E-mail: setw@jvvnln.org

No. JPD/SE(TW)/XEN(CLRC)/F. /OO. /D. **4138** Dated: **30/09/2019**
ORDER

Sub: - Applicability of Annual Rate contract-2019

- Ref: (i) This office letter no. JPD/SE(TW)/XEN(TW-III) /F. /CLRC)/OO/D.7835 dated 04.10.2018.
 (ii) This office NIT TN-482 for annual rate contract dt. 19.06.2019
 (iii) Technical bid opened on dt.21.08.2019
 (iv) Financial bid opened on dt.27.09.2019

The existing CLRC-2014 except chapter 23(A) issued vide this office order no. 1278 dt.02.07.2014 along with subsequent amendments and lastly amended vide this office order no.7835 dt. 04.10.2018 is applicable up to dt. 30.09.2019.

The NIT was invited under TN-482 for fixing the prices for annual rate contract for various erection work of activities such as 33KV/ 11KV/ LT lines, 33/11 KV Sub-stations, 11/0.4 KV Sub-stations and 6.35/0.24 KV Sub-stations, providing consumers servicing and other miscellaneous works required to execute in day to day activities in respect of various Circle under the domain of Jaipur Discom i.e. JVVNL.

The scope of work: - This ARC is for carrying out urgent nature of work(s) appeared in day to day activities which could not be envisaged as planned/scheduled work(s) like maintenance work(s), release of new connections, deposit works etc. on labour rate basis.

Work Limit: - Only such works shall be awarded in piece meal by concerned AEn having value below Rs.1.0 lac (as per DOP) with a limit of Rs.5.0 Lacs (as per DOP) in a financial year at sub-divisional level which may be further relaxed by the Managing Director, JVVNL, Jaipur


The work(s) having value above Rs. 5.0 lacs and are of emergent nature shall be got executed only after approval of whole time directors of the Jaipur Discom.

Now on the basis of lowest rates received in the above bid, the rates have been finalized at a premium of 8% below (Minus Eight Percent) on the existing rates of CLRC-2014 except chapter 23(A) and these rates (-) 8% shall also be applicable on the amendments on items as per annexure-A, issued by this office. The work shall be executed by only such successful bidders who furnish their acceptance for above finalized rates. The list of such bidders shall be issued separately.

The contractor who are registered with JVVNL but have not participated/unsuccessful bidders in this tender TN-482 shall not be eligible for award of contract on the ARC. However emergency/ petty works could be got executed by them for a value up to Rs. 1.0 lac in each case subject to maximum of Rs. 4.0 lac at any point of time.



The GST (If applicable) shall be paid extra subject to furnishing the documentary evidence to the payment authority.

It shall be ensured that the contractor shall pay at least the minimum wages and shall also deposit applicable ESI, PF to/ towards their employees as notified by the Govt. of Rajasthan.

These annual rate contract rates shall be applicable w.e.f. **01.10.2019** and shall remain effective for next two years i.e. **30.09.2021**. The other terms and conditions shall be governed as per ARC specifications of TN-482. 


Encl: Annexure-A

(K.C.Sharma)
 Superintending Engineer (TW)

Copy submitted / forwarded to the following for information & necessary action:-

1. The Director (Tech./Fin.), Jaipur Discom, Jaipur.
2. The Chief Engineer (HQ/MM/Project), Jaipur Discom, Jaipur.
3. The Zonal Chief Engineer(J/Z)/(K/Z)/(B/Z), Jaipur Discom, Jaipur/ Kota/ Bharatpur
4. The Addl. Chief Engineer(PPM/T&S), Jaipur Discom, Jaipur.
5. The Secretary (Admn.), Jaipur Discom, Jaipur.
6. The Superintending Engineer(O&M/JPDC/JCC), Jaipur Discom, Jaipur/Alwar/ Bharatpur/ Dholpur/ Dausa/ Bundi/ Tonk/ Kota/ Karauli/ Sawaimadhopur/ Baran/ Jhalawar.
7. The Superintending Engineer (RE/M&P/Civil/Plan/Legal), Jaipur Discom, Jaipur/ Kota.
8. The ASP (Vig.), Jaipur Discom, Jaipur.
9. The TA to MD, JPD, Jaipur for kind perusal of Hon'ble CMD.
10. The Chief Accounts Officer (ATR/FM-W&M/IA), Jaipur Discom, Jaipur.
11. The Executive Engineer(O&M), Jaipur Discom, -----
12. The Sr. Accounts Officer (CPC/O&M/MM), Jaipur Discom, Jaipur.
13. The Accounts Officer (O&M/JPDC/JCC/MM/IT), Jaipur Discom, Jaipur/ Alwar/ Bharatpur/ Dholpur/ Dausa/ Bundi/ Tonk/ Kota/ Karauli/ Sawaimadhopur/ Baran/ Jhalawar.


⑩
Superintending Engineer (TW)


Annexure-A

Chapter code	Item Description	Particulars of Existing/ New items		
		Units	Rate/ Unit (In Rs.) as per BOQ of tender TN-482	Finalized new rates/Unit (In Rs.) @(-) 8% of Col.4 (ARC-2019)
1	2	3	4	5
18.4	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting (height upto 10 m) , fixing in position and applying a priming coat of approved steel primer all complete: @ 70.00 per Kg	Kg	70.00	64.40
18.5	Providing and fixing welded mesh/expanded metal mesh in frame work, flat iron beading 20x3mm including top cross laps inside and out sides welding, iron bolts, crews, clips etc. complete (excluding frame work) of size.			
18.5.1	Expanded metal size 20-25 mm size 18SWG @ Rs. 708/Sqm	Sqm	708	651.36
18.5.2	Welded mesh 50 mmx 25 mm x 2.1 mm @ Rs. 656/Sqm.	Sqm	656	603.52
18.5.3	Welded mesh 25 mmx 25 mm x 2.1 mm @ Rs. 682/Sqm.	Sqm	682	627.44
18.5.4	Welded mesh 50 mmx 50 mm x 2.1 mm @ Rs. 630/Sqm.	Sqm	630	579.60
22.5	Identification numbering on support pole/ structure/transformer/other equipment/ Warning instruction of availability of two sources of supply on same structure, at source structure, at cut points, properly labelled using yellow base and black indication marks (number or digits) 40/50 mm height digits/words should be used for this purpose. Base shall be made using 2 new or more coats of yellow enamel paint till good surface finish. Base painting and marking of digits should be performed by a skilled and trained painter using branded enamel paint. Engineer - Incharge shall approve			



Chapter code	Item Description	Particulars of Existing/ New items		
		Units	Rate/ Unit (In Rs.) as per BOQ of tender TN-482	Finalized new rates/Unit (In Rs.) @(-) 8% of Col.4 (ARC-2019)
1	2	3	4	5
	type and brand of enamel paint.			
22.5.1	In urban area	Nos.	10	9.20
22.5.2	In rural area	Nos.	12	11.04
8.7	Supply & erection of Maintenance free Gel Earthing with Pipe in pipe / Pipe in strip technology filled with anti corrosive conductive compound (CPRI Tested) below the ground in 150 - 200 mm dia. earth pit & surrounding filled with required mineral filling compound (MFC should have hygroscopic property to retain the moisture for long time to create low resistance zone) and C.C. finished chamber covered with hinged type with locking arrangement C.I. Cover, C.I. Frame of size 300mm x 300mm complete testing of earth resistance as required. The value of Earth resistance shall be obtained 0.5 Ohm in individual earthing. G.I Pipe (IS: 1239 marks) GI pipe 3000 mm long, 80 / 40 mm, Terminal 12 mm GI Strip. Earthing as per IS:3043-1987	Set	7500	6900.00
20.7	Laying of 33 KV & 11KV XLPE cable without Road cutting i.e. through burrowing machine "VERMIER".(120 cm deep).Use of this technology must be restricted to the situation like:-			
	(i) When the passages available for laying the proposed cable is totally a metal or cement concrete road.			
	(ii) When the road cutting is not permitted by the local administration.			
	A) 33 / 11 KV 3C x 300 Sq.mm cable	Mtr.	335	308.20
	B) 33 / 11 KV below 3C x 300 Sq.mm cable	Mtr.	315	289.80
	C) LT 3.5 Core 95 Sq.mm and above	Mtr.	315	289.80



Chapter code	Item Description	Particulars of Existing/ New items		
		Units	Rate/ Unit (In Rs.) as per BOQ of tender TN-482	Finalized new rates/Unit (In Rs.) @(-) 8% of Col.4 (ARC-2019)
1	2	3	4	5
	(iii)When cable laid in a HDPE pipe			
	33 / 11 KV 3C x 300 Sq.mm cable	Mtr.	425	391.00
	33/11 KV below 3X300 Sq.mm cable	Mtr.	382	351.44
	LT 3.5 core Sq qmm.	Mtr.	383	352.36
6.18	Assembly and installation of 11 KV drop out cum Isolator on erected structure as per design, complete in all respect including jumpering on both ends for connection with the system. The nuts & bolts will be supplied by the contractor for which payment will be made as per prevailing Discom store issue rates.	Set	250	230.00

⑩

Superintending Engineer (TW)

[Handwritten signatures]