

JPR5- 721

JAIPUR VIDYUT VITRAN NIGAM LIMITED
OFFICE OF THE SUPRINTENDING ENGINEER(COMML.)
Room No.229, VidyutBhawan, Jyoti Nagar, Jaipur - 302005
Tel - 0141-2747041 FAX - 0141 - 2744803
Email - c_comml@yahoo.com

No. JPD/SE (Comml.)/C-I/F.4(261)A-VII 2819 .Dt. 18.03.2014

ORDER


Sub: Assessment to be made in case of Burnt/Stopped/Stolen & defective meters under domestic category of rural areas.

On the captioned subject an order No. 1139 dt.21.6.2013 (JPR5-402) was issued, according to which the assessment @ 50 units per month (100 units for bi-monthly billing) was to be made in the case of domestic consumers of rural areas, where meters were Burnt/Stopped/Stolen & defective and the consumption of either corresponding periods of previous year or the consumption of previous six months, was not available.

It is observed that field officers are not implementing the above order in right spirit, and charging average @50 units per month even in the cases where preceding six months/corresponding months consumption of previous year is available.

Therefore it is reiterated to follow the directions issued vide order JPR5-402 strictly and replace the defective meters within two months any way, so as to bill the consumer on actual consumption basis, failing which disciplinary action will be initiated against defaulting officers.

By order



(P.K. Mittal)
Superintending Engineer (Comml.)