



JAIPUR VIDYUT VITRAN NIGAM LIMITED

OFFICE OF THE SUPERINTENDING ENGINEER (Comml.)

Regd. Office: Vidyut Bhawan, Jyoti Nagar, Jaipur - 302005 Tel - 0141-2747041 FAX - 0141 - 2744803

Website: www.jaipurdiscom.com; Email - secomml@jvnl.in

CIN: U40109RJ2000SGC016486

JPR5- 841

No. JPD/SE(C)/C-I/F.4(210) Pt.XVI /D. 2598

Dated 21.09.2017

ORDER

Sub: Clarification on JPR5-496 regarding shifting of electric lines (HT/LT overhead) and other structures which are hazardous to human life & property.

Ref: Order

No. JPD/CE(C)/C.I/F.4(210) Pt.XVI/D.2183 dated 2.09.2008 (JPR5-496)

In accordance with the Order No.JPD/CE(C)/C.I/F.4(210) Pt.XVI/D.2183 dated 2.09.2008 (JPR5-496), electric lines & other structures which may prove hazardous to human life & property can be shifted from one place to another place by recovering only 50% (fifty percent) of the total cost of estimates for shifting from person/ agency desiring such shifting. The balance 50% (fifty percent) cost would be borne by Jaipur Discom.

Certain queries & doubts has been raised by the field officers regarding the charges to be recovered towards cost of estimates for shifting from person/ agency desiring such shifting. In this regard, it is clarified that only 50 % of the total cost of estimates (cost of material, overhead charges, Labour charges, Vermier charges etc.) to be recovered from the consumer/ applicant towards shifting of electric lines & other structures which may prove hazardous to human life & property .

By Order,

(K.K.Purohit)

Superintending Engineer (Comml.)