

JAIPUR VIDYUT VITRAN NIGAM LIMITED
VIDYUT BHAWAN, JAIPUR


NO. JPD/CE (COMML)/F.HTB/D. 1086 DATED: 5th July, 2003

O R D E R

Sub: Monthly reading of H.T. consumers for
billing purpose.

May kindly refer this office order No. JPD/CE (COMML)/HT/F./D.1812 dated 10.10.02 vide which instructions were issued for taking the monthly meter reading of H.T. consumers jointly by the Asstt Engineer (O&M) and Asstt Engineer (Meter) concerned with MRI (copy enclosed for ready reference). In the said order, it was clearly mentioned that the Asstt Engineer (O&M) will take the reading in his meter reading binder also. But it has been noted/ reported by the Meter Wing that the Asstt Engineer (O&M) are neither accompanying their meter wing counterparts for taking monthly readings of H.T. consumer nor they are recording the monthly meter readings in meter reading binders. This practice is against the instructions issued by this office.

It is, therefore, instructed to all Asstt. Engineer/ Executive Engineer (O&M) that hence forth they should invariably accompany the Executive Engineer/ Asstt Engineer (Meter) for taking the monthly reading of H.T. consumer jointly and also record the monthly reading in their meter reading binder. It is also instructed that in cases where the Executive Engineer/ Asstt Engineer (O&M) had not recorded the reading in meter reading binders, the same should be recorded now and binder should be completed. Any laxity in compliance of these instructions shall be viewed seriously.


(R.P. GOYAL)

DY. CHIEF ENGINEER (COMMERCIAL)

Copy to the following for information and necessary action :-

1. Superintending Engineer (O&M/Meter), JVVNL, _____
2. Executive Engineer (O&M/Meter), JVVNL, _____