

JAIPUR VIDYUT VITRAN NIGAM LIMITED
OFFICE OF THE CHIEF ENGINEER (CP & RE)

JPR5- 357

NO.JPD/CE(CP & RE)/XEN(C.I)/F.4(210)/Pt.XI/D. 1919

Dt.02-11-06

CLARIFICATION

Sub.:- Calculation of the requirement of additional security on the basis of average consumption of electricity for the preceding twelve months.

In accordance with the Clause – 16(d) “Annual Review of Security Amount”, of TCS-04, the Nigam reviews at the beginning of each financial year, the requirement of security amount from the consumer to cover the average consumption of electricity for the preceding twelve months. As per practice in vogue, the average consumption is taken for the preceding period of billing months of April to March (i.e. consumption months of March to April) of every year.

Some of the consumers have represented against above methodology. They have protested that the period of calculating the average consumption of preceding 12 months should be considered as consumption months of April to March of every year i.e. billing months of May to April.

The matter was put up in 97th meeting of the Coordination Committee held on 28.9.06. The Coordination Committee decided that position be clarified for the information of field officers. Accordingly, following procedure be adopted for calculating the additional amount of security deposit :-

my
The period for arriving at the amount of additional security deposit be taken as consumption months of April to March i.e. billing months of May to April of preceding twelve months, instead of present practice of considering consumption months of March to February i.e. billing months of April to March.

By order

my 2.11.2006
(N.M. Sareen)

Supdtg. Engineer (Comml.)

by