

Email/Fax

PC no. 32

CIN: U40109RJ2000SGC016486

JAIPUR VIDYUT VITRAN NIGAM LIMITED
OFFICE OF THE SUPERINTENDING ENGINEER (PLAN & MONTG.)

Vidyut Bhawan, Room No.416, Janpath, Jyoti Nagar, Jaipur-302005.
Telephone & Fax No. 0141-2747206, E-mail:seplan.jvvn@gmail.com

No. JPD/SE(Plan & Montg.)/ XEN(Plan)/AEN(33KV works)/D. 87⁰ Jaipur, Dated: 30/10/19

The Superintending Engineer (JPDC),
Jaipur Discom,
Jaipur.

Sub:- Administrative approval for shifting of 33/11 KV S/S Paniyala from 220 KV GSS Kotputli to 132 KV GSS Keshwana, Distt.-Jaipur (JPDC).

विषय- 33/11 के.वी. सब-स्टेशन पनियाला, जिला- जयपुर (जयपुर जिला वृत्त) का भार 220 के. वी. ग्रिड सब-स्टेशन कोटपुटली से 132 के. वी. ग्रिड सब-स्टेशन केशवाना पर परिवर्तित करने प्रशासनिक स्वीकृति हेतु ।


Ref: - 1) SE(JPDC), Jaipur office letter no.6454 dated 04.10.2019.

In consideration of the proposal furnished vide letter under reference, I am directed to convey the administrative approval of MD as per item 2(b) of D.O.P, for the following 33 KV works:-

- (i) Erection of 900 mtrs 33 KV S/C O/H line on ACSR Dog conductor from 132 KV GSS Kehswana to already existing unutilized AETPL line.
- (ii) Erection of 500 mtrs 33 KV S/C O/H line on ACSR Dog conductor from 500 mtrs unutilized 33 KV line emanating from 33/11 KV S/S Paniyala to unutilized AETPL line in order to utilize a 1.9 KM line segment of AETPL line.


Note:-

1. The above works are subject to budget availability as per JPD/rules-1235 letter no. 4181 dated 29.01.2019.


29.10.19
(M.L. Gupta)
Superintending Engineer
(Plan & Montg.)

Copy submitted/forwarded to the following for information and necessary action:-

1. The ACE (PPM), Jaipur Discom, Jaipur.
2. The Zonal Engineer (J/Z), Jaipur Discom, Jaipur.
3. The Superintending Engineer (IT), Jaipur Discom, Jaipur for uploading the sanction order on the website of Jaipur Discom.
4. The Executive Engineer (Montg.), Jaipur Discom, Jaipur.
5. The P.A. to SE (Plan), Jaipur Discom, Jaipur.


30.10.19
Superintending Engineer
(Plan & Montg.)