

JAIPUR VIDYUT VITRAN NIGAM LTD.

No. JVVNL/CAO/TFCD/F.165 /D. 282 June ,2001.

ORDERSub:- Amendment in the tariff codes.

Following insertions/substitutions may be made in the tariff codes prescribed and circulated vide order No. JVVNL/CAO/Comp. Billing/TFCD/D.265 dt.21.4.2001:-

- 1) A new note (iii) may be inserted below the existing Note (ii) under item 1(d) as under:

“(iii) After a meter has been installed, the tariff code 1000/1010/1011 shall be reported by the AEN to the computer agency through MF-2A simultaneous to reporting the meter installation advice through MF-3A.”

- 2) The existing item (iii) below note -1 under the item 4(A)-METERED SUPPLY (Schedule AG/MS/LT-4) may be re-numbered as iii(a) and a new item (b) be inserted below it, as under:

“(b) Urban area wells given connection	4000	4400
before 1.1.95 and receiving 24 Hrs./	4010	4410
continuous supply(means the wells not	4011	4411
covered by the code 9200/9210/9211).”		

- 3) The following may be inserted before the existing code 4170 & 4600 respectively appearing below note(i) of item 4(B) FLAT RATE (Schedule AG/FR/LT-4)

<u>Existing tariff code</u>	<u>To be transferred to the code</u>
4100	4600

Urban area wells given connection prior to 1.1.95 and receiving 24 hrs./ continuous supply(means the wells not covered by the code 9300)

- 4) The tariff code “ 6300 “ appearing opposite sub-item (b) “ New Industry” of item 6 (ii) may be substituted by “ 6310” .
- 5) Letter code ‘ Y ’ shall be suffixed to the numerical code 1000/1010/1011 or 1100/ 1110/1111 or 1200 or 1300 as the case may be for allowing rebate to the consumers using SOLAR WATER HEATING SYSTEM .Consequently the code 1400/1410/ 1411 prescribed earlier shall be deleted from the order dt.21.4.2001.

The above changes will take effect from the date of issue of original order (21.4.2001).

(A.K.JAIN)

CHIEF ACCOUNTS OFFICER