

**JAIPUR VIDYUT VITRAN NIGAM LIMITED**

No. JPD/CAO/REV./F.450/D. 1901

Jaipur, Dated : 11/12/06


**ORDER**

It has come to the notice that Meter Reading of agriculture consumers having provided with inbuilt meter boxes on the distribution transformer is not being taken regularly. Cases have also come to the notice that meter reading of such consumers were though taken but bills of such consumers continued to be made on the basis of meter reading recorded by the previous meter still lying installed at consumers premises.

In view of above, it is enjoined upon all the field officers to ensure the followings:-

- (i) Meter reading of agriculture consumers provided with transformer having inbuilt meter boxes is taken regularly and the consumers billed accordingly.
- (ii) Old meters lying un-removed at consumers premises are removed, forthwith.
- (iii) Executive Engineers shall further ensure that meter reading of all consumers are entered in their computers, every month. This has to be analysed to know percentage of energy increase / decrease in comparison to corresponding month / period of previous month / year taking base period data of change of distribution transformer and metering of such consumers. A report should also be provided to Circle Superintending Engineer to reflect total number of agriculture (metered) consumers provided with transformers having inbuilt meter boxes, status of meter reading, number of meters reported damaged and action taken thereon, Sub-divisionwise.
- (iv) The Executive Engineers & the Assistant Engineer shall further ensure that 12 digit feeder code as prescribed vide Circular No.JPD/Plan/AR/F./D.1812 dated 18.11.2006 (copy enclosed) are allotted to each consumer & advice thereof sent to computer agency accordingly by January 2007, positively.

Non compliance shall entail disciplinary proceedings against the defaulters.

(R. G. Gupta) 

**Chairman & Managing Director**

Copy to the following for information and necessary action :-

1. The Zonal Chief Engineer, (JZ/BZ/KZ), Jaipur Discom, Jaipur/Bharatpur/Kota
2. The Dy. Chief Engineer( ), Jaipur Discom, Jaipur.
3. The FA&COA, Jaipur Discom, Jaipur.
4. The Addl. S.P.(Vig.), Jaipur Discom, Jaipur.
5. The Superintending Engineer( ), Jaipur Discom, \_\_\_\_\_.
6. The Sr. Accounts Officer/Accounts officer( ), Jaipur Discom, \_\_\_\_\_.
7. The Executive Engineer( ), Jaipur Discom, \_\_\_\_\_ alongwith 4 spare copies for their Assistant Engineers.

  
**Chief Accounts Officer**