

**JODHPUR VIDYUT VITRAN NIGAM LIMITED**

No.JdVVNL/MD/CE(C&P)/SE(RA&C)/JU/2008-09/D. 892 Dt. 21.7.08

ORDER

Sub: Conversion of Flat Rate Agriculture Consumers into metered category in case of Voluntary increase of load for one pump or second pump.

Directions were issued regarding conversion of Flat Rate Agriculture Consumers into metered category in case of unauthorized increase in sanctioned connected load detected were issued vide Order No. No.JdVVNL/CMD/CE(C&P)/SE(RA&C)/JU/2007-08/ D.2119 Dt.21-02-08 (Comml.JDP/425) and was partially modified vide order No. JdVVNL/CMD/ CE(C&P)/ SE(RA&C)/ JU/2008-09/ D.161 Dt.22-04-08 (Comml.JDP/431).

Some public representatives have represented against conversion of flat rate to metered supply agriculture connection in case where consumer voluntarily increase his load for one pump or second pump.

After discussion, it has been decided that in case where the flat rate agriculture consumer voluntarily increase his load for one pump or second pump and consumer agrees for the billing in flat rate tariff, the conversion into metered category should not be insisted upon and they should be allowed to continue in flat rate category. In case, consumer opts for metered tariff, then same may be considered. However, metered transformer be installed for energy accountal purpose.

^{hkt}
(M.S. FAGERIA)
CHIEF ENGINEER(C&P)
JODHPUR DISCOM:JODHPUR