

**JODHPUR VIDYUT VITRAN NIGAM LIMITED: JODHPUR
(DEPTT. OF COMMERCIAL OPERATIONS)**

NO: SE(COMML)/JdVVNL:JU//S.C.I:2002:F..


D. 509
dtd. 25/5/02

O R D E R

Due to installation of Electronics Meter at consumers premises, specially in city area, the removed meters may immediately be sent to meter lab for testing and repair. Electromechanical meters which are found O.K. are to be utilised in rural area for consumers having connected load upto 1 KW.

It is also advised that the static meters be henceforth utilised/installed with proper Boxes and Sealing arrangement for consumers having connected load of more than 1 KW in all category of connections in all areas.

By Order,



(A.M. LODHA)

**SUPERINTENDING ENGINEER(COMMERCIAL)
JODHPUR DISCOM: JODHPUR**

Copy submitted/forwarded to the following for kind information and necessary action:

- 1) The Zonal Chief Engineer(O&M-JDZ-BKZ), Jd.V.V.N.L., Jodhpur/Bikaner
- 2) The Chief Accounts Officer/Financial Advisor, Jodhpur Discom, Jodhpur
- 3) The Dy.Chief Engineer(H/Q), Jd.V.V.N.L., Jodhpur.
- 4) The Superintending Engineer(O&M-CC-DC/PP&M/MM&C/M&P/BFL), Jd.V.V.N.L., Barmer/Ganganagar/ Bikaner/ Jaisalmer/Jodhpur/Churu/Hanumangarh/Pali
- 5) The Sr.Accounts Officer(O&M/MM/Audit), JdVVNL, Jodhpur/ Bikaner.