

			DAILY STOCK POSITION OF IMPORTANT MATERIAL AVAILABLE ON STORE AS ON														20/06/2022					
S.N.	Name of Material	Unit	Jodhpur		Pali		Sirohi		Jalore		Barmer		Jaisalmer		Bikaner		Ratangarh		Hanumangarh		Sriganganagar	
			14/01/2022		14/01/2022		14/1/2022		14/01/2022		14/01/2022		14/01/2022		14/01/2022		14/01/2022		14.01.2022		14.01.2022	
			CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due
33 KV ITEMS																						
1	33 KV Cross Arm Set	Set	2675	0	922	0	28	0	126	0	1390	0	109	0	400	0	569	0	1371	0	756	0
2	Line D.P.	Nos.	85	0	0	0	12	0	3	0	46	0	20	0	150	0	117	0	38	0	59	0
3	33KV Lattice Structure Double Circuit	Nos.	6	0	0	0	0	0	0	0	12	0	9	0	0	0	0	0	0	0	0	0
4	33KV Lattice Structure Single Circuit	Nos.	0	0	0	0	2	0	0	0	0	0	0	0	0	0	5	0	0	0	3	0
5	Pin Insulator	Nos.	31	0	0	0	163	0	0	0	26	0	0	0	0	0	31	0	0	0	0	0
6	G I Pin	Nos.	5498	1000	170	0	162	0	693	0	44	9556	428	0	4000	0	1000	0	352	6224	0	0
7	G.I. Stay set 8' x 3/4(20x2400)	Set	1564	0	35	0	94	0	2839	0	22	0	3002	0	1400	0	200	0	474	0	528	0
8	Stay wire 7/8 SWG	MT	6.279	0	2	0	6.629	0	2.671	0	4.467	0	4.75	0	9	0	10.46	0	1.013	0	6.122	0
9	Earth Wire 6 SWG	MT	19.24	0	0	0	1.382	0	1.412	0	0	0	11.85	0	2.3	0	0	0	21.337	0	20.91	0
10	33 KV Isolator	Set	15	0	3	0	4	0	8	0	2	0	2	0	0	0	3	0	11	0	0	0
11	33 KV Horn Gap	Set	0	0	35	0	4	0	10	0	39	0	0	0	0	0	7	0	29	0	36	0
12	120 KN 11 KV Disc Insulator (B&S)	Nos.	1288	0	0	0	0	0	0	0	0	0	88	0	45	0	0	0	0	0	0	0
13	H/W for 120 KN Disc Insulator (B&S)	Nos.	880	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14	45 KN 11 KV Disc Insulator (B&S)	Nos.	53	0	140	0	242	0	122	0	0	0	168	0	4000	0	346	0	224	0	977	0
15	H/W for 45 KN Disc Insulator (B&S)	Nos.	59	0	0	0	76	0	399	0	49	0	0	0	950	0	738	0	686	0	470	0
16	33 KV 45KN B&S Type Composite Polymer Insulator	Nos.	6787	0	0	0	0	0	0	0	5697	0	0	0	0	0	0	0	0	0	0	0
17	Stay Insulator	Nos.	12248	0	64	0	38	0	1781	0	1516	0	1211	0	2500	0	930	0	5971	0	0	0
11 KV ITEMS					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	Cross Arm Set	Nos.	6110	0	690	0	1745	0	2175	0	355	0	1836	0	700	0	3217	0	1840	0	5222	0
19	Line D.P.	Nos.	75	0	0	0	0	0	0	0	58	0	20	0	30	0	153	0	3	0	132	0
20	Pin Insulator	Nos.	7000	0	220	0	228	0	110	0	45	0	0	0	0	0	9858	0	810	0	581	0
21	11 KV Composite Polymer Pin Insulator	Nos.	13	0	50	0	0	0	0	0	109	0	0	0	0	0	20	0	0	0	0	0
22	G I Pin	Nos.	16938	0	1420	0	1930	0	150	0	1350	0	875	0	5000	0	1328	0	0	0	79	0
23	G.I. Stay set 6' x 5/8 (16x1800)	Set	3209	0	1150	0	6222	0	9347	0	4371	0	8922	0	12000	0	5845	0	3192	0	12457	0
24	Stay wire 7/10 SWG	MT	21.41	0	14.35	0	0	0	2.201	26.31	29.74	0	26.52	0	35	0	1.992	0	7.552	0	22.914	0
25	Earth Wire 8 SWG	MT	34.47	0	0	0	1.172	0	0	0	15.39	0	18.61	0	18	0	0	0	18.029	0	2	0
26	11 KV Isolator	Set	129	0	0	0	6	0	3	0	94	0	11	0	30	0	5	0	2	0	5	0
27	11 KV Horn Gap	Set	27	0	0	0	784	0	586	0	576	0	781	0	0	0	0	0	95	0	98	0
28	45 KN 11 KV Disc Insulator (T&C)	Nos.	0	0	340	0	927	0	0	0	17	0	2232	0	300	3000	1240	0	115	0	0	0
29	H/W for 45 KN Disc Insulator (T&C)	Nos.	7902	0	400	9000	1055	0	1637	0	592	5210	1062	0	10000	0	154	0	1848	0	1522	0
30	11 KV 45KN T&C Type Composite Polymer Insulator	Nos.	8889	0	1000	0	0	0	0	0	1506	6665	0	0	500	0	427	0	0	0	0	0
31	11 KV ROSTERING Switch	Set	63	0	0	0	0	0	9	0	45	0	11	0	0	0	5	0	15	0	23	0
32	Stay Insulator	Nos.	10458	0	870	0	315	0	0	0	1095	0	2000	0	0	0	0	0	783	0	3996	0
33	M.S. Rod Type Earthing Set	Set	8466	0	150	0	3443	0	3134	0	1835	4000	6598	0	11200	4000	5620	0	4601	3672	3276	0
34	1.4 Meter Long MS Channel Bracket with Clamp (Cut Point Channel)	Set	0	0	2	0	305	0	0	0	21	0	0	0	0	0	0	0	0	0	0	0
LT ITEMS			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	Pin Insulator	Nos.	25527	0	0	0	415	0	4000	0	17872	0	1269	0	14500	0	1025	0	14464	0	5781	0
36	G I Pin	Nos.	10647	0	260	0	500	0	7673	0	10900	0	14082	0	3500	0	8774	0	2198	0	19146	0
37	Shackle Insulator	Nos.	439	0	0	0	230	0	1750	0	5286	0	711	0	6000	0	706	0	0	0	10921	0
38	H/W for Shackle Insulator	Nos.	3980	0	2675	0	2005	0	3151	0	5400	0	2338	0	4950	0	738	0	2682	0	1789	0
39	Suspension H/W	Nos.	7	0	1130	0	540	0	1015	0	4145	0	1533	0	3440	0	1175	0	958	0	1488	0
40	Dead End H/W	Nos.	353	0	950	0	560	0	5093	0	9831	0	1500	0	3070	0	1200	0	0	0	1000	0
41	LT Cross Arm Set 4" with clamp	Nos.	0	0	59	0	0	0	0	0	6	0	6	0	0	0	0	0	27	0	0	0
42	LT Cross Arm Set 2" with clamp	Nos.	0	0	842	0	113	0	122	0	390	0	176	0	2000	0	351	0	100	0	1572	0
43	LT X Arm Set 2" with Top & clamp	Nos.	24	0	1082	0	807	0	3087	0	1364	0	920	0	2000	0	3627	0	1827	0	4805	0

S.N.	Name of Material	Unit	Jodhpur		Pali		Sirohi		Jalore		Barmer		Jaisalmer		Bikaner		Ratangarh		Hanumangarh		Sriganganagar		
			14/01/2022		14/01/2022		14/1/2022		14/01/2022		14/01/2022		14/01/2022		14/01/2022		14/01/2022		14.01.2022		14.01.2022		
			CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK
	SUB-STATION SET		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
44	33/11KV SS set(Rural)	Set	7	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0
45	33/11 KV SS set (Urban)	Set	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	11/0.4 KV S/S Str. Set (201KG)	Set	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47	11/0.4 KV S/S Str. Set (166.746 Kg)	Set	1168	0	435	0	6	0	52	0	998	0	879	0	750	0	782	0	5	0	896	0	0
48	S/S set 5 KVA 1-ph Trs.	Set	0	0	0	0	83	0	0	0	0	0	0	0	695	0	0	0	0	0	75	0	0
	CONDUCTOR		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
49	ACSR Dog	Km	105.2	24	25.19	0	19.99	12	51.55	0	162.2	96.18	58.41	0	300	27.5	92.54	0	0	0	62.782	0	0
50	ACSR Rabbit	Km	58.3	0	150.3	0	8.198	0	4.314	0	4.4	0	0	0	300	0	127.6	0	79.19	0	153.984	0	0
51	ACSR Weasel	Km	0	150	142.4	0	89.99	0	0	150	360	150	52.06	0	0	0	743.4	0	64.528	0	649.954	0	0
52	AAAC Weasel	Km	71.82	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	HT Insulated Rabbit	Km	39.62	0	2.998	0	9.044	0	29.72	0	23.83	0	20.86	0	26	0	5.976	0	8.913	0	15.006	0	0
54	LT Insulated Rabbit	Km	0	0	0	0	0	0	3	0	0	0	5.995	0	0	0	0	0	0	0	0	0	0
	CABLE		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	33 KV 3Core Cable 300 Sqmm.	Km	0	0	0.225	0	0	0	0	0	0	0	0	0	0.497	0	0.245	0	0	0	0.243	0	0
56	11 KV 3Core Cable 185 Sqmm.	Km	4.525	3.295	0.25	0	0	0	0.251	0	0.28	0	0	0	0	0	0.488	0	0.253	0	0.132	0	0
57	Armoured cable 4C, 50 SQ MM	Km	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
58	Armoured cable 4C, 25 SQ MM	Km	6.905	0	1.02	0	0	0	0	0.998	0	0	0	0	7.32	0.68	0	0	0	0	0	0	0
59	Armoured cable 4C, 16 SQ MM	Km	2.953	3.29	1.935	0	0.661	0	0.495	0	0	0	0	0	8.145	9.855	0	0	0	0	4.033	0	0
60	Armoured cable 4Cx10	Km	2.087	0	1.02	0	0	0	4.257	0	9.393	0	0	0	0	0	7.365	0	1.995	0	9.238	0	0
61	Armoured cable 4Cx6	Km	2.795	3.74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
62	Armoured cable 2Cx4	Km	119.6	0	80.24	0	18.7	0	51.01	0	54.23	49.61	41.62	0	69.67	87.26	72.67	0	32.929	47.83	60.46	0	0
63	ABC Cable 1Cx25+25 Sq mm	Km	0.845	0	12.4	0	63.59	0	13.63	0	58.35	0	128.1	0	95	0	19.99	0	4.038	0	12.043	0	0
64	ABC Cable 3Cx25+25 Sq mm	Km	96.83	0	0	0	1.042	0	0	0	23.1	0	0	0	0	0	1	0	0	0	1.005	0	0
65	ABC Cable 3Cx50+35 Sq mm	Km	12.31	0	0	0	0	0	0	0	35.04	0	0	0	9.375	0	0	0	7.188	0	0	0	0
	TRANSFORMERS (NEW)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
66	8 MVA Power Transformer	Nos.	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
67	5 MVA Power Transformer	Nos.	9	1	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
68	3.15 MVA Power Transformer	Nos.	20	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
69	500 KVA DTs	Nos.	4	0	1	0	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0	0	0
70	315 KVA	Nos.	39	0	0	0	2	0	3	0	2	0	3	0	10	0	4	0	2	0	0	0	0
71	250 KVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
72	160 KVA	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
73	100 KVA Non Super with box	Nos.	4	0	5	0	0	0	1	0	0	0	3	0	0	16	1	0	3	0	5	0	0
74	100 KVA Non Super without box	Nos.	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0
75	100 KVA Super	Nos.	38	0	1	0	0	0	0	0	1	0	2	0	0	0	9	0	0	0	0	0	0
76	63 KVA Non Super without box	Nos.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
77	63 KVA Non Super with box	Nos.	19	0	14	0	3	0	2	0	27	0	2	0	74	0	4	0	15	0	18	0	0
78	63 KVA Super	Nos.	16	0	0	0	0	0	0	0	0	0	3	0	15	0	6	0	0	0	0	0	0
79	40 KVA Non Super	Nos.	498	122	115	0	47	0	137	0	286	0	210	130	116	0	121	138	170	0	104	0	0
80	40 KVA Super	Nos.	49	0	0	0	30	0	0	0	0	0	12	0	0	0	15	0	2	0	4	0	0
81	25 KVA three Phase Non Super	Nos.	0	0	11	0	18	0	0	0	0	0	9	0	127	0	0	0	21	0	0	0	0
82	25 KVA three Phase Super	Nos.	10	0	10	0	21	0	0	0	0	0	28	0	0	0	0	0	18	0	18	0	0
83	16 KVA three Phase Non Super	Nos.	75	0	4	50	105	50	5	125	25	0	6	0	11	0	42	0	0	0	50	0	0
84	16 KVA three Phase Super	Nos.	48	0	4	0	7	0	0	0	4	0	33	0	0	0	56	0	46	0	30	0	0
85	10 KVA three Phase Non Super	Nos.	0	14	0	0	0	0	0	0	0	43	0	0	0	0	0	0	0	0	43	0	0
86	10 KVA three Phase Super	Nos.	0	0	0	0	0	28	0	0	0	0	0	0	0	0	4	0	0	0	15	0	0
87	1 phase 25 KVA	Nos.	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
88	1 phase 16 KVA	Nos.	124	0	24	0	5	0	12	10	71	0	54	0	5	49	5	0	0	0	0	35	0
89	1 phase 10 KVA	Nos.	93	96	30	0	48	0	70	0	19	96	47	0	83	0	51	0	16	0	19	20	0
90	1 phase 5 KVA	Nos.	264	16	165	0	126	0	116	0	325	40	65	83	89	35	79	0	116	0	123	33	0

S.N.	Name of Material	Unit	Jodhpur		Pali		Sirohi		Jalore		Barmer		Jaisalmer		Bikaner		Ratangarh		Hanumangarh		Sriganganagar		
			14/01/2022		14/01/2022		14/1/2022		14/01/2022		14/01/2022		14/01/2022		14/01/2022		14/01/2022		14.01.2022		14.01.2022		
			CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK	CTL Due	CTL OK
	Received GP Transformer from Field lying at Store		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
173	1 phase 16 KVA	Nos.	237	0	173	0	79	0	145	0	89	0	89	0	238	0	18	0	0	0	37	0	
174	1 phase 10 KVA	Nos.	383	0	21	0	55	0	56	0	432	0	0	0	6	0	20	0	0	0	0	0	
175	1 phase 5 KVA	Nos.	62	0	3	0	68	0	167	0	310	0	0	0	40	0	166	0	0	0	2	0	
	Received GP Transformer after repair from Firm		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
176	1 phase 16 KVA	Nos.	24	0	0	0	10	0	0	0	11	12	10	0	19	0	0	0	0	0	0	0	
177	1 phase 10 KVA	Nos.	78	0	0	0	1	0	0	0	26	30	0	0	0	0	0	0	0	0	2	0	
178	1 phase 5 KVA	Nos.	1	0	0	0	3	0	0	0	0	8	0	0	2	0	0	0	0	0	2	41	
	GP Transformer lying at Firm for repair		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
179	1 phase 16 KVA	Nos.	151	0	60	0	98	0	155	0	112	0	231	0	54	0	15	0	0	0	1	0	
180	1 phase 10 KVA	Nos.	289	0	94	0	3	0	26	0	368	0	0	0	6	0	17	0	0	0	3	0	
181	1 phase 5 KVA	Nos.	21	0	19	0	14	0	78	0	311	0	0	0	9	0	182	0	0	0	30	0	