

| | | | DAILY STOCK POSITION OF IMPORTANT MATERIAL AVAILABLE ON STORE | | | | | | | | | | | | | | 20/06/2022 | | | | | |
|--------------------|--|------|---|---------|-----------|---------|-----------|---------|-----------|---------|--------|---------|-----------|---------|-----------|---------|------------|---------|------------|---------|--------------|---------|
| S.N. | Name of Material | Unit | Jodhpur | | Pali | | Sirohi | | Jalore | | Barmer | | Jaisalmer | | Bikaner | | Ratangarh | | Hanumangar | | Sriganganaga | |
| | | | 18/04/202 | | 18/04/202 | | 18/04/202 | | 18/04/202 | | ##### | | 18/04/202 | | 18/04/202 | | 18/04/202 | | 18/04/2022 | | 04/18/2022 | |
| | | | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due |
| 33 KV ITEMS | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 33 KV Cross Arm Set | Set | 1989 | 0 | 917 | 0 | 18 | 0 | 3 | 0 | 891 | 0 | 0 | 0 | 2000 | 0 | 217 | 0 | 1051 | 0 | 73 | 0 |
| 2 | Line D.P. | Nos. | 94 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 75 | 0 | 60 | 0 | 140 | 0 | 64 | 0 | 0 | 0 | 46 | 0 |
| 3 | 33KV Lattice Structure Double Circuit | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 33KV Lattice Structure Single Circuit | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Pin Insulator | Nos. | 2550 | 0 | 0 | 0 | 96 | 0 | 0 | 0 | 6 | 0 | 954 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1000 | 0 |
| 6 | G I Pin | Nos. | 5763 | 1000 | 125 | 0 | 245 | 0 | 2155 | 0 | 5300 | 0 | 425 | 0 | 3950 | 0 | 126 | 0 | 4192 | 0 | 3960 | 0 |
| 7 | G.I. Stay set 8' x 3/4(20x2400) | Set | 47 | 0 | 5 | 0 | 216 | 0 | 2179 | 0 | 6 | 0 | 2396 | 0 | 750 | 0 | 240 | 0 | 227 | 0 | 266 | 0 |
| 8 | Stay wire 7/8 SWG | MT | 9.259 | 0 | 1.84 | 0 | 5.822 | 0 | 0.278 | 0 | 0.285 | 0 | 2.76 | 0 | 3 | 0 | 4.56 | 0 | 0 | 0 | 4.292 | 0 |
| 9 | Earth Wire 6 SWG | MT | 11.59 | 0 | 0 | 0 | 1.161 | 0 | 1.412 | 0 | 0 | 0 | 11.85 | 0 | 0 | 0 | 0 | 0 | 17.802 | 0 | 20.32 | 0 |
| 10 | 33 KV Isolator | Set | 56 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| 11 | 33 KV Horn Gap | Set | 17 | 0 | 9 | 0 | 3 | 0 | 6 | 0 | 26 | 0 | 8 | 0 | 0 | 0 | 5 | 0 | 23 | 0 | 30 | 0 |
| 12 | 120 KN 11 KV Disc Insulator (B&S) | Nos. | 558 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 88 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13 | H/W for 120 KN Disc Insulator (B&S) | Nos. | 546 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14 | 45 KN 11 KV Disc Insulator (B&S) | Nos. | 1770 | 0 | 30 | 0 | 44 | 0 | 0 | 0 | 0 | 0 | 145 | 0 | 3000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | H/W for 45 KN Disc Insulator (B&S) | Nos. | 42 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 52 | 0 | 0 | 0 | 108 | 0 | 98 | 0 | 0 | 0 |
| 16 | 33 KV 45KN B&S Type Composite Polymer Insulator | Nos. | 4339 | 0 | 0 | 0 | 200 | 0 | 0 | 0 | 3596 | 0 | 165 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 17 | Stay Insulator | Nos. | 9779 | 0 | 34 | 0 | 300 | 0 | 1643 | 0 | 617 | 0 | 722 | 0 | 1450 | 0 | 384 | 0 | 5791 | 0 | 687 | 0 |
| 11 KV ITEMS | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18 | Cross Arm Set | Nos. | 3277 | 0 | 80 | 0 | 304 | 0 | 0 | 0 | 205 | 0 | 360 | 0 | 0 | 0 | 45 | 0 | 0 | 0 | 496 | 0 |
| 19 | Line D.P. | Nos. | 2 | 0 | 35 | 0 | 0 | 0 | 28 | 0 | 1 | 0 | 0 | 0 | 20 | 0 | 24 | 0 | 0 | 0 | 9 | 0 |
| 20 | Pin Insulator | Nos. | 3855 | 0 | 1000 | 0 | 8263 | 0 | 2668 | 0 | 4748 | 0 | 0 | 0 | 500 | 0 | 1799 | 0 | 5600 | 0 | 0 | 0 |
| 21 | 11 KV Composite Polymer Pin Insulator | Nos. | 392 | 0 | 4865 | 0 | 1850 | 0 | 6033 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 616 | 0 | 0 | 0 | 0 | 0 |
| 22 | G I Pin | Nos. | 46251 | 0 | 1810 | 25062 | 4103 | 0 | 32030 | 0 | 16600 | 0 | 22854 | 0 | 10000 | 0 | 17460 | 0 | 21650 | 0 | 16467 | 0 |
| 23 | G.I. Stay set 6' x 5/8 (16x1800) | Set | 54 | 0 | 160 | 0 | 998 | 0 | 96 | 0 | 0 | 0 | 0 | 0 | 100 | 0 | 116 | 0 | 0 | 0 | 0 | 0 |
| 24 | Stay wire 7/10 SWG | MT | 0 | 0 | 0 | 0 | 14.33 | 0 | 3.004 | 0 | 0.282 | 0 | 0.521 | 0 | 0 | 0 | 1.284 | 0 | 0 | 0 | 4.173 | 0 |
| 25 | Earth Wire 8 SWG | MT | 18.72 | 0 | 0 | 0 | 0.118 | 0 | 0 | 0 | 14.54 | 0 | 18.61 | 0 | 15 | 0 | 0 | 0 | 8.027 | 0 | 1.6 | 0 |
| 26 | 11 KV Isolator | Set | 45 | 0 | 48 | 0 | 37 | 0 | 56 | 0 | 48 | 0 | 61 | 0 | 0 | 0 | 33 | 0 | 9 | 0 | 18 | 0 |
| 27 | 11 KV Horn Gap | Set | 24 | 0 | 0 | 0 | 120 | 0 | 188 | 0 | 277 | 0 | 205 | 0 | 50 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 28 | 45 KN 11 KV Disc Insulator (T&C) | Nos. | 365 | 0 | 2655 | 0 | 2315 | 0 | 1670 | 0 | 5 | 0 | 2419 | 0 | 2000 | 1000 | 155 | 0 | 0 | 0 | 0 | 0 |
| 29 | H/W for 45 KN Disc Insulator (T&C) | Nos. | 19 | 0 | 295 | 9000 | 1028 | 0 | 1696 | 0 | 5286 | 0 | 6 | 0 | 3000 | 0 | 111 | 0 | 0 | 0 | 0 | 0 |
| 30 | 11 KV 45KN T&C Type Composite Polymer Insulator | Nos. | 24 | 0 | 0 | 0 | 980 | 0 | 4491 | 0 | 0 | 0 | 0 | 0 | 2000 | 0 | 132 | 0 | 0 | 0 | 0 | 0 |
| 31 | 11 KV ROSTERING Switch | Set | 66 | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 45 | 0 | 11 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 18 | 0 |
| 32 | Stay Insulator | Nos. | 15197 | 0 | 210 | 0 | 1099 | 0 | 0 | 0 | 5289 | 0 | 90 | 0 | 200 | 0 | 440 | 0 | 0 | 0 | 0 | 0 |
| 33 | M.S. Rod Type Earthing Set | Set | 4608 | 0 | 3190 | 0 | 4141 | 0 | 3711 | 2672 | 534 | 334 | 4916 | 0 | 13500 | 0 | 1372 | 0 | 1104 | 0 | 3583 | 0 |
| 34 | 1.4 Meter Long MS Channel Bracket with Clamp (Cut Point Channel) | Set | 13 | 0 | 9 | 0 | 50 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 |
| LT ITEMS | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 35 | Pin Insulator | Nos. | 14432 | 0 | 20 | 0 | 860 | 0 | 2125 | 0 | 16109 | 0 | 1625 | 0 | 12000 | 0 | 0 | 0 | 3614 | 0 | 4431 | 0 |
| 36 | G I Pin | Nos. | 2302 | 0 | 830 | 0 | 945 | 0 | 4888 | 0 | 9300 | 0 | 12938 | 0 | 700 | 0 | 2826 | 0 | 348 | 0 | 17756 | 0 |

| S.N. | Name of Material | Unit | Jodhpur | | Pali | | Sirohi | | Jalore | | Barmer | | Jaisalmer | | Bikaner | | Ratangarh | | Hanumangar | | Sriganganaga | |
|------|-------------------------------------|------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|--------|---------|-----------|---------|-----------|---------|-----------|---------|------------|---------|--------------|---------|
| | | | 18/04/202 | | 18/04/202 | | 18/04/202 | | 18/04/202 | | ##### | | 18/04/202 | | 18/04/202 | | 18/04/202 | | 18/04/202 | | 04/18/2022 | |
| | | | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due |
| 37 | Shackle Insulator | Nos. | 7017 | 0 | 450 | 0 | 350 | 0 | 0 | 0 | 296 | 0 | 79 | 0 | 4300 | 0 | 0 | 0 | 0 | 0 | 5631 | 0 |
| 38 | H/W for Shackle Insulator | Nos. | 7217 | 0 | 1750 | 0 | 1555 | 0 | 1458 | 0 | 2100 | 0 | 1826 | 0 | 13200 | 0 | 0 | 0 | 1382 | 0 | 676 | 0 |
| 39 | Suspension H/W | Nos. | 790 | 0 | 475 | 0 | 252 | 0 | 293 | 0 | 0 | 0 | 55 | 0 | 3440 | 0 | 480 | 0 | 458 | 0 | | 0 |
| 40 | Dead End H/W | Nos. | 622 | 0 | 500 | 0 | 155 | 0 | 1173 | 0 | 750 | 0 | 422 | 0 | 0 | 0 | 1130 | 0 | 0 | 0 | 0 | 0 |
| 41 | LT Cross Arm Set 4" with clamp | Nos. | 0 | 0 | 44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 42 | LT Cross Arm Set 2" with clamp | Nos. | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1230 | 0 | 3500 | 0 | 101 | 0 | 0 | 0 | 1572 | 0 |
| 43 | LT X Arm Set 2" with Top & clamp | Nos. | 10 | 0 | 454 | 0 | 670 | 0 | 940 | 0 | 42 | 0 | 3415 | 0 | 0 | 0 | 94 | 0 | 0 | 0 | 853 | 0 |
| | SUB-STATION SET | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 44 | 33/11KV SS set(Rural) | Set | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 45 | 33/11 KV SS set (Urban) | Set | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 46 | 11/0.4 KV S/S Str. Set (201KG) | Set | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 47 | 11/0.4 KV S/S Str. Set (166.746 Kg) | Set | 3 | 0 | 10 | 0 | 16 | 0 | 44 | 0 | 64 | 0 | 304 | 0 | 250 | 0 | 9 | 0 | 150 | 0 | 0 | 0 |
| 48 | S/S set 5 KVA 1-ph Trs. | Set | 0 | 0 | 0 | 0 | 69 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 264 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | CONDUCTOR | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 49 | ACSR Dog | Km | 63.18 | 0 | 24.4 | 0 | 21.99 | 0 | 56.99 | 0 | 72.99 | 0 | 30.17 | 0 | 250 | 0 | 31.22 | 0 | 13.184 | 0 | 0 | 0 |
| 50 | ACSR Rabbit | Km | 344.7 | 83.99 | 26.39 | 0 | 101.2 | 0 | 145.2 | 0 | 39.6 | 0 | 44 | 0 | 100 | 0 | 4.392 | 0 | 105.6 | 0 | 101.19 | 0 |
| 51 | ACSR Weasel | Km | 150 | 0 | 0 | 0 | 0 | 0 | 89.99 | 0 | 0 | 0 | 82.49 | 0 | 0 | 0 | 52.5 | 150 | 130.48 | 0 | 0 | 149.992 |
| 52 | AAAC Weasel | Km | 71.82 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 53 | HT Insulated Rabbit | Km | 36.62 | 0 | 2.998 | 0 | 9.044 | 0 | 29.72 | 0 | 23.83 | 0 | 20.86 | 0 | 0 | 0 | 5.976 | 0 | 0 | 0 | 15.006 | 0 |
| 54 | LT Insulated Rabbit | Km | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | CABLE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 55 | 33 KV 3Core Cable 300 Sqmm. | Km | 0.393 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.497 | 0 | 0.245 | 0 | 0 | 0 | 0 | 0 |
| 56 | 11 KV 3Core Cable 185 Sqmm. | Km | 1.998 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.235 | 0 | 0 | 0 | 0 | 0 |
| 57 | Armoured cable 4C, 50 SQ MM | Km | 3.626 | 0 | 0 | 0 | 0 | 0 | 0 | 0.95 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 58 | Armoured cable 4C, 25 SQ MM | Km | 8.995 | 0 | 1.02 | 0 | 0 | 0 | 0 | 5.125 | 0 | 0 | 0 | 5.235 | 0 | 0.625 | 0 | 0 | 0 | 0 | 0 | 0 |
| 59 | Armoured cable 4C, 16 SQ MM | Km | 0 | 0 | 1.75 | 0 | 0 | 0 | 0.495 | 0 | 1.964 | 0 | 0 | 0 | 6.11 | 0 | 9.222 | 0 | 9.96 | 0 | 3.023 | 0 |
| 60 | Armoured cable 4Cx10 | Km | 0 | 0 | 1.02 | 0 | 0 | 0 | 3.257 | 0 | 3.145 | 0 | 0 | 0 | 0 | 0 | 6.191 | 0 | 0.995 | 0 | 8.218 | 0 |
| 61 | Armoured cable 4Cx6 | Km | 12.95 | 0 | 0 | 0 | 0 | 0 | 0 | 9.856 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 62 | Armoured cable 2Cx4 | Km | 110 | 0 | 111.2 | 0 | 119.9 | 0 | 144.4 | 0 | 162 | 0 | 91.14 | 0 | 72 | 0 | 53.11 | 0 | 69.505 | 0 | 85.335 | 0 |
| 63 | ABC Cable 1Cx25+25 Sq mm | Km | 0 | 0 | 0 | 0 | 1.041 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2.058 | 0 |
| 64 | ABC Cable 3Cx25+25 Sq mm | Km | 0 | 0 | 1.045 | 0 | 1.05 | 0 | 0 | 0 | 0 | 0 | 17.01 | 0 | 27 | 0 | 2.033 | 0 | 0 | 0 | 6.013 | 0 |
| 65 | ABC Cable 3Cx50+35 Sq mm | Km | 10.2 | 0 | 2.9 | 0 | 0 | 0 | 0 | 28.81 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | TRANSFORMERS (NEW) | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 66 | 8 MVA Power Transformer | Nos. | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 67 | 5 MVA Power Transformer | Nos. | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 68 | 3.15 MVA Power Transformer | Nos. | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 69 | 500 KVA DTs | Nos. | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 70 | 315 KVA | Nos. | 31 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 6 | 0 | 4 | 0 | 2 | 0 | 0 | 0 | 0 |
| 71 | 250 KVA | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 72 | 160 KVA | Nos. | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 73 | 100 KVA Non Super with box | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 74 | 100 KVA Non Super without box | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 75 | 100 KVA Super | Nos. | 8 | 0 | 0 | 0 | 2 | 0 | 0 | 9 | 0 | 1 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| 76 | 63 KVA Non Super without box | Nos. | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 77 | 63 KVA Non Super with box | Nos. | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| 78 | 63 KVA Super | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 6 | 0 | 0 | 0 | 0 |

| S.N. | Name of Material | Unit | Jodhpur | | Pali | | Sirohi | | Jalore | | Barmer | | Jaisalmer | | Bikaner | | Ratangarh | | Hanumangar | | Sriganganaga | |
|------|---|------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|--------|---------|-----------|---------|-----------|---------|-----------|---------|------------|---------|--------------|---------|
| | | | 18/04/202 | | 18/04/202 | | 18/04/202 | | 18/04/202 | | ##### | | 18/04/202 | | 18/04/202 | | 18/04/202 | | 18/04/2022 | | 04/18/2022 | |
| | | | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due |
| 79 | 40 KVA Non Super | Nos. | 0 | 0 | 3 | 0 | 18 | 0 | 14 | 0 | 142 | 0 | 206 | 0 | 151 | 53 | 76 | 0 | 0 | 0 | 83 | 0 |
| 80 | 40 KVA Super | Nos. | 17 | 0 | 0 | 0 | 21 | 0 | 30 | 0 | 0 | 0 | 49 | 0 | 2 | 0 | 29 | 0 | 8 | 0 | 20 | 0 |
| 81 | 25 KVA three Phase Non Super | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 160 | 0 | 0 | 0 | 0 | 18 | 10 | 0 |
| 82 | 25 KVA three Phase Super | Nos. | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| 83 | 16 KVA three Phase Non Super | Nos. | 32 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 4 | 0 | 0 | 0 | 0 | 40 | 1 | 0 | 1 | 20 | 0 | 40 |
| 84 | 16 KVA three Phase Super | Nos. | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 85 | 10 KVA three Phase Non Super | Nos. | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 86 | 10 KVA three Phase Super | Nos. | 0 | 0 | 0 | 0 | 12 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 23 | 0 |
| 87 | 1 phase 25 KVA | Nos. | 42 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 88 | 1 phase 16 KVA | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 33 | 0 | 18 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| 89 | 1 phase 10 KVA | Nos. | 109 | 0 | 35 | 0 | 9 | 0 | 90 | 0 | 123 | 0 | 59 | 0 | 91 | 0 | 23 | 0 | 30 | 0 | 0 | 30 |
| 90 | 1 phase 5 KVA | Nos. | 230 | 0 | 116 | 0 | 166 | 0 | 137 | 36 | 219 | 0 | 127 | 0 | 179 | 0 | 119 | 40 | 240 | 0 | 237 | 0 |
| | REPAIRED/OVERHAULED/NUGP/RUGP Transformers | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 91 | 8 MVA Power Transformer | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 92 | 5 MVA Power Transformer | Nos. | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 |
| 93 | 3.15 MVA Power Transformer | Nos. | 28 | 2 | 1 | 0 | 0 | 0 | 11 | 0 | 8 | 0 | 6 | 0 | 10 | 0 | 4 | 0 | 2 | 0 | 2 | 0 |
| 94 | 500 KVA DTs | Nos. | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 95 | 315 KVA | Nos. | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 0 | 3 | 0 | 1 | 0 | 0 | 0 |
| 96 | 250 KVA | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 97 | 160 KVA | Nos. | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 98 | 100 KVA Non Super | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 5 | 0 | 0 | 0 |
| 99 | 100 KVA Super | Nos. | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| 100 | 63 KVA Non Super | Nos. | 12 | 0 | 0 | 0 | 0 | 0 | 21 | 7 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 18 | 11 | 7 | 0 | 0 |
| 101 | 63 KVA Super | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 102 | 40 KVA Non Super | Nos. | 105 | 0 | 0 | 0 | 1 | 0 | 55 | 15 | 0 | 35 | 1 | 0 | 19 | 8 | 1 | 0 | 0 | 23 | 0 | 6 |
| 103 | 40 KVA Super | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 104 | 25 KVA three Phase Non Super | Nos. | 7 | 0 | 0 | 0 | 0 | 0 | 5 | 32 | 1 | 1 | 1 | 0 | 0 | 7 | 27 | 35 | 1 | 8 | 0 | 0 |
| 105 | 25 KVA three Phase Super | Nos. | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 106 | 16 KVA three Phase Non Super | Nos. | 30 | 0 | 25 | 0 | 5 | 9 | 37 | 9 | 0 | 20 | 1 | 0 | 2 | 17 | 2 | 0 | 1 | 0 | 5 | 0 |
| 107 | 16 KVA three Phase Super | Nos. | 4 | 0 | 0 | 0 | 12 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 108 | 10 KVA three Phase Non Super | Nos. | 1 | 0 | 0 | 0 | 35 | 40 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 |
| 109 | 10 KVA three Phase Super | Nos. | 0 | 0 | 0 | 0 | 38 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 110 | 1 phase 25 KVA | Nos. | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| 111 | 1 phase 16 KVA | Nos. | 3 | 0 | 27 | 0 | 3 | 0 | 0 | 0 | 4 | 20 | 37 | 42 | 0 | 70 | 0 | 0 | 3 | 0 | 2 | 8 |
| 112 | 1 phase 10 KVA | Nos. | 88 | 0 | 0 | 0 | 6 | 0 | 1 | 0 | 10 | 45 | 0 | 0 | 2 | 0 | 0 | 0 | 30 | 0 | 31 | 13 |
| 113 | 1 phase 5 KVA | Nos. | 116 | 0 | 0 | 0 | 0 | 0 | 16 | 0 | 208 | 104 | 71 | 69 | 165 | 35 | 93 | 0 | 49 | 0 | 94 | 10 |
| 114 | Fresh Transformer Oil | KL. | 26.46 | 0 | 9.45 | 0 | 1.26 | 0 | 11.34 | 0 | 18.48 | 0 | 20.16 | 0 | 10.92 | 0 | 8.4 | 0 | 17.75 | 0 | 12.18 | 0 |
| | MCCB | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 115 | MCCB 32 AMP | Nos. | 2055 | 0 | 1613 | 0 | 230 | 0 | 60 | 0 | 171 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 109 | 0 | 262 | 0 |
| 116 | MCCB 40 AMP | Nos. | 2919 | 0 | 50 | 0 | 43 | 0 | 40 | 0 | 2 | 0 | 35 | 0 | 0 | 0 | 0 | 0 | 0 | 50 | 0 | 0 |
| 117 | MCCB 63 AMP | Nos. | 1428 | 0 | 27 | 0 | 49 | 0 | 8 | 0 | 50 | 0 | 0 | 0 | 20 | 0 | 0 | 0 | 0 | 7 | 0 | 0 |
| 118 | MCCB 110 AMP | Nos. | 162 | 0 | 47 | 0 | 6 | 0 | 105 | 0 | 11 | 0 | 56 | 0 | 0 | 0 | 37 | 0 | 0 | 50 | 0 | 0 |
| 119 | MCCB 160 AMP | Nos. | 263 | 665 | 51 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 43 | 0 | 1000 | 0 | 0 | 0 | 58 | 0 | 0 | 0 |
| | SINGLE PHASE METER | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 120 | New (With Box) | Nos. | 2435 | 0 | 1400 | 0 | 1195 | 0 | 98 | 3000 | 3234 | 0 | 2000 | 3000 | 3280 | 4000 | 1285 | 1000 | 2320 | 0 | 1058 | 1000 |

| S.N. | Name of Material | Unit | Jodhpur | | Pali | | Sirohi | | Jalore | | Barmer | | Jaisalmer | | Bikaner | | Ratangarh | | Hanumangar | | Sriganganaga | |
|------|--|------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|--------|---------|-----------|---------|-----------|---------|-----------|---------|------------|---------|--------------|---------|
| | | | 18/04/202 | | 18/04/202 | | 18/04/202 | | 18/04/202 | | ##### | | 18/04/202 | | 18/04/202 | | 18/04/202 | | 18/04/2022 | | 04/18/2022 | |
| | | | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due | CTL OK | CTL Due |
| 154 | 400/5 | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 155 | 200/5 | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 156 | 150/5 | Nos. | 19 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 157 | 100/5 | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 158 | 75/5-60/5 | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 159 | 50/5 | Nos. | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 160 | 30/5 | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 161 | 25/5 | Nos. | 16 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 162 | 20/5 | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 163 | 10/5 | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 11 KV CT PT SET | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 164 | 200/5 | Nos. | 256 | 0 | 43 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 45 | 0 | 4 | 0 | 26 | 0 | 0 | 0 |
| 165 | 100/5 | Nos. | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| 166 | 75/5-60/5 | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 167 | 50/5 | Nos. | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 168 | 30/5 | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 169 | 25/5 | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 170 | 20/5 | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 171 | 15/5 | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 1 | 0 | 4 | 0 | 0 |
| 172 | 10/5 | Nos. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | RGVY / 12th Plan / DDUGJY / Schemes | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Received GP Transformer from Field lying at Store | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 173 | 1 phase 16 KVA | Nos. | 221 | 0 | 173 | 0 | 50 | 0 | 121 | 0 | 144 | 0 | 89 | 0 | 238 | 0 | 12 | 0 | 18 | 0 | 40 | 0 |
| 174 | 1 phase 10 KVA | Nos. | 99 | 0 | 21 | 0 | 56 | 0 | 99 | 0 | 656 | 0 | 0 | 0 | 6 | 0 | 26 | 0 | 0 | 0 | 1 | 0 |
| 175 | 1 phase 5 KVA | Nos. | 37 | 0 | 3 | 0 | 89 | 0 | 280 | 0 | 471 | 0 | 0 | 0 | 40 | 0 | 111 | 0 | 0 | 0 | 20 | 0 |
| | Received GP Transformer after repair from Firm | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 176 | 1 phase 16 KVA | Nos. | 3 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 22 | 12 | 10 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 177 | 1 phase 10 KVA | Nos. | 201 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 124 | 26 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 178 | 1 phase 5 KVA | Nos. | 9 | 0 | 0 | 0 | 8 | 0 | 0 | 0 | 28 | 10 | 0 | 0 | 55 | 0 | 50 | 0 | 0 | 0 | 0 | 0 |
| | GP Transformer lying at Firm for repair | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 179 | 1 phase 16 KVA | Nos. | 151 | 0 | 60 | 0 | 127 | 0 | 195 | 0 | 70 | 0 | 231 | 0 | 54 | 0 | 23 | 0 | 0 | 0 | 0 | 0 |
| 180 | 1 phase 10 KVA | Nos. | 289 | 0 | 94 | 0 | 5 | 0 | 26 | 0 | 364 | 0 | 0 | 0 | 6 | 0 | 23 | 0 | 0 | 0 | 0 | 0 |
| 181 | 1 phase 5 KVA | Nos. | 21 | 0 | 19 | 0 | 15 | 0 | 78 | 0 | 311 | 0 | 0 | 0 | 9 | 0 | 274 | 0 | 0 | 0 | 0 | 0 |