

INDEX

Section-I	Instructions to bidders	
Section-II	General Conditions of Contract	
Section-III	Technical Specification For Polycarbonate seals (Double Anchor Type) Against TN-1331	
Schedule-I	Schedule of Requirement	
Schedule-II	Prices	
Schedule-III	Details of Standards.	
Schedule-III A	Pre Qualification Requirement (PQR)	
Schedule-III B	Bank Guarantee in lieu of sample	NA
Schedule-IV	BOQ (Price Schedule)	To be uploaded Online on website
Schedule IV A	Details of tendered quantity, quantity offered along with justification with reference to qualifying Requirement)	The Bidder is required to justify quantity offered as per qualifying Requirement.
Schedule V	Departure from Guaranteed Technical Particulars.	
Schedule VI A	Departure from the requirement of Technical Specification.	
Schedule VI B	Departure from commercial terms & conditions of specification	
Schedule VII	List of Past supplies.	
Schedule VIIA	C.A. Certificate for Quantity Justification	
Schedule VIII	Delivery schedule.	
Schedule IX	List of equipment & technical hands available with the tendering firm.	
Schedule X	General Particulars about the bid in brief	

Note: The bidders, in their own interest are requested to read very carefully Section-I (Instruction to Bidders), Section-II (General Condition of Contract) & Section-III (Technical Specification) before filling the bid. The Bid documents can be downloaded from website of Jodhpur Discom www.jdvvn.com & <http://eproc.rajasthan.gov.in> & can be uploaded on the website <http://eproc.rajasthan.gov.in>. No hard copy of the bidding documents will be provided to the bidders through this office. In case of any discrepancy found in the bidding documents downloaded from the website and appended with the bid (as a bid document) and the original copy of such document available in the office of Superintending Engineer (MM&C), Jodhpur Discom, Jodhpur then the copy available with Superintending Engineer (MM&C), Jodhpur Discom, Jodhpur will be considered as final document for all purposes. The proof of depositing the cost of Bid document, EMD or Vendor registration certificate (if applicable) and tender processing fee be furnished upto 4:00 PM of one day prior to the date of tender opening in the manner prescribed in bid document.



**JODHPUR VIDYUT VITRAN NIGAM LIMITED
OFFICE OF THE SUPERINTENDING ENGINEER (MM&C)
NEW POWER HOUSE INDUSTRIAL AREA, JODHPUR.
TELEPHONE: 0291-2742223 / FAX:- 0291-2746539**

**SPECIFICATION NO. JDVVNL/SE/MM&C/TN-1331
POLYCARBONATE SEALS (DOUBLE ANCHOR TYPE).**

Tenders are hereby invited in e-tender system for purchase of Polycarbonate seals (Double Anchor Type). Tenders are to be submitted online in electronic format on website <http://www.eproc.rajasthan.gov.in>. The details are as under-

S.No.	Name of Item	Quantity (Approx)
a)	Polycarbonate seals (Double Anchor Type)	1094342 Nos.

A.	NIT No.	TN-1331
B.	Cost of Specification	Rs. 2,950.00 per set (Two Thousand Nine Hundred & Fifty only)
C.	Processing of RISL	Rs. 1,180.00 per set (One Thousand One Hundred Eighty only)
D.	Earnest money	Rs. 1.00 Lac / Exemption Certificate or vendor registration of category class 'A/B/C/D/E'.
E.	Validity	120 days after the date of opening of techno-commercial bid.

IMPORTANT DATES

S.N.	Events	Date & Time	Location
1.	Last Date of downloading of tender specifications	Up to 31.07.2017 (04:00 PM)	www.jdvvn.com & http://www.eproc.rajasthan.gov.in
2.	Last Date of Deposit of cost of Tender Specifications, Processing fee & Earnest Money	Up to 31.07.2017 (4:00 PM)	Office of Sr. A.O (Cash & CPC), JdVVNL , New Power House, Industrial Area, Jodhpur
3.	Last Date & time of submission of electronic bid	Up to 01.08.2017 (12:00 PM)	http://www.eproc.rajasthan.gov.in
4.	Opening of Technical Bid	01.08.2017 (03:00 PM)	http://www.eproc.rajasthan.gov.in
5.	Opening of Price Bid	To be intimated separately to the qualified bidders	http://www.eproc.rajasthan.gov.in

**TECHNICAL SPECIFICATION FOR DOUBLE ANCHOR TAMPER EVIDENT POLYCARBONATE SEALS AGAINST TN-1331.****SCOPE:**

The specification covers the design, manufacture, testing at manufacturer's works, supply and delivery at destination stores of Double Anchor Tamper Evident Poly-carbonate Seals for sealing of Meter body and terminal covers of energy meters, Meter Box, CT-PT Units etc. with non-corrosive, non-magnetic stainless steel sealing wire. These seals shall also be used for sealing the meters, metering equipments and inspected materials.

The Double Anchor Tamper Evident Poly-carbonate Seals shall conform to the Nigam's specification as under:

1. Material of Double Anchor Tamper Evident Poly-carbonate Seals :

The raw material used for Double Anchor Tamper Evident Poly-carbonate Seals shall be of M/s. Dow Caliber Ltd., Switzerland (Grade-201- 15), M/s.GE Plastic, Singapore (Grade 143R), M/s. Dupont, Japan (Grade IV-20) or any other manufacturer having better properties as under :-

Sr.No.	Properties	Poly-carbonate
1.	Melting temperature	280 ^o C to 295 ^o C
2.	USE	Engineering
3.	Softness	Hard
4.	Durability	Weather effect resistance
5.	Transparency	Fully transparent (long time transparency)

2. Service Conditions (Climatic Conditions):

The meters to be supplied against this specification should be capable of performing and maintaining required accuracy under extreme hot, cold, tropical and dusty climate and solar radiation typically existing in state of Rajasthan (India). The meter shall be required to operate satisfactorily and continuously under the following tropical climatic conditions.

1	Maximum ambient air temperature	55 deg.C.
2	Maximum ambient air temperature in shade.	45 deg.C
3	Maximum temperature attainable by the meter	60 deg.C.

	exposed to sun.	
4	Minimum ambient temperature	(-) 5 deg.C.
5	Average daily ambient air temperature	40 deg.C.
6	Maximum relative humidity	95%
7	Number of months of tropical monsoon condition	4 months.
8	Maximum attitude above mean sea level	1000 meters.
9	Average annual rain fall	10-100 cm.
10	Maximum wind pressure.	200 kg/sq.m

3. Colour of Seal:

The female portion of the Polycarbonate Seal(s) shall be available in Clear /Red/Green colour and should be transparent (see through) type, which shall give complete visualization of its fixing mechanism and shall show clear indication if tampered.

4. Design and Construction of Seal :

a) Design:

The seal shall be Double Anchor (Push Fit) type tamper evident with double locking. There shall not be any change in size, shape or design of the seal than the approved samples. If the seal is found different than the approved design / shape / size, the same shall be out rightly rejected. The double anchor should not be so soft that it can be easily pressed before sealing, so that after pressing the seal cannot be opened.

b) **Thickness:** The wall thickness of seal should be minimum one (1) mm.

c) Serial No. of the Seal :

Non repeat seven digits Serial numbers including Code number shall be laser etched/ embossed during moulding/ thermo engraved (It should not be Screen printed) in contrast colour on Front side of capsule body (female part).

d) Monogram:

The seal shall have embossed/ laser etched printed of monogram of JdVNL on front side and month and year of manufacture in figure embossed on the backside. The laser etched printing should be through complete thickness of polycarbonate.

e) **Seal Wire:**

The non-corrosive, non-magnetic stainless steel twisted wire (26 gauge) conforming to IS : 280 shall be used . The seal wire shall not have affect of magnet i.e. it should not attract to magnet. The length of the sealing wire should be minimum 8" twisted two strand pull resistant stainless steel wire fixed to the seal. The diameter of each individual strand should be of 0.4 to 0.5 mm. dia and overall diameter of the seal wire shall be 0.8 to 1.0 mm. The No. of turns shall be minimum 20 per inch. The seal wire should be inserted at the female and male part during the process of moulding itself. It should be continuous and visible throughout the length of the wire. The wire shall be intact such that it cannot be pulled out after sealing.

The seal wire insert hole should be just sufficient for passing the seal wire and hole of larger dia is discouraged.

- f) **Tolerance:** - Tolerance to the tune of +/- 10% is allowed in respect of number of turns per inch of seal wire.

5. General Construction:

The seal shall be capable to withstand temperature upto 147° C without any damage / deformation.

The seal shall be designed for a single use only and if tampered with the help of plier, knife or any other sharp instruments, the seal shall be damaged and due to its transparent property, the sign of internal tampering shall be easily detected. Also once opened, it cannot be re-used. The seal shall be made in such a way that, it can be easily locked with the help of finger and thumb pressing no tools shall be required to close the seal in the laboratory or at site. Both the parts shall be designed in such a way that they cannot be separated and the attachment shall be flexible and shall not break. After inserting the seal wire through female part, the cap of the male part shall be fitted in the female part in such a way that it should not leave any space to avoid insertion of any sharp tools for opening of seal body of the female part in hot or cold condition. The seal shall have also the following features:-

- a) Tamper resistance and reliable.
- b) Environmentally safe as it does not contain any lead.
- c) Withstand long-term exposure to direct sunlight.
- d) Required no tools for installation.
- e) Transparent.
- f) Heat resistance.

6. Testing:

The seals shall be inspected / tested as a acceptance test at the manufacture's works before dispatch in presence of authorized representative of purchaser for the following tests:

- i) **Physical Dimensional Check-up** : The seals shall be subjected to visual check-up for verification of workmanship and other features as mentioned above including shape / design / dimensions as per approved drawing / samples.
- ii) **Boiling Water Test:** The seal when emerged in the boiling water for two hours there shall not be any affect on the seal and it shall remain intact condition i.e. the seal should not become soft, but instead should turn out to trail and easily break thus showing easily the tampering signs if it eventually happens. Even, with the help of any sharp instrument, pulling with plier i.e. by applying mechanical force, the male portion shall not come out from the female part (body seal). In case, it comes out, the same shall damage the seal, so that it cannot be re-used.
- iii) **Pull Out Test:** After locking the seal, if the male part / insert is pulled with mechanical force with the help of plier or any other instrument, sharp instrument etc. at normal condition, the seal should not get unlocked without any damage and when such condition occurs, it should leave traces of tampering.
- iv) **Seal Wire** : In case, if someone tries to pull the seal wire and in any of the tests as mentioned above at (ii) & (iii) in that case the male / female portion of the seal should be damaged and the same can be seen visually being a transparent one.
- v) **Chemical Test:** The seals shall be kept in the concentrated acid for minimum one hour in locked condition. The same shall remain in tact condition and if try to unlock the seal, the same shall be damaged.
- vi) **Temperature withstand test:** The seal should be tested for 30 minutes at 147 degree C. temperature without damage/ deformation.

In short, if the seal is tested for any of the above tests, in no condition the male and female part shall be separated out without affecting / damaging the seal. In case, if they are separated, the seal shall have sufficient tamper

evident. Also, if seal wire is pulled out from the seal in any of the above tests, it shall not come out from the seal without damaging seal.

- 7. Sampling Criteria:** For carrying out above acceptance tests at manufacturer's works shall be selected at the rate of 0.2% of the offered quantity with minimum 5 samples selected at random from the each lot offered for each circle.

The seals used in testing shall be destroyed in the presence of Nigam's Inspecting Officer.

8. Supply Schedule:

After placement of order the purchaser will intimate delivery schedule wing wise i.e. Green colour for I&S, Clear colour for M&P & Red for O&M with Code No. and Sr.No. of the seals. The seals shall be manufactured only after receipt of the delivery schedule and as per the delivery schedule unless specifically instructed or otherwise.

9. Random Testing:

As per the sampling criteria the random testing of the material in MST,CPH, Jodhpur Discom, Lab., Jodhpur after receipt in the stores irrespective of the fact whether or not it was inspected before dispatch will be carried out and in case of any failure, the entire lot shall be rejected at the risk & cost of the supplier.

10. Guarantee:

The seals shall be guaranteed for a minimum period of two years. In case, if any defect in design and manufacturing is noticed within the guarantee period, the seals shall be replaced within one month free of cost. The defective seal found in the field viz. STORES/FIELD OFFICERS shall be collected by the supplier at their risk and cost and shall be destroyed at their works in the presence of purchaser's representative. For the replacement of seals, revised Sr. No. shall be provided by the purchaser.

11. Replacement of rejected seals:

In case material are found not in accordance with the prescribed specification/approved drawings and/ or the approved samples the same will be rejected and supplier shall replace the rejected material free of cost within one month

from the date of intimation. The lot(s) of replaced seals will also have to be got inspected from purchaser's representative.

12. Special feature:

A secret code shall be given to each bidder on whom the Nigam places the order and secret code shall be embossed / Laser Printed on the Double Anchor portion. There will not be any name of the bidder embossed/laser printed on the seals but only JdVVNL logo, Sr.No., Month and Year of manufacture or any other symbol given by the Nigam shall be embossed/ laser printed. After completion of supply of order, the die of the secret code of the seals shall be surrendered to the Nigam by each bidder on whom the order is placed. Before commencing the supply 15 Nos. of sample seals shall have to be approved from the purchaser.

13. Patent:

Seals should be patented with patent office which may be for single or multiple Anchor lock. Copy of valid PATENT CERTIFICATE /Patent License should be submitted along with the offer.

14. Test Certificate(s):

The bidder shall have to submit test certificates for the type of offered seals from NABL/Govt. approved Laboratory. The supplier shall not dispatch the materials unless and until test certificate(s) are approved by the purchaser.

15. Packing and Forwarding:

The bidder shall be responsible for suitable packing of seals, circle wise. The supplier shall have to supply each 100 seals in chronological order i.e. arranging in serially, tied with the steel wire forming a loop and the same shall be packed in polythene bag with labels furnishing Sr.No. of seals and name of the circle and further in cardboard boxes.

16. Tender Samples:

The samples of each item offered shall be submitted before the due date and time of submission of tender. The sample(s) submitted shall be strictly conforming to the specification and drawing of the material offered. If the sample is found to be not as per specification/drawing the offer will not be considered and no correspondence from the tenderer for accepting supplies to the Nigam's requirement will be entertained. The tenderer shall have to submit fifteen (15) Nos. of each type of

offered seals. The tender without samples shall be rejected and not considered. The sample seals shall be tested as per specification/drawing/relevant standards.

17. Submission of drawing:

The tenderer shall submit their drawing for approval along with copy of tender document wherever the Nigam's drawing is not specified and attached with the specifications. The drawing submitted shall be strictly conforming to the sample and to the specifications.

18. Quality of Supplies:

All materials supplied shall be strictly as per specification laid down and in strict accordance with and as per the approved standard samples.

19. Sample before commencing bulk supplies:

- a) Before taking up the manufacture of the bulk supply, the successful bidder(s) will have to submit samples for approval to the purchaser within 7 days from receipt of the detailed order.
- b) No bulk supply should be made unless the sample is approved by the purchaser.

20. Form of undertaking:

On placement of order, bidders shall have to give undertaking as desired by the Jodhpur Vidyut Vitran Nigam Limited.

21. As GST act has been effected from 01.07.2017, therefore, BOQ has been prepared accordingly with applicability of GST. Further, old tax structure wherever appearing in ITB/GCC/Specification may be replaced by GST as per notification.

Further, GST registration number of Jodhpur Discom is 08AAACJ8578R1ZJ.

Schedule-‘A’**GUARANTEED TECHNICAL PARTICULARS FOR TAMPER EVIDENT
POLYCARBONATE SEALS AGAINST NIT No. JdVVNL/SE (MM&C)/ TN-1331**

S. N.	Description	Technical particulars required.
1	Name and address of manufacturer.	
2.	Work's Address.	
3.	Raw material of polycarbonate seals.	
4.	Properties of material.	
i)	Use	
ii)	Softness	
iii)	Durability	
iv)	Transparency	
5.	Colour of seals.	
6.	Whether Design and Construction of seal is as per specifications(Give details)	
7.	Thickness of seal.	
8.	Whether etching/embossing of serial no. is as per specifications.	
9.	Whether printing of monogram is as per specifications.	
10.	Max. withstand temperature (Up to 147 deg C)	
11.	Whether seal have following provisions.	
a	Tamper resistant and reliable.	
b	Environmentally safe as it doesn't contain any lead.	
c	Withstand long term exposure to direct sunlight.	
d	Required no tools for installation.	
e	Transparent.	
f	Heat resistance.	
12.	Guarantee of seal (Minimum 2 years)	
13.	Whether seals offered is patented & Copy of patent is enclosed	
14.	Whether seals wire is provided in the seals as per specification	
15.	GST Registration No.	

**SCHEDULE-I****SCHEDULE OF REQUIREMENT (TN-1331)**

S.No.	Description of the equipment required	Approx. Quantity (Nos.)
1.	DOUBLE ANCHOR TAMPER EVIDENT POLYCARBONATE SEALS	1094342 nos.

NOTE:-The quantities as mentioned in the schedule of requirements are tentative and may increase/decrease as per the requirement of the Nigam.

SCHEDULE- II

**PURCHASE OF DOUBLE ANCHOR TAMPER EVIDENT
POLYCARBONATE SEALS AGAINST TN-1331.**

PRICE ARE `FIRM`

SCHEDULE – III**JODHPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking****Prescribed technical specification for supply of**

(Name of Material/Equipment/Machinery/T&P etc.)

S.No.	Technical specification to which material/equipment/Machinery/T&P shall confirm	Name of IS/other standard specification to which material should confirm	Other particulars if any.
-------	---	--	---------------------------

Certified that we agree to all the aforesaid technical specification except at S.No..... for which our technical specification shall be as under:-

S.No.	Technical specification to which material/equipment/Machinery/T&P shall confirm	Name of IS/other standard specification to which material should confirm	Other particulars if any.
-------	---	--	---------------------------

(Signature)

Name & Designation
with seal of the bidder.

SCHEDULE-III-A**QUALIFICATION REQUIREMENT****TN- 1331****ITEM:- DOUBLE ANCHOR TAMPER EVIDENT POLYCARBONATE SEALS.**

The bidder should full-fill following qualifying requirements for successful participation in the tender along with relevant documentary evidence supporting each qualifying requirement without which the offer shall be considered non-responsive & rejected.

- I) The bidder should be a Manufacturer.
- II) The bidder is required to quote for minimum 10% of tendered quantity, failing which the offer may be considered Non-Responsive.
- III) The bidder should have designed, manufactured / fabricated, tested and supplied to utility / Discoms / Govt. Departments at least 2XQQ (QQ being the quoted quantity) of Double Anchor Tamper Evident Polycarbonate Seals in last three financial years from the date of opening of technical-commercial bid. In support of fulfilment of the past supply criteria, the bidder shall furnish documentary evidence in the form of certificate from Chartered Accountant in the prescribed proforma (available at Schedule-IV-B) only. This prescribed proforma should be either in original or copy duly attested by Notary. The bidder shall also sign and affix seal on the prescribed format C.A. Certificate. The certificate should have membership number with the name & address of the chartered accountant. Certificate should clearly indicate the quantity supplied, period of supply, voltage class / accuracy class of the material etc. in the format prescribed any deviation to format or information diverted format, will not be considered and rejected.
- IV) The bidder should possess adequate testing facilities for carrying out routine & acceptance test of items as per relevant standard at their works. The bidder shall furnish documentary evidence in support for conducting routine & acceptance test.
- V) The bidder shall clearly indicate the deviations such as Technical Deviation & Commercial Deviations in the prescribed proforma only. The deviations indicated elsewhere in the bid shall not be accepted.

- VI) The bidder must clearly fill up each and every particular of Guaranteed Technical Particulars annexed with Technical Specification otherwise he will be responsible for Technical Non-Responsiveness.
- VII) a) If a bidder has supplied up to 50% of ordered quantity in previous tender up to date of opening of subsequent tender and scheduled delivery period expired, the bid of such bidder will not be opened in the Discom for that item.
- b) However, if the supplies have been completed for a quantity more than 50% but not completed up to date of opening of subsequent tender and scheduled delivery period expired, the quantity equal to the quantity pending in previous tender for that item shall be reduced from the subsequent tender quantity to be allocated to the bidder.
- VIII) The bidder who have been black listed in any of the state Discom or with whom business relations have been severed or debarred in Jaipur Discom shall not be considered.
- IX) All documents required in the prescribed format are to be furnished along with the bid itself only except an attested copy of BIS license (wherever it is required), failing which the bid will be summarily rejected.

Note :

- i) Rajasthan based firms not meeting minimum quantity supplied criterion but having manufacturing and adequate testing facility and technical know how shall be considered as new firms and would be eligible for trial order only.
- ii) Requirement of quantity manufactured, minimum quantity to be offered and amount of Bank Guarantee to be furnished shall be reduced to 25% for Rajasthan based units.

SCHEDULE-IV `A`**Must be filled-in by the tenderer and attach with technical bid (Part-I)**

To,
The Superintending Engineer (MM&C),
Jodhpur Vidyut Vitran Nigam Limited,
Jodhpur.

Dear Sir,

With reference to your invitation to tender against specification No. **JDVVNL/SE/MM&C/TN-1331**, we agree to supply the following quantity:-

S. No	Particulars of Items	Tendered Quantity	Qty. Offered	Justification of quantity offered as per Qualifying Requirement	Status of Type Test Certificates
1.	2.	3.	4.	5.	6.
1	Double Anchor tamper Evident Polycarbonate Seals.	1094342 No			

1. The offer is valid for a period of 120 days after the date of opening of this tender.
2. It is noted that the quantity as mentioned in the specification are approximate and we agree to supply any quantity as per your requirement.
3. The delivery shall strictly be in accordance with our delivery schedule as given in Schedule-VIII of this specification. In case we fail to deliver the materials as indicated in the clause No.1.23 of GCC (Schedule-II), we are liable to pay recovery for delay in delivery as per clause No.1.24 of this Schedule-II of this specification.
The material shall conform to your specification No.JdVVNL/SE(MM&C)/ TN-1331 and as per relevant ISS in all respect.
4. We conform that we agree to all the terms & conditions as well as the technical stipulation of your specification No. JdVVNL/SE(MM&C)/TN-1331 and there are no deviations other than as specified in the Schedule-VI (A & B).
5. The prices offered against this specification shall be FIRM.

Yours faithfully,

Signature of bidder with stamp
Dated

SCHEDULE – V**JODHPUR VIDYUT VITRAN NIGAM LIMITED****A Govt. of Rajasthan Undertaking**

Statement of guaranteed technical particulars and other performance data for supply of
 (Name of material) against specification
 no.....

S.No.	Particulars of technical & other performance data guaranteed.
-------	---

Certified that we agree to all the aforesaid technical particulars and other performance data except following:-

S.No.	Particulars of technical & other Performance data	Reasons for deviations/departure.
-------	---	-----------------------------------

(Signature)

Name & Designation
 with seal of the bidder.

SCHEDULE – VI (A)



JODHPUR VIDYUT VITRAN NIGAM LIMITED
A Govt. of Rajasthan Undertaking

DEPARTURE/DEVIATION FROM TECHNICAL SPECIFICATION

The bidder shall state under this schedule the departure from the Purchaser's specification in respect of technical is as under:-

S.No.	Main Deviations from Technical Specification.
-------	---

Certified that we agree to all the technical specification of the NIT except for the deviation to the extent indicated above.

(Signature)
Name & Designation
with seal of the bidder.

SCHEDULE – VI (B)



JODHPUR VIDYUT VITRAN NIGAM LIMITED
A Govt. of Rajasthan Undertaking

DEPARTURE FROM COMMERCIAL TERMS & CONDITIONS OF THE
SPECIFICATION

The bidder shall state under this schedule the departure from the Purchaser's specification in respect of Commercial terms & conditions:-

S.No.	Main Deviations from Specification.
-------	-------------------------------------

Certified that we agree to all the commercial terms & conditions as laid down in General Conditions of Contract to the specification except for the deviation to the extent indicated above.

(Signature)
Name & Designation
with seal of the bidder.

SCHEDULE – VII

JODHPUR VIDYUT VITRAN NIGAM LIMITED
A Govt. of Rajasthan Undertaking

LIST OF PAST SUPPLIES

The bidder shall state under this schedule whether material and equipments, similar to those offered in the tender have been previously supplied by him. A list shall be given of such orders executed by him together with information regarding the names of purchasing organizations, quantities supplied and when the supplies were effected. This list should be in form given below:-

S.No.	Detailed particulars of items supplied	Qty in Nos.	Order No. & Date	Name & details of purchasing authority	Date of Completion
1	2	3	4	5	6

If executed partially to be mentioned (Qty. in Nos.)	whether still to be executed	Delivery stipulated in order	Remarks
7	8	9	10

Note: Separate schedules are to be furnished by the bidder for past supply to the JdVVNL, Jodhpur other State Electricity Boards and other Departments / Organizations.

(Signature)
 Name & Designation
 with seal of the bidder.

SCHEDULE-VIIIA



PROFORMA FOR C.A. CERTIFICATE FOR QUANTITY VERIFICATION
TN No.1331

TO WHOM SO EVER IT MAY CONCERN

This is to certify that M/s. _____ (complete with address) have manufactured and supplied the goods / equipments / material during the following financial year(s) to the Electrical utilities / Government Department / Discoms / SEBs as detailed out below :

FOR THE LAST THREE FINANCIAL YEAR FROM THE DATE OF OPENING OF TECHNO-COMMERCIAL BID.

S. No.	Financial Year in which material supplied	Detailed particulars of item(s) supplied	Name & particulars of Purchasing Authority	Order No. & date against which item(s) supplied.	Unit	Ordered		Actual supplied upto		Remarks
						Qty .	Value (Rs.)	Qty .	Value (Rs.)	
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

Signature
Name & Designation
With Seal of the Tenderer
Date _____
Place _____

Signature of C.A
Name :
Address :
Membership No.

The above particulars are true and correct based on explanations, records and books of accounts produced before us. Further the above certificate has been issued on the request of the company.

CA Firm(_____)

Note: The CA certificate must be signed by the bidder and C.A. firm on the letter head of C.A. The details i.e. address of C.A. & membership No. shall clearly be mentioned on CA certificate. In case CA certificate is not signed by the bidder/ furnished without membership no. & address of C.A. then same may not be considered for which responsibility rests with the bidder.

SCHEDULE – VIII

JODHPUR VIDYUT VITRAN NIGAM LIMITED
A Govt. of Rajasthan Undertaking

DELIVERY SCHEDULE**PART-A**

The delivery schedule of the material by the Purchase Officer is as mentioned hereunder:-

S.No.	Particulars of Material	Commencement period per Month.	Rate of supply per Month	Period for completion of delivery of entire material
	Double Anchor Tamper Evident Polycarbonate Seals	30 days	Equal Monthly	8 months including commencement period

PART-B

In case bidder deviates from the delivery schedule mentioned by the purchaser in Part-A then the delivery schedule shall be indicated/mentioned by the bidder as under:-

S.No.	Particulars of Material	Commencement period per Month.	Rate of supply per Month	Period for completion of delivery of entire material
-------	-------------------------	--------------------------------	--------------------------	--

- Note:**
1. During the commencement period the process of model assembly and submission of B.O.M. for approval shall be got completed.
 2. During the commencement period the contractual formalities shall be got completed.

(Signature)
 Name & Designation
 with seal of the bidder

SCHEDULE – IX

JODHPUR VIDYUT VITRAN NIGAM LIMITED
A Govt. of Rajasthan Undertaking

List of Equipments and Technical Hands Available with the Firm
 (To be filled in by the bidders & enclosed with the bid)

Manufacturers and / or their authorized agents who are quoting against this bid are requested to furnish the following information along-with the bid. The Purchaser will have the discretion to ignore the bid without the under noted particulars and/or ignore the bid particulars.

1.	Name and Address of Manufacturer (With phone, mobile, fax & official email ID)	
2.	Whether firm is proprietorship/partnership/ Limited (Please give details and also enclose copy of memorandum of constitution of firm along with name of directors/ partners/proprietor & their address.	
3.	Place where works exist (indicate the name of the only one works from where you want to supply the offered material).	
4.	Details of machinery particularly with B.H.P. of each item installed.	
5.	Details of staff employed in the works	
6.	Date when started the manufacturing of item under reference	
7.	List of items manufactured.	
8.	Literature and drawings of items manufactured showing their description, size, design and other important technical particulars	
9.	Details of order so far, executed alongwith the names of organization to whom supplied.	
10.	Manufacturing capacity.	
11.	Is the workshop open for inspection by the representative of the board, if required?	
12.	Statement of financial resources and Banking Reference along with Balance-Sheet for previous two years	
13.	Testing facilities available for the manufactured articles in the testing laboratory of works.	
14.	Whether the Firm is a small/medium/large scale industry.	
15.	Registration No. with :-	
	• i. Small Scale, National/State.	
	ii) DGTD	
	iii) State Industries Department	

(Signature)
 Name & Designation
 with seal of the bidder.

Schedule - X**GENERAL PARTICULARS ABOUT THE TENDER IN BRIEF**

**JODHPUR VIDYUT VITRAN NIGAM LIMITED
OFFICE OF THE SUPERINTENDING ENGINEER (MM&C)
NEW POWER HOUSE INDUSTRIAL AREA, JODHPUR.
TELEPHONE: 0291-2742223 / FAX:- 0291-2746539**

BID DOCUMENTS FOR PURCHASE OF DOUBLE ANCHOR TAMPER EVIDENT
POLYCARBONATE SEALS UNDER SPECIFICATION NO.JdVVNL/SE/MM&C/ TN-1331

LAST DATE AND TIME FOR BID SUBMISSION	01.08.2017 at 12:00 pm
DATE AND TIME OF OPENING OF BID	01.08.2017 at 03:00 pm
EARNEST MONEY TO BE DEPOSITED	Rs.1,00,000.00
COST OF THE SPECIFICATION	Rs.2,950.00(non refundable)
PROCESSING FEE OF RISL	Rs.1,180.00(non refundable)
VALIDITY	120 DAYS FROM THE NEXT DATE OF OPENING OF TECHNO-COMMERCIAL BID

VERY VERY IMPORTANT

The bids not accompanied with qualification requirement, technical requirement indicated in the specification and other requirement given here under will be considered as incomplete offer and sufficient grounds for offer to be passed over:

1. Capacity, capability and competency proofing documents.
 - a. Capacity /orders of similar and higher rating of tendered equipment booked as on date of bidding with type and rating and construction details of equipment for which order received be indicated.
 - b. Copy of purchase orders of Erstwhile RSEB /SEB`S / Electric Utilities / Govt.
2. Departments / Discom for similar or higher rating equipment latest executed.
3. Year wise past experience for last 5 years of similar or higher rating of tendered equipment.
4. The details of testing facilities available at the works and copies of latest type test certificates, carried out on similar ITEM.

5. Quality assurance plan.
 6. Complete guaranteed technical particulars, out lines and general arrangement drawings along with Bill of Material.
 7. Bids without Section-I, II, III & Schedules (I to X) shall be rejected.
 8. Bids shall be furnished **through online**.
 9. JdVVNL has the right to reject any offer on the basis of track record of poor performance in execution of previous order / equipment supplied /after sales service while evaluating the Techno-Commercial bid.
 10. JdVVNL reserves the right to accept minor deviations in standard terms and conditions and also in technical and constructional features as specified in the technical specification (**Schedule-III**).
 11. Deviation of any kind shall not be quoted in price bid, if found quoted, the same shall be ignored.
 12. The following facilities are to be provided by the supplier at his own cost to the inspecting officer of Nigam (JdVVNL):-
 - i. Suitable accommodation.
 - ii. Local conveyance between arrival point, place of stay, works and departure point.
 - iii. The supplier shall assist in arranging return ticket and reservation on the request of the inspecting officer for which the payment shall be made by the inspecting officer. In case of joint inspection, single or shared double room accommodation shall be provided
-