



RAJASTHAN RAJYA VIDHUT UTPADAN NIGAM LIMITED
CIN- U40102RJ2000SGC016484 (A Govt. of Rajasthan Undertaking)
CHHABRA THERMAL POWER PROJECT, CHHABRA (Raj.)

NOTICE INVITING TENDERS

Sealed tenders are invited from the experienced & well-settled contractors/firms for the following works/Supply of material to participate in the tender. It is necessary to purchase the tender documents (non-transferable) to participate in the tender process. Tender Documents for MM Wing can be purchased on any working day between 10:00 AM to 4:00 PM after paying tender cost (Non-refundable) separately for the tender in form of DD/digital mode payable to the Asstt. Accounts Officer, CTPP, Chhabra up to 2:00 PM of tender opening date & tender documents, for O&M Works & Civil Works can be purchased on any working day between 10:00 AM to 4:00 PM after paying tender cost (Non-refundable) separately for the tender in form of DD/digital mode payable to the Asstt. Accounts Officer, CTPP, Chhabra up to the dates mentioned against each from the following offices:-

- (i) For O&M Contracts from the Office of concerning Superintending Engineer, Service Building, Chhabra Thermal Power Project, Chhabra, Village-Chowki Motipura, Distt. Baran
- (ii) For Supply Orders from the Office of Superintending Engineer (MM), 1st Floor, Administrative Building, Shakti Parisar, Chhabra Thermal Power Project, Chhabra, Village - Chowki Motipura, Distt. Baran.
- (iii) For Civil Works from the Office of Superintending Engineer (Civil), 1st Floor, Administrative Building, Shakti Parisar, Chhabra Thermal Power Project, Chhabra, Village - Chowki Motipura, Distt. Baran.

Sealed Tenders for MM wing **NIB No./2023,2030,2031,2032,3133,3134,3136,4163 & 4164/2018-19/SE(MM)/CTPP** will be received in the office of Superintending Engineer (MM), 1st Floor, Administrative Building, CTPP Site, Chowki Motipura, Chhabra, District Baran, upto 3:00 PM on the scheduled date of opening and will be opened at 3.30 PM in the presence of all the bidders at CTPP, Chhabra. On the opening date, only techno-commercial bid (part 'A') will be opened and date of opening of Price-Bid of qualifying bidders will be intimated subsequently.

The Chief Engineer of Chhabra Thermal Power Project has the authority to relax the qualifying/other conditions.

The bidder should have PF & GST registration, ESIC registration & statutory requirement like labour licence & Elect. Licence (For Elect. Contracts). RVUNL shall not be responsible for any delay in correspondence on account of postal/courier services.

The bidders are advised to submit the tender documents in two parts as under:-

- The tenders should be submitted in two parts.
- In part 'A', the techno-commercial bid should be kept in first separate envelope alongwith necessary experience certificate and financial resources certificate.
- Tender Fee & EMD deposit through DD/digital mode in favour of The Asstt. Account Officer, CTPP, RVUNL, payable at SBI, Motipura, Chhabra, A/c No. 61005208761 (IFSC Code- SBIN 0031988).
- Plz inform payment advice on Email ID: aocctp@gmail.com in case the payment is made through digital mode.
- All the above envelopes will be sealed separately.

The bidder should furnish the documents towards the proof of PF & GST Registration while quoting for Annual Maintenance contract only.

Rates offered in the tender shall be valid for 120 days from the date of opening of tender. Tenders received through Telegram/Fax/E-mail/SMS or conditional tenders shall not be accepted. Competent Authority reserves the right to cancel any/all the tenders without assigning any reason.

Tender No./UBN	Particulars	Estimated Cost	Tender Cost	Earnest Money	Last date for sale of tender document	Date of Tender opening	Circle Cont. No.
NIB No./2023/18-19/SE (MM)/CTPP, (RVU1819 GSOB00725)	Supply, erection, testing and commissioning of HBL make Ni-cd battery for fire alarm and detection system of Unit#1 & 2 to CTPP, Chhabra.	3.50 Lakh	200/- +GST @18%	7000/-	07.08.18	07.08.18	9413385950
NIB No./2030/18-19/SE (MM)/CTPP, (RVU1819 GSOB00730)	Supply of Desi Gur to CTPP, Chhabra.	4.65 Lakh	200/- +GST @18%	9300/-	07.08.18	07.08.18	9413385950
NIB No./2031/18-19/SE (MM)/CTPP, (RVU1819 GSOB00731)	Supply of Expansion joint of Ball Tube Mills BBD4772 for Unit#1 to 4 to CTPP, Chhabra.	7.23 Lakh	200/- +GST @18%	14500/-	07.08.18	07.08.18	9413385950
NIB No./2032/18-19/SE (MM)/CTPP, (RVU1819 GSOB00739)	Supply of 01 No. each Jaw Crusher, Roller Crusher and Disc Pulveriser for fuel laboratory to CTPP, Chhabra.	3.70 Lakh	200/- +GST @18%	7400/-	07.08.18	07.08.18	9413385950
NIB No./3133/18-19/SE (MM)/CTPP, (RVU1819 GSOB00720)	Supply, erection, testing and commissioning of automatic spray control valve dust suppression system at BCN-7A at JNT-2 in Phase-I secondary crusher-3 and Grizzly feeder-3 at crusher house area in CHP, Phase-II, Stage-I, CTPP, Chhabra.	3.90 Lakh	200/- +GST @18%	7800/-	07.08.18	07.08.18	9413385950

NIB No./3134/ 18-19/SE (MM)/ CTPP, (RVU1819 GSOB00714)	Supply of Local gauges (Pr. /Diff. Pr) Installed at all major equipments at different locations in Unit#1 to 4 to CTPP, Chhabra.	10.00 Lakh	200/- +GST @18%	20000/-	14.08.18	14.08.18	9413385950
NIB No./3136/ 18-19/SE (MM)/ CTPP, (RVU1819 GSOB00721)	Supply of various Rods of Workshop in CHP, CTPP, Chhabra.	8.20 Lakh	200/- +GST @18%	16400/-	14.08.18	14.08.18	9413385950
NIB No./4163/ 18-19/SE (MM)/ CTPP, (RVU1819 GSOB00733)	Supply of composite polymer pin insulators for 33 KV/11KV & bus post insulators for 33 KV double circuit line from Switchyard to river water pump houses of CTPP, Chhabra	7.00 Lakh	200/- +GST @18%	14000/-	08.08.18	08.08.18	9413385950
NIB No./4164/ 18-19/SE (MM)/ CTPP, (RVU1819 GSOB00734)	Supply of two layer contact brushes and double layer brushes (Left) & double layer brushes (Right) for the 4x250MW generators & exciters of CTPP, Chhabra	6.00 Lakh	200/- +GST @18%	12000/-	10.08.18	10.08.18	9413385950

Pre-qualification Requirements of above tenders are as following:

1. NIB No. /3133/2018-19/SE (MM)/CTPP

- (A) Average annual financial turn over in the preceding three completed financial years as on date of bid opening should not be less than or equal to the total estimated value of Rs. 4 Lakhs of the tender.
- (B) The bidder must have an experience of having successfully executed/completed order for Supply, erection, testing and commissioning of automatic spray control valve dust suppression system in any of the thermal power plant(s)/any process industries/organization during last 7 years ending last day of the month previous to bid opening date with either of the following executed value(s) of the order:
- (i) Three executed/completed order, as above, costing not less than the amount equal to 40% of the estimated cost each.
- (ii) Two executed/completed order, as above, costing not less than the amount equal to 50% of the estimated cost each.

- (iii) One executed/completed order, as above, costing not less than the amount equal to 80% of the estimated cost each.
- (C) Satisfactory performance certificate or proof of completion of Supply for above executed order.
- (D) The participating bidders shall have valid GST/TIN No.
- (E) The bidder shall be a manufacturer/authorized dealer of dust suppression system.

NOTE:

- (a) The word executed means that the bidder should have achieved the specified criteria with any of the following conditions:-
 - (i) The work/order are started earlier to the stipulated period, but completed within the stipulated period. In such cases, entire executed quantity/value of the relevant work vide that work order shall be considered for evaluated.
 - (ii) The work/order is started and completed within the stipulated period. In such cases, entire executed quantity/value of the relevant work vide that work order shall be considered for evaluation.
 - (iii) The work/order is started within the stipulated period but not completed as on the last date of stipulated period. In such cases, "In Progress" executed quantity/value of the relevant work vide that work order as on the last date of stipulated period, shall be considered for evaluation.
- (b) The RVUN also reserves the right to reject any or all bids or cancel/withdraw the invitation for bids without assigning any reason whatsoever and in such case no bidder intending bidder shall have any claim/arising out of such action.

2. NIB No. /3134 /2018-19/SE (MM)/CTPP

- (A) The bidder should be original manufacturer of the Pr./Diff. Pr. or should be authorized dealer. If the authorized dealer participates in bidding process, they will have to submit the latest authorization certificate of the original manufacturer.
- (B) The quoted price should be in Indian rupees.
- (C) Performance certificate from OEM/ Authorized dealer and P.O. copies of this system supplied to PSU/other customer shall be preferable.

3. NIB No. /3136 /2018-19/SE (MM)/CTPP

- (A) The Firm/bidder should have executed at least one order for supply of similar items to any Govt./Private/Undertaking departments and shall submit the proof of same.
- (B) The Firm/bidder must provide solvency certificate of competent district authorities or reputed bank/Banker's credit certificate for minimum Rs. 4.0 Lacs (Four Lac) which is not older than last two years.
- (C) The bidder shall have GSTIN registration & No.

Chief Engineer (O&M)
CTPP, RVUNL, Chhabra.



jktLFkku jkT; fo|qr mRiknu fuxe fyfeVsM
IN- U40102RJ2000SGC016484 ¼jktLFkku ljdkj dk miØe½
NcM+k FkeZy fo|qr ikWoj LVs”ku] NcM+k ¼jkt-½

fufonk lwpuk

fuEufyf[kr dk;ksZa@lkekuksa dh vkiwfrZ ds fy, izfr"Br vuqHkoh Bsdsnkjksa ls lhycUn fufonk;sa vkeaf=r dh tkrh gSaA fufonk esa Hkkx ysus ds fy, fufonk izi= ¼vgLrkUrj.kh;½ [kjhnuk vko';d gSA ,e-,e- ds fufonk izi= fdlh Hkh dk;Z fnol esa 10 cts ls 4 cts rd izR;sd fufonk ds lkeus bafxr frfFk rd fufonk 'kqYd ¼vizfrns;½] lgk;d ys[kkf/kdkjh] NcM+k FkeZy ikoj ifj;kstuk] jk-jk-fo-m-fu-fyfeVsM] NcM+k ds uke fMftVy eksM@fMekaM M^ak¶V] tks fd NcM+k esa ns; gks] tek djok dj fufonk [kqyus dh frfFk ds fnu vijUg 2 cts rd] tcfD fufonk izi= lapkyu ,oa ejEer rFkk flfoy dk;ksaZ ds fy, fdlh Hkh dk;Z fnol esa 10 cts ls 4 cts rd izR;sd fufonk ds lkeus bafxr frfFk rd fufonk 'kqYd ¼vizfrns;½] lgk;d ys[kkf/kdkjh] NcM+k FkeZy ikoj ifj;kstuk] jk-jk-fo-m-fu-fyfeVsM] NcM+k ds uke fMftVy eksM@fMekaM M^ak¶V] tks fd NcM+k esa ns; gks] tek djok dj fuEufyf[kr dk;kZy;ksa ls izklr fd;s tk ldrs gaSA

- 1 lapkyu ,oa ejEer vuqca/k gsrq lEcU/kRk v/kh{k.k vfHk;ark] lfoZl Hkou] pksSdh eksrhiqjk] NcM+k FkeZy ikoj ifj;kstuk] NcM+k] ftyk ckjka A
- 2 flfoy dk;kZsa gsrq mi eq[; vfHk;ark ¼flfoy½] izFke ry] iz”kklfud Hkou] pksSdh eksrhiqjk] NcM+k FkeZy ikoj ifj;kstuk] NcM+k] ftyk ckjka A
- 3 lkekuksa dh vkiwfrZ gsrq v/kh{k.k vfHk;Urk ¼,e-,e-½] izFke ry] iz”kklfud Hkou] pksSdh eksrhiqjk] NcM+k FkeZy ikoj ifj;kstuk] NcM+k] ftyk ckjkaA

lhycUn fufonk;as aMM Wing NIB No./2023,2030,2031,2032,3133,3134,3136,4163 & 4164/2018-19/SE(MM)/CTPP dh fufonk,a fuf'pr frfFk dks v/kh{k.k vfHk;Urk ¼,e-,e-½] izFke ry] iz”kklfud Hkou] pksSdh eksrhiqjk] NcM+k FkeZy ikoj ifj;kstuk] NcM+k] ftyk ckjk; ds dk;kZy; esa 3-00 cts rd Lohdkj dh tkoasxh rFkk mlh fnu mifLFkr fufonkdjksa ds le{k vijUg 3-30 cts NcM+k FkeZYk ikoj ifj;kstuk] NcM+k esa [kksyh tkosaxhA fufonk [kqyus dh frfFk ds fnu VsDuks&dkWef”kZ;y fufonk ¼Hkkx&v½ dks gh [kksyk tkosxk ,oe~ ;ksX; ik;s x;s fufonkdrkZvksa dks ewY; fufonk ¼Hkkx&c½ [kksyus dh frfFk ds ckjs esa rnksijkUr lwfpr fd;k tkosxkA

eq[; vfHk;Urk] NcM+k FkeZy ikoj izkstsDV] fu/kkZfjr ;ksX;rk@vU; “krksaZ esa NwV ds fy, vf/kd`r gaSA

fufonkdrkZ ds ikl Hkfo'; fuf/k ,oa th-,l-Vh- iathdj.k] bZ-,l-vkbZ-lh- iathdj.k ,oa oS/kkfud vko';drk tSlS Je ykblsUl ,oa fo|qr ykblsUl ¼bysfDV^ady vuqcU/k ds fy,½ gksuk pkfg,A vkj-oh-;w-,u-,y- Mkd@dksfj;j }kjk fd;s x;s i=&O;ogkj esa gksus okys foyEc ds fy, mRrjnk;h ugha gksxkA

- fufonkdrkZ dks Vs.Mj izi= nks Hkkxksa eas fuEukuqlk izLrqr djuk gksxk%&
- Hkkx *v* esa VsDuks&dkWef”kZ;y fufonk e;&vko”;d vuqHko izek.k i= ,oe~ foRrh; lalk/ku izek.k&i= ds lFk ,d fyQkQs esa izLrqr djuh gksxhA
 - /kjsgj jk”k o fufonk “kqYd dk ek;x&i=@fMftVy eksM esa lgk;d ys[kkf/kdkjh] NcM+k rkih; fo|qr ifj;kstuk ds uke ,l-ch-vkbZ-] ekSrhijwk] NcM+k [kkrk la;k 61005208761 (IFSC Code- SBIN 0031988) esa ns; gksxkA
 - vxj Hkqxrku fMftVy eksM+ ls fd;k gS rks Hkqxrku dh tkudkj bZesy vkbZMh%& aoctpp@gmail.com ij lwfpr djsaA
 - mijksDr lHkh fyQkQs vvx&vyx lhy fd;s tkosaxsA

- IHkh fufonk,a nks Hkkxksa esa Lohdkj dh tkosaxhA

la/kkj.k ds okf'kZd vuqcU/kkas ds fufonkdrkZ dks Hkfo'; fuf/k@th-,l-Vh- foHkkx ls iUthd'r gksus dk izek.k&i= izLrqr djuk gksxkA

fufonk dh njsa fufonk [kqyus dh rkjh[k ls 120 fnu rd gh ekU; jgasxhA rkj@QSDI@bZ&esy@,- ,e- ,l- }kjk izsf'kr ;k l'krZ fufonk,a ekU; ugha gksaxhA l{ke vf/kdkjh dks fdlh Hkh ;k IHkh fufonkvksa dks fcuk dksbZ dkj.k crk, fujLr djus dk vf/kdkj gksxkA

fufonk la0@;w-ch- ,u-	dk;Z dk uke	vuqek fur ykr	fufonk "kqYd	/kjksgj jkf'k	fufonk izkflr dh vfUre frfFk	fufonk [kqyus dh frfFk	vkWfQI dksuVsDV u-a
NIB No./2023/ 18-19/SE (MM)/ CTPP, (RVU1819 GSOB00725)	bdkbZ 1 o 2 ds Qk;j vkyeZ o fMVsd"ku flLve ds fy, ,p-ch- ,y- esd Ni-cd csV ^{ah} dh llykbZ] bjsD"ku] VsfLVax o dfe"kfuaxA	3.50 yk[k	200/- +GST @18%	7000/-	07.08.18	07.08.18	9413385950
NIB No./2030/ 18-19/SE (MM)/ CTPP, (RVU1819 GSOB00730)	lh-Vh-ih-ih-] NcM+k esa nslh xqM+ dh vkiwfrZA	4.65 yk[k	200/- +GST @18%	9300/-	07.08.18	07.08.18	9413385950
NIB No./2031/ 18-19/SE (MM)/ CTPP, (RVU1819 GSOB00731)	lh-Vh-ih-ih-] NcM+k esa bdkbZ 1 ls 4 ds ckWy V~;wc feYl BBD4772 ds fy, ,Dlisa"ku TokbZUV dh vkiwfrZA	7.23 yk[k	200/- +GST @18%	14500/-	07.08.18	07.08.18	9413385950
NIB No./2032/ 18-19/SE (MM)/ CTPP, (RVU1819 GSOB00739)	lh-Vh-ih-ih-] NcM+k esa ¶;wy yscksjsV ^{ah} ds fy, ,d uEcj izR;sd tk Ø"kj] jksyj Ø"kj vkSj fMLd iqyojkbZtjA	3.70 yk[k	200/- +GST @18%	7400/-	07.08.18	07.08.18	9413385950
NIB No./3133/ 18-19/SE (MM)/ CTPP, (RVU1819 GSOB00720)	LVst&izFke] Qst&f}rh; ds lh,pih essa ISd.Mjh Ø"kj&3 vkSj fxztyh QhMj&3] Ø"kj gkml ,fj;k ij vkSj Qst&izFke ds ch-,l- ,u-&7,] ts-,u-Vh-&2 ij vkWVksesfVd	3.90 yk[k	200/- +GST @18%	7800/-	07.08.18	07.08.18	9413385950

	Lizs dUV ^a ksy okYo MLV lIjs"ku flLve dh vkiwfrZ] bjsD"ku] VsfLVax vkSj deh"kfuax gsrqA						
NIB No./3134/18-19/SE (MM)/CTPP, (RVU1819 GSOB00714)	;wfuV ,d ls pkj esa fofHkUu yksds"kUI ij IHkh estj midj.kksa ij LFkfkir yksdy xstst ¼izs"kj@fMQjsfU"k ;y izs"kj½ dh vkiwfrZA	10.00 yk[k	200/- +GST @18%	20000/-	14.08.18	14.08.18	9413385950
NIB No./3136/18-19/SE (MM)/CTPP, (RVU1819 GSOB00721)	lh-,p-ih- esa odZ"kkWi dh fofHkUu rjg dh jksM~l dh vkiwfrZA	8.20 yk[k	200/- +GST @18%	16400/-	14.08.18	14.08.18	9413385950
NIB No./4163/18-19/SE (MM)/CTPP, (RVU1819 GSOB00733)	lh-Vh-ih-ih-] NcM+k eas 33dsoh Mcy lfdZV ykbZu fLop;kMZ ls fjoj okVj iEi gkml ds cl iksLV bUlWysVj vkSj 33 dsoh@11 dsoh ds fy, dEiksftV iksfyej fiu bUlWysVj dh vkiwfrZA	7.00 yk[k	200/- +GST @18%	14000/-	08.08.18	08.08.18	9413385950
NIB No./4164/18-19/SE (MM)/CTPP, (RVU1819 GSOB00734)	lh-Vh-ih-ih-] NcM+k eas 4x250MW tujsVj vkSj ,DlkbZVj ds fy, Vw ys;j dksUVsDV cz"kst o Mcy ys;j cz"kst ¼ys[V½ vkSj Mcy ys;j cz"kst ¼jkbZV½ dh vkiwfrZA	6.00 yk[k	200/- +GST @18%	12000/-	10.08.18	10.08.18	9413385950

fufonk&izi= izklr djus gsrq fufonkdrkZ dks fuEufyf[kr izi=kas dks izLrqr djuk vko";d gS%&

1. NIB No./3133/2018-19/SE (MM)/CTPP

¼v½fiNys rhu fofRr; o'kksZa esa vkSlr fofRr; dkjksokj cksyh [kqyus dh frfFk ij fufonk dh vuqekfur ykxr 4-00 yk[k :;s ls cjkj ;k de ugha gksuk pkfg,A

¼c½fufonkdrkZ fuekZrk dks vkWVksesfVd Lizs dUV^aksy okYo MLV lIjs"ku flLve fd llykbZ] VsfLVax o deh"kfuax dk;Z dk lQyrkiwoZd IEikfnr@iw.kz djus dk vuqHko gksuk pkfg,A tks fdlh Hkh FkeZy ikoj lykaV@izksisl bUMfLV^at@vkWxsZukbts"ku fiNys 7 o'kksZa dk fufonk [kqyus dh vfUre fnu rd ;k fuEukfdar ewY; dk vkWMZj lEikfnr djus gksA

(i) rhu IQyrkiwoZd IEikfnr@iw.kz fd;s x;s dk;kZns”k ftudh vuqekfur ykxr dk 40 izfr”kr ls de u gksA

vFkok

(ii) nks IQyrkiwoZd IEikfnr@iw.kz fd;s x;s dk;kZns”k ftudh vuqekfur ykxr dk 50 izfr”kr ls de u gksA

vFkok

(iii) ,d IQyrkiwoZd IEikfnr@iw.kz fd;k x;k dk;kZns”k ftudh vuqekfur ykxr dk 80 izfr”kr ls de u gksA

¼l½ IUrS’ktud dk;Z fu’iknu izek.k i= ;k IEikfnr vkWMZj dks iw.kZ djus dk izek.k izLrqr djuk gksxkA

¼n½Hkkx ysus okys cksyhnkrkvksa ds ikl ekU; th,IVh@VhvkbZ,u uEcj gksuk pkfg,A

¼;½ fufonkdrkZ MLV Iljs”ku filVe dk fuekZrk@vf/kd`r fodzsrk gksuk pkfg,A

2. NIB No. /3134 /2018-19/SE (MM)/CTPP

¼v½ fufonkdrkZ xst dk ¼izs”kj@fMQjsfU”k;y izs”kj½ ewy fuekZrk ;k vf/kd`r fodzsrk gksuk pkfg,A ;fn vf/kd`r fodzsrk fufonk esa Hkkx ysrk gS rks mls ewy fuekZrk dk uohure vf/kd`r izek.k i= izLrqr djuk gksxkA

¼c½ m)r ewY; Hkkjrh; ;i;s esa gksaxsA

¼l½ vks-bZ-,e-@vf/kd`r Mhyj dks ih-,l;-w-@vU; xzkgdksa ls bl filVe dh vkiwfrZ djus dk IUrS’ktud izn”kZu izek.k i= izLrqr djuk gksxkA

3. NIB No. /3136 /2018-19/SE (MM)/CTPP

¼v½ fufonkdrkZ dks blh izdkj ds oLrqvksa dk fdlh Hkh ljdkjh@futh@miØe foHkkxksa esa de ls de ,d vkWMZj IEikfnr fd;k vks mldk izek.k izLrqr djuk gksxkA

¼c½ fufonkdrkZ@QeZ dks gSfl;r izek.k i= izLrqr djuk gksxk tks ftyk izkf/kdkjh ;k IEekfur cSad@cSadZ ØsfMr izek.k i= U;wure 4 yk[k dk tks fiNys nks o’kksZa ls T;knk iqjkuk u gks izLrqr djuk gksxkA

¼l½ cksyhnkrkvksa ds ikl ekU; th,IVhvkbZ,u jftLV^as”ku o uEcj gksuk pkfg,A

eq[; vfHk;ark (O&M)
NcM+k rkih; fo[qr ifj;kstuk]

NcM+k